

Table A6-7 Subjected Procedure List

Users and Output Destination column

- indicates that only NACCS EDI Standards are compatible.
- indicates that both EDIFACT Standards and NACCS EDI Standards are compatible.
- indicates the procedure is compatible with EDIFACT Standards, however, timing of introduction has not been determined and the procedure is compatible with NACCS EDI Standards.

WebNACCS compatibility column

- indicates the procedure can be carried out through WebNACCS.

Mobile terminal compatibility column

- indicates the procedure can be carried out through WebNACCS and can be carried out from a mobile terminal.
- R indicates the procedure can be carried out through WebNACCS and can be carried out from a mobile terminal (responsive compatibility).

EDIFACT (input) (output) Availability column

- ◎ indicates the procedure (output information) is compatible with EDIFACT Standards.

EDIFACT applied message column

Message name	Content
CUSRES (Customs response message)	Notification, etc. of permission and approval, etc. for declaration issued by Customs Station
CUSREP (Customs conveyance report message)	General Declaration, etc.
CUSCAR (Customs cargo report message)	Cargo Manifest, etc.
PAXLST (Passenger list message)	Passenger and crew list
CODECO (Container gate-in/gate-out report message)	Confirmation, etc. of CY carry-out and carry-in of containers
IFTMIN (Instruction message)	Shipping instruction, etc.

XML (input) (output) Availability column

- indicates the procedure (output information) is compatible with XML.

Re-sending prevention column (function only effective for NACCS Packaged Software users)

- indicates the message where re-sending prevention is specified. However, in the case of an error, this is not specified.
- indicates the message where re-sending prevention is specified when there is no subsequent information in list inquiry procedure, etc.
- △ indicates the message where re-sending prevention is specified in the case of special conditions such as Warning Message.