Proce Code		Name (Procedure	Upda	te R	egist	erec	l Ad	vano	ce Ca	argo	nfor	nati	on (H	Hou	se E	5/L)	(CH	R)		
No	Column	Field Name	D	Attribute	Length	Repeat1	Repeat2		Ad	d			ditio rrect			Del	lete		Code	Input Condition/Format
1		Input Common Field			398	_	10	м			м				М					
2		Function Type Code	KND	an	1			м			м				м					2: Addition 5: Correction 1: Deletion
3		SP Code	SPI	an	16			с			с				с					Enter the service provider code.
4		Reason for Deletion Code	DLC	an	1			-			-				м					When "1: Deletion" is entered in Function Type Code, entry is mandatory. 1: Cancelation of loading 3: Change of B/L number 4: Misregistration 5: Other reasons
5		Reason for Deletion	DLR	an	210			-			-					с				When "5: Other reasons" is entered in Reason for Deletion Code, entry is mandatory.
6		Vessel Code	SEN	an	9			м			м				м				Call Sign	<ol> <li>Basket code "9999" is NOT allowed.</li> <li>When both of "Laden Vessel Name" and "Nationality Code of Vessel" are entered, vessel code which is NOT registered in NACCS is also allowed.</li> <li>Left justification</li> </ol>
7		Laden Vessel Name	SNM	an	35			F			F				-					<ul> <li>(1) When "Vessel Code" is NOT registered in NACCS, entry is mandatory.</li> <li>(2) When "Vessel Code" is registered in NACCS, laden vessel name registered to the code would be used rather than the name in this field.</li> </ul>
8		Nationality Code of Vessel	SNC	an	2			F			F				-				UN/LOCODE (2- digit country name)	<ul> <li>(1) When "Vessel Code" is NOT registered in NACCS, entry is mandatory.</li> <li>(2) When "Vessel Code" is registered in NACCS, nationality code of vessel registered to the "Vessel Code" would be used rather than the code in this field.</li> </ul>
9		Voyage Number	VOY	an	10			м			М				м					Left justification.
10		Carrier Code	SCA	an	4			м			М				м					Enter carrier code for NACCS.
11		Port of Loading Code	LPR	an	5			м			м				м				UN/LOCODE	<ol> <li>(1) Enter the code of the port where container cargos for Japan were loaded.</li> <li>(2) When the code NOT registered in NACCS is entered, NACCS will change the last 3 letters of the code to "ZZZ" (basket code) and continue the process.</li> <li>(3) Only the code of foreign port registered in NACCS is allowed.</li> </ol>
12		Name of Port of Loading	LPN	an	20			F			F				-					<ol> <li>When basket code is entered in "Port of Loading Code" (or when NACCS changed the code to basket code), entry is mandatory.</li> <li>When the name of port of loading corresponding to "Port of Loading Code" is registered in NACCS, the registered name would be used rather than the name in this field.</li> </ol>
13		Port of Loading Suffix	LED	an	1			с			с				С					Enter a suffix number (1-9) when the vessel intends to call at the same port several times during a single voyage.
14		Master B/L Number	OBL	an	35			м			м				М					<ul> <li>(1) The first 4-digits should be a carrier code for NACCS.</li> <li>(2) The number should be more than 5 digits.</li> <li>(3) No "," (comma sign) is allowed.</li> <li>* Input the same Master B/L Number as the one filed in AMR/CMR.</li> </ul>

Proc Code		Name (Procedure	Upda	ite F	Regist	erec	d Ad	lvano	ce C	Cargo	o Inf	orm	atio	on (⊢	lous	se B	/L)	(CH	R)		
No	Column	Field Name	ē	Attribute	Length	Repeat1	Repeat2		Ac	dd				litior rect	ו		Del	lete		Code	Input Condition/Format
15		House B/L Register Completion Identifier	HBE			_	2	с				с				-					<ol> <li>Enter "E" when all House B/Ls related to the Master B/L are registered.</li> <li>When Function Type Code is "5: Correction", entry is required only when Master B/L number is to be corrected.</li> </ol>
16		House B/L Number	CBL	an	35			с				М				м					<ol> <li>The first 4-digits should be an available code for House B/L.</li> <li>The number should be more than 5 digits.</li> <li>No "," (comma sign) is allowed.</li> <li>When House B/L Register Completion Identifier is empty, entry is mandatory.</li> </ol>
17		Vessel Information Change Identifier	VCP	an	1				с				с			-					Y: When change of vessel information should occur, follow the vessel information of Master B/L related to the entered House B/L.
18		Estimated Date of Departure	DDT	n	8				с				с			-					Enter estimated date (Year, Month and Day) of departure in Local time or GMT.
19		Estimated Time of Departure	DH M	n	4					м				м		-					Enter estimated time (Hour and Minutes) of departure in Local time or GMT.
20		Time Difference from Greenwich Mean Time	GTD	an	5					М				м		-					<ul> <li>(1) Enter time difference between local time and Greenwich Mean Time in the format as "+ or -" and "HHMM"</li> <li>(2) The following range is accepted:</li> <li>"-1200" ≤ Time Difference from Greenwich Mean Time ≤</li> <li>"+1400"</li> <li>(3) Enter "00000" when GMT is used in "Estimated Date of Departure" and "Estimated Time of Departure".</li> </ul>
21		Relaxed Application Area Identifier	MM R	an	1				с				с			-					Y: When it is certain short-distance shipping route which is subject for relaxed application.
22		Notification Forwarding Party Code	CA_	an	5	3			с				с			-				User Code	<ol> <li>When you want to make other users to receive the same Prior Notification of Risk Assessment Result sent by Japan Customs, enter their User Codes.</li> <li>User Code of the filer is NOT allowed except when it is correction by Notification Forwarding Party.</li> <li>Redundant input of User Code is NOT allowed.</li> </ol>
23		Port of Discharge Code	DPR	an	5				М				м			-				UN/LOCODE	<ol> <li>(1) Enter the code of the port of discharge (or port of temporary landing).</li> <li>(2) The port in Japan is available only when the port is registered in the system for ocean-going ships.</li> <li>(3) Enter the code of foreign port when the cargo is transit cargo.</li> <li>(4) When the entered "Port of Discharge Code" is NOT registered in NACCS, NACCS will change the last 3 letters of the code to "ZZZ" (basket code) and continue the process.</li> </ol>
24		Estimated Date of Arrival	IDT	n	8				М				М			-					<ol> <li>Enter Japanese standard time.</li> <li>Enter estimated date of calling at a port in Japan when the cargo is transit cargo.</li> </ol>
25		Port of Origin Code	EPR	an	5				М				м			-				UN/LOCODE	<ol> <li>Enter the code of the port where container cargos were loaded onto the vessel for the first time.</li> <li>When the entered "Port of Origin Code" is NOT registered in NACCS, NACCS will change the last 3 letters of the code to "ZZZ" (basket code) and continue the process.</li> </ol>
26		Port of Origin Name	EPN	an	20				F				F			-					<ol> <li>When basket code is entered in "Port of Origin Code" (or when NACCS changed the code to basket code), entry is mandatory.</li> <li>When the name of port of origin corresponding to "Port of Origin Code" is registered in NACCS, the registered name would be used rather than the name in this field.</li> </ol>

Proce Code		Name (Procedure	Upda	ite R	egist	terec	d Adva	ance	Carg	jo Info	ormat	ion (	Hou	se E	3/L)	(CHF	र)		
No	Column	Field Name	₽	Attribute	Length	Repeat1	Repeat2	A	٨dd			ditio rrec			Del	ete		Code	Input Condition/Format
27		Place of Delivery Code	DLP		5			м			M			-				UN/LOCODE	<ol> <li>When the cargo is temporary landing cargo, "Place of Delivery Code" should differ from "Port of Discharge Code".</li> <li>When the entered "Place of Delivery Code" is NOT registered in NACCS, NACCS will change the last 3 letters of the code to "ZZZ" (basket code) and continue the process.</li> <li>When NACCS has changed "Place of Delivery Code" to basket code, the basket code must be registered in NACCS as foreign "Place of Delivery Code".</li> </ol>
28		Place of Delivery Name	DLN	an	20			F			F			-					<ol> <li>When basket code is entered in "Place of Delivery Code" (or when NACCS changed the code to basket code), entry is mandatory.</li> <li>When the place of delivery name corresponding to "Place of Delivery Code" is registered in NACCS, the registered name would be used rather than the name in this field.</li> </ol>
29		Final Destination Code	DST	an	5			с			с			-				UN/LOCODE	<ol> <li>If the final destination code which is not registered in NACCS is entered, the system change the last 3 letters to "ZZZ" (basket code) and continue the process.</li> <li>Only the basket code of foreign port registered in NACCS is allowed when the code is changed to basket code.</li> </ol>
30		Final Destination Name	DSN	an	20				F			F		-					<ol> <li>When basket code is entered in "Final Destination Code" (or when NACCS changed the code to basket code), entry is mandatory.</li> <li>When the final destination name corresponding to "Final Destination Code" is registered in NACCS, the registered name would be used rather than the name in this field.</li> </ol>
31		Consignor Code	SHS	an	17			с			С			-				Exporter/Importer Code Corporate Number	<ol> <li>(1) Enter the consignor code.</li> <li>(2) When the consignor code is entered in first 8-digits or 13-digits, the system adds "0000" to the last 4 digits.</li> <li>(3) When the consignor has no code, entry is NOT required.</li> <li>(*) Foreign Exporter/Importer Code mutual recognition of AEO is NOT available.</li> </ol>
32		Consignor Name	SHN	an	70			F			F			-					<ol> <li>When the consignor has no "Consignor Code", entry of this field is mandatory.</li> <li>When a consignor name corresponds to the entered "Consignor Code" is NOT registered in NACCS, entry of this field is mandatory.</li> <li>When a consignor name corresponds to the entered "Consignor Code" is registered in NACCS, the registered name would be used rather than the name in this field.</li> </ol>
33		Consignor Address (block entry)	SHA	an	175			с			с			-					<ol> <li>When the consignor has no "Consignor Code", entry of this field or the following separate consignor address fields is mandatory.</li> <li>When an address corresponds to the entered "Consignor Code" is NOT registered in NACCS, entry of this field or the following separate consignor address fields is mandatory.</li> <li>When the following separate consignor address fields are filled in, entry of this field is NOT allowed.</li> <li>When an address corresponds to the entered "Consignor Code" is registered in NACCS, the registered address would be used rather than the address in this field.</li> </ol>
34		Consignor Address 1/4 (Street and number/P.O. Box)	SH1	an	70			с			С			-					<ol> <li>When the consignor has no "Consignor Code", entry of this field or "Consignor Address (block entry)" field is mandatory.</li> <li>When an address corresponds to the entered "Consignor Code" is NOT registered in NACCS, entry of this field or "Consignor Address (block entry)" field is mandatory.</li> <li>When this field is entered, entry of "Consignor Address 2/4 (Street and number/P.O.Box)" field and "Consignor Address 3/4 (City name)" field will be mandatory.</li> <li>When "Consignor Address (block entry)" is filled in, entry of this field is NOT allowed.</li> <li>When an address corresponds to the entered "Consignor Code" is registered in NACCS, the registered address would be used rather than the address in this field.</li> </ol>

Code	=)					1									-		
No	Column	Field Name	D	Attribute	Length	Repeat1	Repeat2	Ac	ld	ondi Corre		[	Dele	te		Code	Input Condition/Format
35		Consignor Address 2/4 (Street and number/P.O. Box)	SH2					с		С	-						<ol> <li>When the consignor has no "Consignor Code", entry of this field or "Consignor Address (block entry)" field is mandatory.</li> <li>When an address corresponds to the entered "Consignor Code" is NOT registered in NACCS, entry of this field or "Consignor Address (block entry)" field is mandatory.</li> <li>When this field is entered, entry of "Consignor Address 1/4 (Street and number/P.O.Box)" field and "Consignor Address 3/4 (City name)" field will be mandatory.</li> <li>When "Consignor Address (block entry)" is filled in, entry of this field is NOT allowed.</li> <li>When an address corresponds to the entered "Consignor Code" is registered in NACCS, the registered address would be used righter then the address in the field.</li> </ol>
36		Consignor Address 3/4 (City name)	SH3	an	35			с		С							<ul> <li>be used rather than the address in this field.</li> <li>(1) When the consignor has no "Consignor Code", entry of this field or "Consignor Address (block entry)" field is mandatory.</li> <li>(2) When an address corresponds to the entered "Consignor Code" is NOT registered in NACCS, entry of this field or "Consignor Address (block entry)" field is mandatory.</li> <li>(3) When this field is entered, entry of "Consignor Address (block entry)" field and "Consignor Address (block entry)" field and "Consignor Address 2/4 (Street and number/P.O.Box)" field and "Consignor Address 2/4 (Street and number/P.O.Box)" field will be mandatory.</li> <li>(4) When "Consignor Address (block entry)" is filled in, entry of this field is NOT allowed.</li> <li>(5) When an address corresponds to the entered "Consignor Code" is registered in NACCS, the registered address would be used rather than the address in this field.</li> </ul>
37		Consignor Address 4/4 (Country sub- entity, name)	SH4	an	35			с		с	-	-					<ol> <li>When the consignor has no "Consignor Code", enter thi field as needed.</li> <li>When an address corresponds to the entered "Consignor Code" is NOT registered in NACCS, enter this field as needed.</li> <li>When "Consignor Address (block entry)" is filled in, entr of this field is NOT allowed.</li> <li>When an address corresponds to the entered "Consignor Code" is registered in NACCS, the registered address woul be used rather than the address in this field.</li> </ol>
38		Consignor Postal Code (Postcode identification)	SHP	an	9			с		с	-	-					<ol> <li>When the consignor has no "Consignor Code", enter th field.</li> <li>When a consignor postal code corresponds to the enter "Consignor Code" is NOT registered in NACCS, enter this field.</li> <li>When a consignor postal code corresponds to the enter "Consignor Code" is registered in NACCS, the registered postal code would be used rather than the postal code in th field.</li> </ol>
39		Consignor Country Code (Country, coded)	SHC	an	2			F		F	-					JN/LOCODE (2- digit country name)	<ol> <li>When the consignor has no "Consignor Code", entry of this field is mandatory.</li> <li>When a consignor country (regional) name corresponds to the entered "Consignor Code" is NOT registered in NACCS, entry of this field is mandatory.</li> <li>When a consignor country (regional) name corresponds the entered "Consignor Code" is registered in NACCS, the registered country (regional) name would be used rather th the country (regional) name in this field.</li> <li>"ZX", "ZY" and "ZZ" are NOT allowed to enter.</li> </ol>
40		Consignor Telephone Number	SHT	an	14			F		F	-						<ol> <li>When the consignor has no "Consignor Code", entry of this field is mandatory.</li> <li>When a consignor telephone number corresponds to th entered "Consignor Code" is NOT registered in NACCS, entry of this field is mandatory.</li> <li>When a consignor telephone number corresponds to the entered "Consignor Code" is registered in NACCS, the registered telephone number would be used rather than the phone number in this field.</li> <li>* When you input this field, enter a telephone number from long distance code. (Do NOT enter delimiter.)</li> </ol>
41		Consignee Code	CNS	an	17			с		с	-				0	Exporter/Importer Code Corporate Number	<ol> <li>(1) Enter the consignee code.</li> <li>(2) When the consignee code is entered in first 8-digits or digits, the system adds "0000" to the last 4 digits.</li> <li>(3) When the consignee has no "Consignee Code", entry is NOT required.</li> <li>(*) Foreign Exporter/Importer Code of mutual recognition or the system and the system</li></ol>

Proce Code		Name (Procedure	Upda	te R	egist	tered	l Adva	nce (	Cargo In	forma	ation	ı (Hoi	use l	B/L)	(CH	IR)		
				At	۲ ۲	Re	Re			С	ondit	tion						
No	Column	Field Name	⊡	Attribute	Length	Repeat1	Repeat2	A	dd	c	orre	ect		De	lete		Code	Input Condition/Format
42		Consignee Name	CNN		70			F			F		-					<ol> <li>When the consignee has no "Consignee Code", entry of this field is mandatory.</li> <li>When a consignee name corresponds to the entered "Consignee Code" is NOT registered in NACCS, entry of this field is mandatory.</li> <li>When a consignee name corresponds to the entered "Consignee Code" is registered in NACCS, the registered name would be used rather than the name in this field.</li> </ol>
43		Consignee Address (block entry)	CNA	an	175			с			с		-					<ol> <li>When the consignee has no "Consignee Code", entry of this field or the following separate consignee address fields is mandatory.</li> <li>When an address corresponds to the entered "Consignee Code" is NOT registered in NACCS, entry of this field or the following separate consignee address fields is mandatory.</li> <li>When the following separate consignee address fields are filled in, entry of this field is NOT allowed.</li> <li>When an address corresponds to the entered "Consignee Code" is registered in NACCS, the registered address would be used rather than the address in this field.</li> <li>When "Consignee Name" is filled with "TO ORDER", enter "TO ORDER" in this field.</li> </ol>
44		Consignee Address 1/4 (Street and number/P.O. Box)	CN1	an	70			с			с		-					<ol> <li>When the consignee has no "Consignee Code", entry of this field or "Consignee Address (block entry)" field is mandatory.</li> <li>When an address corresponds to the entered "Consignee Code" is NOT registered in NACCS, entry of this field or "Consignee Address (block entry)" field is mandatory.</li> <li>When this field is entered, entry of "Consignee Address 2/4 (Street and number/P.O.Box)" field and "Consignee Address 3/4 (City name)" field will be mandatory.</li> <li>When "Consignee Address (block entry)" is filled in, entry of this field is NOT allowed.</li> <li>When an address corresponds to the entered "Consignee Code" is registered in NACCS, the registered address would be used rather than the address in this field.</li> </ol>
45		Consignee Address 2/4 (Street and number/P.O. Box)	CN2	an	35			с			с		-					<ol> <li>When the consignee has no "Consignee Code", entry of this field or "Consignee Address (block entry)" field is mandatory.</li> <li>When an address corresponds to the entered "Consignee Code" is NOT registered in NACCS, entry of this field or "Consignee Address (block entry)" field is mandatory.</li> <li>When this field is entered, entry of "Consignee Address 1/4 (Street and number/P.O.Box)" field and "Consignee Address 3/4 (City name)" field will be mandatory.</li> <li>When "Consignee Address (block entry)" is filled in, entry of this field is NOT allowed.</li> <li>When an address corresponds to the entered "Consignee Code" is registered in NACCS, the registered address would be used rather than the address in this field.</li> </ol>
46		Consignee Address 3/4 (City name)	CN3	an	35			с			с		-					<ol> <li>When the consignee has no "Consignee Code", entry of this field or "Consignee Address (block entry)" field is mandatory.</li> <li>When an address corresponds to the entered "Consignee Code" is NOT registered in NACCS, entry of this field or "Consignee Address (block entry)" field is mandatory.</li> <li>When this field is entered, entry of "Consignee Address 1/4 (Street and number/P.O.Box)" field and "Consignee Address 2/4 (Street and number/P.O.Box)" field will be mandatory.</li> <li>When "Consignee Address (block entry)" is filled in, entry of this field is NOT allowed.</li> <li>When an address corresponds to the entered "Consignee Code" is registered in NACCS, the registered address would be used rather than the address in this field.</li> </ol>
47		Consignee Address 4/4 (Country sub- entity, name)	CN4	an	35			с			с		-					<ol> <li>When the consignee has no "Consignee Code", enter this field as needed.</li> <li>When an address corresponds to the entered "Consignee Code" is NOT registered in NACCS, enter this field as needed.</li> <li>When "Consignee Address (block entry)" is filled in, entry of this field is NOT allowed.</li> <li>When an address corresponds to the entered "Consignee Code" is registered in NACCS, the registered address would be used rather than the address in this field.</li> </ol>

_	င္ပ			Attı	Le	Re	Re			Сс	nditi	on	1				
No	Column	Field Name	D	Attribute	Length	Repeat1	Repeat2	Ade	ł	С	orred	ct		De	elete	Code	Input Condition/Format
48		Consignee Postal Code (Postcode identification)	CNP	an	9			с		(	C		-				<ol> <li>When the consignee has no "Consignee Code", enter field.</li> <li>When a consignee postal code corresponds to the entered "Consignee Code" is NOT registered in NACCS, enter this field.</li> <li>When a consignee postal code corresponds to the entered "Consignee Code" is registered in NACCS, the registered postal code would be used rather than the post</li> </ol>
49		Consignee Country Code (Country, coded)	CNC	an	2			F			=		-			UN/LOCODE (2- digit country name)	<ul> <li>code in this field.</li> <li>(1) When the consignee has no "Consignee Code", entry this field is mandatory.</li> <li>(2) When a consignee country (regional) name correspon to the entered "Consignee Code" is NOT registered in NACCS, entry of this field is mandatory.</li> <li>(3) When a consignee country (regional) name correspond the entered "Consignee Code" is registered in NACCS, the registered country (regional) name would be used rather to the country (regional) name in this field.</li> <li>(4) "ZX", "ZY" and "ZZ" are NOT allowed to enter.</li> <li>(*) When "Consignee Name" is filled with "TO ORDER", et the same country code as "Notify Party Country Code</li> </ul>
50		Consignee Telephone Number															<ul> <li>(Country <regional>, coded)"</regional></li> <li>(1) When the consignee has no "Consignee Code", entry this field is mandatory.</li> <li>(2) When a consignee telephone number corresponds to entered "Consignee Code" is NOT registered in NACCS, entry of this field is mandatory.</li> <li>(3) When a consignee telephone number corresponds to entered "Consignee Code" is registered in NACCS, the</li> </ul>
			CTL	an	14			F			=		-				<ul> <li>(*) When you input this field, enter a telephone number in this field.</li> <li>(*) When you input this field, enter a telephone number in a long distance code. (Do NOT enter delimiter.)</li> <li>(*) When "Consignee Name" is filled with "TO ORDER", et the same telephone number as "Notify Party Telephone Number" or enter "TO ORDER".</li> </ul>
51		Notify Party Code	NS_	an	17	2		с			<b>C</b>		-				<ol> <li>Enter the notify party code.</li> <li>When "Notify Party Code" is entered in first 8-digits o digits, the system adds "0000" to the last four digits.</li> <li>When the notify party has no "Notify Party Code", ent NOT required.</li> <li>When first field of "Notify Party Name" is NOT entered first field of "Notify Party Code" is mandatory.</li> <li>Foreign Exporter/Importer Code of mutual recognition AEO is NOT allowed.</li> </ol>
52		Notify Party Name	NN_	an	70	*		с		(	0		-				<ol> <li>When the notify party has no "Notify Party Code", ent this field is mandatory.</li> <li>When a notify party name corresponds to the entered "Notify Party Code" is NOT registered in NACCS, entry of field is mandatory.</li> <li>When the first field of "Notify Party Code" is NOT entr entry of the first field of "Notify Party Name" is mandatory (4) When a notify party name corresponds to the entered "Notify Party Code" is registered in NACCS, the registered name would be used rather than the name in this field.</li> </ol>
53		Notify Party Address (block entry)	NA_	an	175	*		с		(	c		-				<ol> <li>When the notify party has no "Notify Party Code", ent this field or the following separate notify party address fie is mandatory.</li> <li>When an address corresponds to the entered "Notify Party Code" is NOT registered in NACCS, entry of this fie or the following separate notify party address fields is mandatory.</li> <li>When the following separate notify party address field are filled in, entry of this field is NOT allowed.</li> <li>When an address corresponds to the entered "Notify Party Code" is registered in NACCS, the registered addre would be used rather than the address in this field.</li> </ol>

Proce Code		Name (Procedure	Upda	ate R	egist	terec	d Adv	ance	Carg	o Infor	mati	on (ł	Hou	se B	3/L)	(CH	IR)		
No	Column	Field Name	▣	Attribute	Length	Repeat1	Repeat2	Þ	Add			ditio rrect			Del	lete		Code	Input Condition/Format
54		Notify Party Address 1/4 (Street and number/P.O.Box)	NE_	an		*		С			С			-					<ol> <li>When the notify party has no "Notify Party Code", entry of this field or "Notify Party Address (block entry)" field is mandatory.</li> <li>When an address corresponds to the entered "Notify Party Code" is NOT registered in NACCS, entry of this field or "Notify Party Address (block entry)" field is mandatory.</li> <li>When this field is entered, entry of "Notify Party Address 2/4 (Street and number/P.O.Box)" field and "Notify Party Address 3/4 (City name)" field will be mandatory.</li> <li>When "Notify Party Address (block entry)" is filled in, entry of this field is NOT allowed.</li> <li>When an address corresponds to the entered "Notify Party Code" is registered in NACCS, the registered address would be used rather than the address in this field.</li> </ol>
55		Notify Party Address 2/4 (Street and number/P.O.Box)	NF_	an	35	*		С			с			-					<ol> <li>When the notify party has no "Notify Party Code", entry of this field or "Notify Party Address (block entry)" field is mandatory.</li> <li>When an address corresponds to the entered "Notify Party Code" is NOT registered in NACCS, entry of this field or "Notify Party Address (block entry)" field is mandatory.</li> <li>When this field is entered, entry of "Notify Party Address 1/4 (Street and number/P.O.Box)" field and "Notify Party Address 3/4 (City name)" field will be mandatory.</li> <li>When "Notify Party Address (block entry)" is filled in, entry of this field is NOT allowed.</li> <li>When an address corresponds to the entered "Notify Party Code" is registered in NACCS, the registered address would be used rather than the address in this field.</li> </ol>
56		Notify Party Address 3/4 (City name)	NG_	an	35	*		С			С			-					<ol> <li>When the notify party has no "Notify Party Code", entry of this field or "Notify Party Address (block entry)" field is mandatory.</li> <li>When an address corresponds to the entered "Notify Party Code" is NOT registered in NACCS, entry of this field or "Notify Party Address (block entry)" field is mandatory.</li> <li>When this field is entered, entry of "Notify Party Address 1/4 (Street and number/P.O.Box)" field and "Notify Party Address 2/4 (Street and number/P.O.Box)" field will be mandatory.</li> <li>When "Notify Party Address (block entry)" is filled in, entry of this field is NOT allowed.</li> <li>When an address corresponds to the entered "Notify Party Code" is registered in NACCS, the registered address would be used rather than the address in this field.</li> </ol>
57		Notify Party Address 4/4 (Country sub- entity, name)	NH_	an	35	*		С			с			-					<ol> <li>When the notify party has no "Notify Party Code", enter this field as needed.</li> <li>When an address corresponds to the entered "Notify Party Code" is NOT registered in NACCS, enter this field as needed.</li> <li>When "Notify Party Address (block entry)" is filled in, entry of this field is NOT allowed.</li> <li>When an address corresponds to the entered "Notify Party Code" is registered in NACCS, the registered address would be used rather than the address in this field.</li> </ol>
58		Notify Party Postal Code (Postcode identification)	NP_	an	9	*		С			с			-					<ol> <li>When the notify party has no "Notify Party Code", enter this field.</li> <li>When a notify party postal code corresponds to the entered "Notify Party Code" is NOT registered in NACCS, enter this field.</li> <li>When a notify party postal code corresponds to the entered "Notify Party Code" is registered in NACCS, the registered postal code would be used rather than the postal code in this field.</li> </ol>
59		Notify Party Country Code (Country, coded)	NC_	an	2	*		С			С			-				UN/LOCODE (2- digit country name)	<ol> <li>When the notify party has no "Notify Party Code", entry of this field is mandatory.</li> <li>When a notify party country (regional) name corresponds to the entered "Notify Party Code" is NOT registered in NACCS, entry of this field is mandatory.</li> <li>When a notify party country (regional) name corresponds to the entered "Notify Party Code" is registered in NACCS, the registered country (regional) name would be used rather than the country (regional) name in this field.</li> <li>"ZX", "ZY" and "ZZ" are NOT allowed to enter.</li> </ol>

Proce Code		Name (Procedure	Upda	ite R	egist	erec	d Ad	vance	e Ca	go Ir	nform	atic	n (Ho	use	e B/	L) (C	CHR	2)		
No	Column	Field Name	סו	Attribute	Length	Repeat1	Repeat2		Add				lition		,	Dele	te		Code	Input Condition/Format
60		Notify Party Telephone Number	NL_		<del>5</del> 14	at 1 *	at2		-			F			-					<ul> <li>(1) When the notify party has no "Notify Party Code", entry of this field is mandatory.</li> <li>(2) When a notify party telephone number corresponds to the entered "Notify Party Code" is NOT registered in NACCS, entry of this field is mandatory.</li> <li>(3) When a notify party telephone number corresponds to the entered "Notify Party Code" is registered in NACCS, the registered telephone number would be used rather than the phone number in this field.</li> <li>* When you input this field, enter a telephone number from a long distance code. (Do NOT enter delimiter.)</li> </ul>
61		Goods Description	CMD	an	350			Ν	Л			м			-					<ul> <li>(1) Enter the goods description which enables to recognize specific details of goods.</li> <li>(2) Entry of vague goods description is NOT allowed.</li> <li>(e.g. "PARTS" is inadequate. "MOTORCYCLE PARTS" is acceptable.)</li> <li>(3) It is NOT allowed to enter only numbers and signs.</li> </ul>
62		HS Code	HSN	an	6			N	л			М			-				HS Code (6-digit)	<ol> <li>Enter the HS Code (6-digits) of representative goods when B/L contains several kind of goods.</li> <li>Only the code registered in NACCS is allowed.</li> </ol>
63		Marks and Numbers	MRK	an	140			N	л			м			-					
64		Number of Packages	PCS	n	8			N	л			М			-					<ul> <li>(1) No decimal fraction is allowed.</li> <li>(2) When the cargo cannot be described as a countable piece, enter "1".</li> </ul>
65		Number of Packages Unit Code	PUT	an	3			Ν	Л			м			-				Codes for Types of Packages (UN/ECE Recommendations Article21, alphabetic code)	
66		Gross Weight	GWT	'n	10			N	л			М			-					Integral part is 6-digits at most and decimal part is 3-digits at most.
67		Weight Unit Code	WU1	an	3			N	л			М			-				Codes for Units of Measurement(UN/E CE Recommendations 20, alphabetic code)	KGM: Kilogram TNE: Metric Ton LBR: Pound
68		Net Weight	NWT	'n	10			(	5	T		с			-					Integral part is 6-digits at most and decimal part is 3-digits at most.
69		Weight Unit Code	WU2	an	3				N	1			м		-				Codes for Units of Measurement(UN/E CE Recommendations 20, alphabetic code)	KGM: Kilogram TNE: Metric Ton LBR: Pound
70		Measurement	VOL	n	10			N	л			М			-					Integral part is 6-digits at most and decimal part is 3-digits at most.
71		Measurement Unit Code	VUT	an	3			N	Л			м			-				Measurement(UN/E CE Recommendations 20, alphabetic code)	MTQ: Cubic Meter FTQ: Cubic Feet BFT: Board Foot Measure (timber)
72		Country of Origin Code	ORG	an	2			(				с	T		-	T	T		UN/LOCODE (2- digit country name)	
73		Special Cargo Code	SPC	an	3			(	2			с			-				SPC Code	Entry is required when the cargo is abnormal.
74		IMDG Class	DI_	an	4	5		(		t		с			-	T	T			Enter classification (class) of dangerous goods in IMDG Code.
75		UN No.	DU_	an	4	*			N	1			м		-					<ol> <li>Enter UN no. of United Nations Recommendations on the Transport of Dangerous Goods.</li> <li>Only the following range of data is valid: "0000" - "9999"</li> </ol>

Code	e)	ſ	Upda	1	1	1											
No	Column	Field Name	D	Attribute	Length	Repeat1	Repeat2	A	dd	Con Co	nditio orrec			De	lete	Code	Input Condition/Format
76		Freight	FRT		18			с		с			-				<ol> <li>If the freight currency code is not "JPY", entry of up to 2- digit decimal part is allowed.</li> <li>When the freight currency code is "JPY", no decimal fraction is allowed.</li> </ol>
77		Freight Currency Code	FRC	an	3				м		м		-			Currency Code (ISO4217 • alphabet)	
78		Value	PRS	n	18			с		с			-				<ol> <li>When customs transit of temporary landing cargo is intended, entry is mandatory.</li> <li>When "Value Currency Code" is NOT "JPY", decimal pa can be up to 2-digit.</li> <li>When "Value Currency Code" is "JPY", no decimal fraction is allowed.</li> <li>Entry is NOT allowed for transit cargo.</li> </ol>
79		Value Currency Code	PRT	an	3				м		м		-			Currency Code (ISO4217 • alphabet)	
80		Temporary Landing Identifier	KRR	an	3			с		с			-			UN/EDIFACT Code (7365)	Entry is not allowed for transit cargo. 28: Transhipment
81		Reason for Temporary Landing Code	KRS	an	3				м		м	I	-			Reason for Temporary Landing Code	When customs transit is to be registered for the temporary landing cargo, the code should NOT be either "TRS" or "POS". TRT: transshipping cargo to other outbound vessel (aircraft (involving transportation) TRS: transshipping cargo to other outbound vessel (aircraft (involving no transportation) POS: shifting cargo within the same vessel REV: repacking goods into other containers
82		Duration of Temporary Landing	PRD	n	2				м		м		-				<ol> <li>Enter the number of days from the start date of discharging.</li> <li>The number should NOT exceed the duration defined in the system.</li> <li>The number should not be "0".</li> </ol>
83		Estimated Start Date of Transportation	SDT	n	8				с		с		-				<ol> <li>When customs transit of temporary landing cargo is intended, enter the estimated start date of transportation (ESDT).</li> <li>The entered date should be later than the date in NACC (SYSTEM DATE ≦ ESDT).</li> <li>Enter Japanese Standard Time.</li> </ol>
84		Estimated Finish Date of Transportation	EDT	n	8				с		с		-				<ol> <li>When customs transit of temporary landing cargo is intended, enter the estimated finish date of transportation (EFDT).</li> <li>The entered date should be later than the date in "Estimated Start Date of Transportation" (ESDT ≦ EFDT).</li> <li>Enter Japanese Standard Time.</li> </ol>
85		Code of Transportation Mode of Customs Transit of Temporary Landing Cargo	BYA	an	2				с		с		-			UN/EDIFACT Code (8179)	When customs transit of temporary landing cargo is intende entry is mandatory. 6∆: AIRCRAFT 11 : SHIP 16 : BARGE 25 : RAIL EXPRESS 31 : TRUCK 17 : OTHERS
86		Arrival Place Code	ARR	an	5			с		с			-			Bonded Area Code	<ol> <li>When customs transit of temporary landing cargo is intended, entry is mandatory.</li> <li>Entry is NOT allowed for transit cargo.</li> </ol>
87		Arrival Place Name	ARN	an	35			с		с			-				<ol> <li>When the name of the arrival place corresponding to "Arrival Place Code" is NOT registered in the system, entry mandatory.</li> <li>Entry is NOT allowed when the name of the arrival place corresponding to "Arrival Place Code" is registered in the system.</li> </ol>

	0			Ą	<b>_</b>	R	R			Con	ditio	n					
No	Column	Field Name	D	Attribute	Length	Repeat1	Repeat2	A	dd	Со	rrect			De	lete	Code	Input Condition/Format
88		Code of Other Relevant Laws and Ordinances	OR_	an	2	5		с		с			-			Code of Other Relevant Laws and Ordinances	<ol> <li>Fill in this field when the cargo is subject to other relevant laws and ordinances, and customs transit of temporary landing cargo is intended.</li> <li>Entry is NOT allowed for transit cargo.</li> </ol>
89		Remark	NTE	an	140			с		с			-	_			
90		Reference Number for Internal Use	REF	an	20			с		с			-	-			
91	200	Container Number	CNO	an	12			м		М			-				Left justification
92	*	Seal Number	SL_	an	15	6			м		м		-				<ul> <li>(1) When there is no seal, enter "NO SEAL" to the first field</li> <li>(2) Left justification</li> </ul>
93		Empty/Full Container Identification	EFS	an	3				м		м		-			UN/EDIFACT Code (8169)	"4" is NOT allowed. 5: Full
94	*	Container Size Code	SIZ	an	2				м		м		-				1st digit: Container length code 2nd digit: Container height code Container length code (code: length [ft]) 1: 10' 2: 20' 4: 40' 9: Other length. Container height code (code: height [ft]'[inch]") 0: 8' 2: 8'6" 4: 9' 5: 9'6" 6: > 9'6" 8: 4'3" 9: $\leq 4$ ' (use this code for other heights.)
95	*	Container Type Code	TYP	an	2				м		м		-				GP: Dry container RT: Reefer container UT: Open top container PF: Flat rack container PL: Platform container TN: Tank container SN: Others
96		Container Ownership Code	CO W	an	3				м		м		-			UN/EDIFACT Code (8077)	1: Shipper supplied 2: Carrier supplied 3: Consolidator supplied 4: Deconsolidator supplied 5: Third party supplied