

CUSRES/D98B/Process Result Output (CHR)

UNH:MESSAGE HEADER

*Refer to the Field Number of the List of Input / Output Fields

| TAG | COMP | NAME | UN/EDIFACT | | NACCS | | No.* | Field name/Set value | Special Notes |
|------|------|---------------------------|------------|--------|-------|--------|------|--------------------------|---------------|
| | | | S | FORMAT | S | FORMAT | | | |
| UNH | | MESSAGE HEADER | M | 1 | M | 1 | | | |
| 0062 | | MESSAGE REFERENCE NUMBER | M | an..14 | M | an..13 | | Message reference number | |
| S009 | | MESSAGE IDENTIFIER | M | | M | | | | |
| | 0065 | Message type | M | an..6 | M | an..6 | | CHR110 | |
| | 0052 | Message version number | M | an..3 | M | an..3 | | D | |
| | 0054 | Message release number | M | an..3 | M | an..3 | | 98B | |
| | 0051 | Controlling agency | M | an..2 | M | an..2 | | UN | |
| | 0057 | Association assigned code | C | an..6 | M | an..6 | | NAC10 | [NAC10] |
| 0068 | | COMMON ACCESS REFERENCE | C | an..35 | X | | | | |
| S010 | | STATUS OF THE TRANSFER | C | | X | | | | |
| | 0070 | Sequence of transfers | M | n..2 | X | | | | |
| | 0073 | First and last transfer | C | a1 | X | | | | |

UNH+NACCS12345678+CHR110:D:98B:UN:NAC10'

CUSRES/D98B/Process Result Output (CHR)

BGM:BEGINNING OF MESSAGE

| TAG | COMP | NAME | UN/EDIFACT | | NACCS | | No. | Field name/Set value | Special Notes |
|------|------|-------------------------------------|------------|--------|-------|--------|-----|----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | | | S | FORMAT | S | FORMAT | | | |
| BGM | | BEGINNING OF MESSAGE | M | 1 | M | 1 | | | |
| 002 | | DOCUMENT/MESSAGE NAME | C | | M | | | | |
| | 1001 | Document/message name, coded | C | an..3 | M | an..3 | | 961 | 961=General response (Customs) |
| | 1131 | Code list qualifier | C | an..3 | X | | | | |
| | 3055 | Code list responsible agency, coded | C | an..3 | X | | | | |
| | 1000 | Document/message name | C | an..35 | M | an..7 | 1 | Output information code *SCHR | Input / Output Common Fields(Refer to NACCS EDI Specifications) [*SCHR]=Process Result Output (Update Registered Advance Cargo Information [House B/L]) |
| C106 | | DOCUMENT/MESSAGE IDENTIFICATION | C | | X | | | | |
| | 1004 | Document/message number | C | an..35 | X | | | | |
| | 1056 | Version | C | an..9 | X | | | | |
| | 1060 | Revision number | C | an..6 | X | | | | |
| | | | | | | | | | |
| 1225 | | MESSAGE FUNCTION, CODED | C | an..3 | M | an1 | | 9 | 9=Original |
| | | | | | | | | | |
| 4343 | | RESPONSE TYPE, CODED | C | an..3 | X | | | | |

BGM+961:::*SCHR++9'

CUSRES/D98B/Process Result Output (CHR)

FTX:FREE TEXT

| TAG | COMP | NAME | UN/EDIFACT | | NACCS | | No. | Field name/Set value | Special Notes |
|------|------|-------------------------------------|------------|--------|-------|--------|-----|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| | | | S | FORMAT | S | FORMAT | | | |
| FTX | | FREE TEXT | C | 99 | M | 1 | | | |
| 4451 | | TEXT SUBJECT QUALIFIER | M | an..3 | M | an..3 | | NHI | [NHI]=NACCS header information |
| 4453 | | TEXT FUNCTION, CODED | C | an..3 | X | | | | |
| C107 | | TEXT REFERENCE | C | | X | | | | |
| | 4441 | Free text identification | M | an..17 | X | | | | |
| | 1131 | Code list qualifier | C | an..3 | X | | | | |
| | 3055 | Code list responsible agency, coded | C | an..3 | X | | | | |
| C108 | | TEXT LITERAL | C | | M | | | | |
| | 4440 | Free text | M | an..70 | M | an..5 | 1 | Procedure code CHR | Input / Output Common Fields(Refer to NACCS EDI Specifications) [CHR]=Update Registered Advance Cargo Information (House B/L) |
| | 4440 | Free text | C | an..70 | M | an..8 | 1 | Message control information | Input / Output Common Fields(Refer to NACCS EDI Specifications) |
| | 4440 | Free text | C | an..70 | C | an..26 | 1 | Message Tag | Input / Output Common Fields(Refer to NACCS EDI Specifications) |
| | 4440 | Free text | C | an..70 | C | an..64 | 1 | Index Tag | Input / Output Common Fields(Refer to NACCS EDI Specifications) |
| | 4440 | Free text | C | an..70 | X | | | | |
| 3453 | | LANGUAGE, CODED | C | an..3 | X | | | | |
| 4447 | | TEXT FORMATTING, CODED | C | an..3 | X | | | | |

FTX+NHI+++CHR:000ER:1ABC2C20010407092530000001:AAABBBCCG'

CUSRES/D98B/Process Result Output (CHR)

| | | | | | | | |
|--|-----------------------|---|-----|---|---|--|--|
| | ---SEGMENT GROUP 3--- | C | 999 | C | 1 | | |
|--|-----------------------|---|-----|---|---|--|--|

RFF: REFERENCE

| TAG | COMP | NAME | UN/EDIFACT | | NACCS | | No. | Field name/Set value | Special Notes |
|------|------|--------------------------|------------|--------|-------|--------|-----|----------------------|-----------------------------------------------------------------|
| | | | S | FORMAT | S | FORMAT | | | |
| RFF | | REFERENCE | M | | M | | 1 | | |
| C506 | | REFERENCE | M | | M | | | | |
| | 1153 | Reference qualifier | M | an..3 | M | an..3 | | ACW | ACW=Reference number to previous message |
| | 1154 | Reference number | C | an..35 | M | an..10 | 1 | Input Message ID | Input / Output Common Fields(Refer to NACCS EDI Specifications) |
| | 1156 | Line number | C | an..6 | X | | | | |
| | 4000 | Reference version number | C | an..35 | X | | | | |
| | 1060 | Revision number | C | an..6 | X | | | | |

RFF+ACW: NACCS12345'

CUSRES/D98B/Process Result Output (CHR)

| | | | | | | | | |
|--|--|-----------------------|---|----|---|---|--|--|
| | | ---SEGMENT GROUP 4--- | C | 99 | M | 1 | | |
|--|--|-----------------------|---|----|---|---|--|--|

ERP:ERROR POINT DETAILS

| TAG | COMP | NAME | UN/EDIFACT | | NACCS | | No. | Field name/Set value | Special Notes |
|------|------|-------------------------------|------------|--------|-------|--------|-----|----------------------|------------------------------------------------|
| | | | S | FORMAT | S | FORMAT | | | |
| ERP | | ERROR POINT DETAILS | M | 1 | M | 1 | | | |
| C701 | | ERROR POINT DETAILS | C | | M | | | | |
| | 1049 | Message section, coded | C | an..3 | M | an..3 | 2 | | 2=Detail section of a message (used for dummy) |
| | 1052 | Message item number | C | an..35 | X | | | | |
| | 1054 | Message sub-item number | C | n..6 | X | | | | |
| | | | | | | | | | |
| C853 | | ERROR SEGMENT POINT DETAILS | C | | X | | | | |
| | 9166 | Segment tag | C | an..3 | X | | | | |
| | 1050 | Sequence number | C | an..10 | X | | | | |
| | 1159 | Sequence number source, coded | C | an..3 | X | | | | |

ERP+2'

CUSRES/D98B/Process Result Output (CHR)

| | | | | | | | | |
|--|--|-----------------------|---|----|---|---|--|--|
| | | ---SEGMENT GROUP 4--- | C | 99 | M | 1 | | |
|--|--|-----------------------|---|----|---|---|--|--|

FTX:FREE TEXT

| TAG | COMP | NAME | UN/EDIFACT | | NACCS | | No. | Field name/Set value | Special Notes |
|------|------|-------------------------------------|------------|--------|-------|--------|-----|-----------------------|-----------------------------|
| | | | S | FORMAT | S | FORMAT | | | |
| FTX | | FREE TEXT | C | 99 | M | 1 | | | |
| 4451 | | TEXT SUBJECT QUALIFIER | M | an..3 | M | an..3 | | AAP | AAP=Response (free text) |
| 4453 | | TEXT FUNCTION, CODED | C | an..3 | X | | | | |
| C107 | | TEXT REFERENCE | C | | X | | | | |
| | 4441 | Free text identification | M | an..17 | X | | | | |
| | 1131 | Code list qualifier | C | an..3 | X | | | | |
| | 3055 | Code list responsible agency, coded | C | an..3 | X | | | | |
| C108 | | TEXT LITERAL | C | | M | | | | |
| | 4440 | Free text | M | an..70 | M | an..15 | 2 | Process Result Code1 | (Process Result Code) |
| | 4440 | Free text | C | an..70 | C | an..15 | 2 | Process Result Code 2 | |
| | 4440 | Free text | C | an..70 | C | an..15 | 2 | Process Result Code 3 | |
| | 4440 | Free text | C | an..70 | C | an..15 | 2 | Process Result Code 4 | |
| | 4440 | Free text | C | an..70 | C | an..15 | 2 | Process Result Code 5 | |
| 3453 | | LANGUAGE, CODED | C | an..3 | X | | | | |
| 4447 | | TEXT FORMATTING, CODED | C | an..3 | X | | | | |

FTX+AAP+++00000-0000-0000'

CUSRES/D98B/Process Result Output (CHR)

| | | | | | | | | |
|--|--|-----------------------|---|------|---|-------|--|--|
| | | ---SEGMENT GROUP 6--- | C | 9999 | C | 1 (1) | | |
|--|--|-----------------------|---|------|---|-------|--|--|

DOC:DOCUMENT/MESSAGE DETAILS

| TAG | COMP | NAME | UN/EDIFACT | | NACCS | | No. | Field name/Set value | Special Notes |
|------|------|------------------------------------------|------------|--------|-------|--------|-----|----------------------|--------------------------------------------|
| | | | S | FORMAT | S | FORMAT | | | |
| DOC | | DOCUMENT/MESSAGE DETAILS | M | | M | | 1 | | |
| C002 | | DOCUMENT/MESSAGE NAME | M | | M | | | | |
| | 1001 | Document/message name, coded | C | an..3 | M | an..3 | | 704 | 704=Master bill of lading (used for dummy) |
| | 1131 | Code list qualifier | C | an..3 | X | | | | |
| | 3055 | Code list responsible agency, coded | C | an..3 | X | | | | |
| | 1000 | Document/message name | C | an..35 | X | | | | |
| | | | | | | | | | |
| C503 | | DOCUMENT/MESSAGE DETAILS | C | | X | | | | |
| | 1004 | Document/message number | C | an..35 | X | | | | |
| | 1373 | Document/message status, coded | C | an..3 | X | | | | |
| | 1366 | Document/message source | C | an..70 | X | | | | |
| | 3453 | Language, coded | C | an..3 | X | | | | |
| | 1056 | Version | C | an..9 | | | | | |
| | 1060 | Revision number | C | an..6 | X | | | | |
| | | | | | | | | | |
| 3153 | | COMMUNICATION CHANNEL IDENTIFIER, CODED | C | an..3 | X | | | | |
| | | | | | | | | | |
| 1220 | | NUMBER OF COPIES OF DOCUMENT | C | n..2 | X | | | | |
| | | | | | | | | | |
| 1218 | | NUMBER OF ORIGINALS OF DOCUMENT REQUIRED | C | n..2 | X | | | | |

DOC+704'

CUSRES/D98B/Process Result Output (CHR)

| | | | | | | | | | |
|--|--|-----------------------|---|------|---|------|--|--|--|
| | | ---SEGMENT GROUP 6--- | C | 9999 | C | 1(1) | | | |
|--|--|-----------------------|---|------|---|------|--|--|--|

RFF: REFERENCE

| TAG | COMP | NAME | UN/EDIFACT | | NACCS | | No. | Field name/Set value | Special Notes |
|------|------|--------------------------|------------|--------|-------|--------|-----|----------------------|---------------------------------|
| | | | S | FORMAT | S | FORMAT | | | |
| RFF | | REFERENCE | C | 9 | M | 1 | | | |
| C506 | | REFERENCE | M | | M | | | | |
| | 1153 | Reference qualifier | M | an..3 | M | an..3 | | MB | MB=Master bill of lading number |
| | 1154 | Reference number | C | an..35 | M | an..35 | 3 | Master B/L Number | |
| | 1156 | Line number | C | an..6 | X | | | | |
| | 4000 | Reference version number | C | an..35 | X | | | | |
| | 1060 | Revision number | C | an..6 | X | | | | |

RFF+MB: ABCD12345678'

CUSRES/D98B/Process Result Output (CHR)

| | | | | | | | | |
|--|--|-----------------------|---|------|---|-------|--|--|
| | | ---SEGMENT GROUP 6--- | C | 9999 | C | 1 (1) | | |
|--|--|-----------------------|---|------|---|-------|--|--|

GIS:GENERAL INDICATOR

| TAG | COMP | NAME | UN/EDIFACT | | NACCS | | No. | Field name/Set value | Special Notes |
|------|------|-------------------------------------|------------|--------|-------|--------|-----|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | | | S | FORMAT | S | FORMAT | | | |
| GIS | | GENERAL INDICATOR | C | 9 | C | 1 | | | |
| C529 | | PROCESSING INDICATOR | M | | M | | | | |
| | 7365 | Processing indicator, coded | M | an..3 | M | an1 | 5 | B/L Discrepancy Identifier 1 2 | 1=When 'House B/L' and 'Master B/L whose "Master B/L Identifier" is NOT filled with "M" is entered. 2=When 'House B/L' and 'Master B/L to which AMR/CMR has NOT been done' is entered. |
| | 1131 | Code list qualifier | C | an..3 | X | | | | |
| | 3055 | Code list responsible agency, coded | C | an..3 | X | | | | |
| | 7187 | Process type identification | C | an..17 | X | | | | |

GIS+1'

CUSRES/D98B/Process Result Output (CHR)

| | | | | | | | | |
|--|--|-----------------------|---|------|---|------|--|--|
| | | ---SEGMENT GROUP 6--- | C | 9999 | C | 1(2) | | |
|--|--|-----------------------|---|------|---|------|--|--|

DOC:DOCUMENT/MESSAGE DETAILS

| TAG | COMP | NAME | UN/EDIFACT | | NACCS | | No. | Field name/Set value | Special Notes |
|------|------|------------------------------------------|------------|--------|-------|--------|-----|----------------------|----------------------------------------------|
| | | | S | FORMAT | S | FORMAT | | | |
| DOC | | DOCUMENT/MESSAGE DETAILS | M | | M | | 1 | | |
| C002 | | DOCUMENT/MESSAGE NAME | M | | M | | | | |
| | 1001 | Document/message name, coded | C | an..3 | M | an..3 | | 714 | 714=House bill of lading (used for dummy) |
| | 1131 | Code list qualifier | C | an..3 | X | | | | |
| | 3055 | Code list responsible agency, coded | C | an..3 | X | | | | |
| | 1000 | Document/message name | C | an..35 | X | | | | |
| | | | | | | | | | |
| C503 | | DOCUMENT/MESSAGE DETAILS | C | | X | | | | |
| | 1004 | Document/message number | C | an..35 | X | | | | |
| | 1373 | Document/message status, coded | C | an..3 | X | | | | |
| | 1366 | Document/message source | C | an..70 | X | | | | |
| | 3453 | Language, coded | C | an..3 | X | | | | |
| | 1056 | Version | C | an..9 | | | | | |
| | 1060 | Revision number | C | an..6 | X | | | | |
| | | | | | | | | | |
| 3153 | | COMMUNICATION CHANNEL IDENTIFIER, CODED | C | an..3 | X | | | | |
| | | | | | | | | | |
| 1220 | | NUMBER OF COPIES OF DOCUMENT | C | n..2 | X | | | | |
| | | | | | | | | | |
| 1218 | | NUMBER OF ORIGINALS OF DOCUMENT REQUIRED | C | n..2 | X | | | | |

DOC+714'

CUSRES/D98B/Process Result Output (CHR)

| | | | | | | | | | |
|--|--|-----------------------|---|------|---|------|--|--|--|
| | | ---SEGMENT GROUP 6--- | C | 9999 | C | 1(2) | | | |
|--|--|-----------------------|---|------|---|------|--|--|--|

RFF: REFERENCE

| TAG | COMP | NAME | UN/EDIFACT | | NACCS | | No. | Field name/Set value | Special Notes |
|------|------|--------------------------|------------|--------|-------|--------|-----|----------------------|--------------------------------|
| | | | S | FORMAT | S | FORMAT | | | |
| RFF | | REFERENCE | C | 9 | M | 1 | | | |
| C506 | | REFERENCE | M | | M | | | | |
| | 1153 | Reference qualifier | M | an..3 | M | an..3 | | BH | BH=House bill of lading number |
| | 1154 | Reference number | C | an..35 | M | an..35 | 4 | House B/L Number | |
| | 1156 | Line number | C | an..6 | X | | | | |
| | 4000 | Reference version number | C | an..35 | X | | | | |
| | 1060 | Revision number | C | an..6 | X | | | | |

RFF+BH: ABCD12345678'

CUSRES/D98B/Process Result Output (CHR)

UNT:MESSAGE TRAILER

| TAG | COMP | NAME | UN/EDIFACT | | NACCS | | No. | Field name/Set value | Special Notes |
|------|------|-----------------------------------|------------|---------|-------|---------|-----|-------------------------------|---------------|
| | | | S | FORMAT | S | FORMAT | | | |
| UNT | | MESSAGE TRAILER | M | 1 | M | 1 | | | |
| 0074 | | NUMBER OF SEGMENTS IN THE MESSAGE | M | n.. 6 | M | n.. 6 | | The number of segments in the | |
| 0062 | | MESSAGE REFERENCE NUMBER | M | an.. 14 | M | an.. 13 | | Message reference number | |

UNT+12+NACCS12345678'

CHR110

UNH+NACCS12345678+CHR110:D:98B:UN:NAC10'
 BGM+961:::*SCHR++9'
 FTX+NHI+++CHR:000ER:1ABC2C20010407092530000001:AAABBCCC'
 RFF+ACW:NACCS12345'
 ERP+2'
 FTX+AAP+++00000-0000-0000'
 DOC+704'
 RFF+MB:ABCD12345678'
 GIS+1'
 DOC+714'
 RFF+BH:ABCD12345678'
 UNT+12+NACCS12345678'