

Nippon Automated Cargo and Port Consolidated System EDI Specification

April 1, 2023

**Nippon Automated Cargo and Port
Consolidated System, Inc**

Contents

1. Data Processing Mode and Connection Modes	
1.1 Data Processing Mode	1-1-1
1.1.1 Interactive processing mode	1-1-2
1.1.1.1 Interactive processing mode (for packaged software)	1-1-2
1.1.1.2 Interactive processing mode: SMTP two-way (for gateway computers)	1-1-2
1.1.1.3 WebNACCS processing mode (for web browser)	1-1-3
1.1.1.4 Interactive processing mode: ebMS processing mode (for gateway computers)	1-1-3
1.1.2 E-mail style processing mode	1-1-3
1.1.2.1 E-mail style processing mode for gateway computers	1-1-3
1.2 Connection Configuration between User and NACCS	1-2-1
1.2.1 NACCS network	1-2-1
1.2.1.1 Peer-to-peer connection	1-2-1
1.2.1.2 Router connection	1-2-1
1.2.1.3 Gateway connection	1-2-1
1.2.2 Internet	1-2-2
1.2.2.1 netNACCS	1-2-2
1.2.2.2 WebNACCS	1-2-2
1.2.2.3 Gateway connection (ebMS processing mode)	1-2-2
1.3 Relationships between Connection Modes and Data Transmission/receipt Modes	1-3-1
1.4 Examples of Information Use and Examples of Overtake Message in NACCS	1-4-1
2. Network architecture	
2.1 Outline of Network	2-1-1
2.2 Private IP address	2-2-1
2.2.1 Use of private IP addresses	2-2-1
2.2.2 Private IP address architecture	2-2-2
2.2.3 Relationship between IP address and subnet mask	2-2-3
2.2.4 IP address assignment by NACCS Center	2-2-4
2.2.5 Where to assign the IP address	2-2-4
2.2.6 IP address allocation rules	2-2-5
2.2.7 User LAN setup (typical cases)	2-2-6
2.2.8 IP address translation	2-2-13
2.2.9 Boundaries of liability for failures	2-2-15
2.2.10 NACCS Information and IP address	2-2-16
2.3 Outline of NACCS Connection Routers	2-3-1
2.3.1 [Deleted]	2-3-1
2.3.2 [Deleted]	2-3-1
2.3.3 NACCS connection router (for dedicated line and fiber optic broadband connections)	2-3-1
2.4 Accessing NACCS servers from NACCS users	
2.4.1 Access Control with DNS for accessing NACCS servers	2-4-1

2.4.2 Switching from production environment to backup environment	2-4-1
2.5 Redundancy Configuration in User Access Lines	2-5-1
2.5.1 Redundancy configuration overview.....	2-5-1
2.5.2 Line configuration in the redundancy configuration.....	2-5-1
2.5.3 Range of responsibility in the redundancy configuration	2-5-1
2.5.4 Caution for redundancy configuration	2-5-2
3. Message Format and Structure	
3.1 NACCS EDI Messages.....	3-1-1
3.1.1 NACCS EDI message format	3-1-1
3.1.2 NACCS EDI message structure	3-1-1
3.1.2.1 Input Common Fields (Processing Request Message).....	3-1-3
3.1.2.2 Rules on message format	3-1-4
3.1.2.2.1 Rules on message format for processing request messages	3-1-4
3.1.2.2.2 Structure of a processing result message.....	3-1-5
3.1.2.3 Data entry rules for procedure-by-procedure fields	3-1-15
3.1.2.4 Output common fields (processing result messages).....	3-1-16
3.2 MIME Format Message	3-2-1
3.2.1 EDIFACT message	3-2-1
3.2.1.1 Message format for EDIFACT messages.....	3-2-1
3.2.1.1.1 Messages used.....	3-2-1
3.2.1.1.2 Syntax rules	3-2-2
3.2.1.1.3 Message version	3-2-2
3.2.1.1.4 Message structure	3-2-4
3.2.1.1.5 Available character set.....	3-2-4
3.2.1.2 EDIFACT message structure	3-2-5
3.2.1.2.1 Input (output) common fields	3-2-6
3.2.1.2.2 Transmission unit for messages.....	3-2-9
3.2.1.2.3 Message format.....	3-2-10
3.2.1.2.4 Message processing mode	3-2-14
3.2.1.3 Receipt confirmation for EDIFACT message	3-2-17
3.2.1.3.1 Timing of receipt confirmation.....	3-2-17
3.2.1.3.2 Measure for receipt confirmation	3-2-17
3.2.1.3.3 Notification of receipt confirmation.....	3-2-17
3.2.2 Attachment file message	3-2-18
3.2.2.1 Message format for attachment file message	3-2-18
3.2.2.2 Message structure of attachment file	3-2-18
3.2.2.3 Implemented mode.....	3-2-19
3.2.2.4 Processing sequence.....	3-2-20
3.2.2.4.1 Interactive processing mode.....	3-2-20
3.2.2.4.2 WebNACCS processing mode.....	3-2-21
3.2.2.4.3 E-mail style processing mode.....	3-2-22
3.3 XML Format Message	3-3-1

3.3.1 Message format for XML format message	3-3-1
3.3.1.1 Format/version for XML format messages	3-3-1
3.3.2 Message structure for XML format messages	3-3-1
3.3.3 Types of Transmit/Receive Message of XML Format Message	3-3-2
3.3.4 Message specifications for XML format messages	3-3-2
3.4 Message Types	3-4-1
3.5 Message Control Items	3-5-1
3.5.1 Input Message ID	3-5-3
3.5.2 Message Tag, Message Control Information (Division Sequence Number, Termination, Message Type)	3-5-4
3.5.3 Continued processing (Index Tag)	3-5-6
3.6 Code System	3-6-1
3.6.1 Character encoding system	3-6-1
3.6.1.1 Encoded characters used in outbound messages (processing request messages)	3-6-2
3.6.1.2 Encoded characters used in inbound messages (processing result messages)	3-6-5
3.6.2 Garbled characters	3-6-8
3.7 Output Message Cache and Retrieving Procedure	3-7-1
3.7.1 Output Message Cache	3-7-1
3.7.2 Retrieving procedure	3-7-1
3.7.2.1 SYG procedure	3-7-3
3.7.2.2 REQ procedure	3-7-8
4. Details of Each Processing Mode	
4.1 Interactive Processing Mode (for Packaged Software)	
4.1.1 Outline of Processing Mode	4-1-1
4.1.2 Details of the Communications protocol	4-1-2
4.1.3 Procedure Sequential Processing	4-1-3
4.1.3.1 Examples of Procedure Processing Sequence for INQ Type Messages	4-1-4
4.1.3.2 Examples of Procedure Processing Sequence for EXC Type Messages	4-1-10
4.1.3.3 Example of Procedure Processing Sequence for EXZ Type Messages	4-1-14
4.1.3.4 Examples of Procedure Processing Sequence for Attachment File Messages	4-1-15
4.1.4 Others	4-1-16
4.2 Interactive Processing Mode (SMTP two-way)	4-2-1
4.2.1 Outline of interactive processing mode (SMTP two-way)	4-2-1
4.2.2 Interface that users should follow	4-2-2
4.2.3 Details of the communications protocol	4-2-4
4.2.4 Message format	4-2-14
4.2.5 Procedure sequential processing	4-2-28
4.2.6 Others	4-2-30
4.3 E-mail Style Processing Mode	4-3-1
4.3.1 E-mail style processing for NACCS EDI messages	4-3-1

4.3.1.1	Outline of e-mail style processing mode (other than EDIFACT messages) ..	4-3-1
4.3.1.2	Details of the communications protocols	4-3-2
4.3.1.3	Message format	4-3-16
4.3.2	E-mail style processing for EDIFACT messages	4-3-27
4.3.2.1	Outline of e-mail style processing mode (EDIFACT messages)	4-3-27
4.3.2.2	Details of the communications protocols	4-3-28
4.3.2.3	Message format	4-3-42
4.3.3	Mailbox	4-3-49
4.3.4	E-mail address	4-3-53
4.3.5	Procedure processing sequence	4-3-56
4.3.6	Others	4-3-58
4.4	WebNACCS Processing Mode (for Web browser)	4-4-1
4.4.1	Outline of WebNACCS processing mode (for Web browser)	4-4-1
4.4.2	Details of the communications protocol	4-4-2
4.4.3	Procedure processing sequence	4-4-3
4.5	ebMS Processing Mode	4-5-1
4.5.1	Outline of processing mode	4-5-1
4.5.2	Details of the communications protocol	4-5-2
4.5.3	Messages used in ebMS processing mode	4-5-4
4.5.4	Setting for ebMS processing mode	4-5-6
4.5.5	Message format and structure	4-5-9
4.5.6	Procedure sequential processing	4-5-11
4.6	Others	4-6-1
4.6.1	e-mail	4-6-1
4.6.1.1	Major check points for e-mail address	4-6-1
4.6.1.2	e-mail transmission	4-6-1
4.6.1.3	Information transmitted by e-mail	4-6-2
4.6.2	Attachment file	4-6-3
4.6.2.1	Extension	4-6-3
4.6.2.2	File name and format	4-6-3
4.6.2.2.1	When carrying out MSX or MSY01 procedure	4-6-3
4.6.2.2.2	When carrying out procedures other than MSX and MSY01	4-6-3
4.6.2.3	Character code used for file name	4-6-4
4.6.2.3.1	When carrying out MSX or MSY01 procedure	4-6-4
4.6.2.3.2	When carrying out procedures other than MSX and MSY01	4-6-4
4.6.2.4	Garbled characters in file name	4-6-4
4.6.2.5	File name length	4-6-4
5.	Destination Control	
5.1	Outline of Destination Control	5-1-1
5.2	Setting of Destination of Processing Result Message	5-2-1
5.2.1	Output pattern of processing result message	5-2-1
5.2.2	Setting of output destination	5-2-3
5.2.3	Dual output function	5-2-5

5.2.4 Setting the output destination printer.....	5-2-6
6. Retrieval of Management Document Information	
6.1 Retrieval of Management Document Information	
6.1.1 Transmission Method	6-1-1
6.1.2 Users Who Can Retrieve Information	6-1-1
6.1.3 Retrieval Method	6-1-1
6.1.4 Retention Period.....	6-1-2
6.1.5 File Format and Spreadsheet Software Used.....	6-1-2
6.1.6 Dividing Management Documents	6-1-3
6.1.7 Re-Transmission Method	6-1-4
6.1.8 Request for Re-Output of Bonded Management Documents	6-1-4
6.1.8.1 Users Who Can Re-Output.....	6-1-4
6.1.8.2 Retention Period	6-1-4
6.1.8.3 Method for Retrieving Re-Output Management Documents	6-1-4
6.2 Procedures for Retrieving Management Document Information (Using the Own System)	6-2-1
6.2.1 Communication Specification	6-2-1
6.2.1.1 Specification for Sending/Receiving HTTP.....	6-2-1
6.2.1.2 Sequence of Management Document Information Retrieval.....	6-2-2
6.2.2 Message Specification	6-2-5
6.2.2.1 Message Structure	6-2-5
6.2.2.2 Content of Settings for Each Message	6-2-11
6.2.2.3 Naming Scheme of Management Document Information Files	6-2-22
6.2.3 Handling Errors	6-2-24
6.2.4 Others	6-2-25
6.2.5 Values of Various Timers	6-2-26
7. Security Measures	
7.1 NACCS Center Hardware	7-1-1
7.2 Network	7-2-1
7.3 Eligibility Check	7-3-1
7.3.1 Logon check	7-3-1
7.3.2 Mailbox access eligibility check	7-3-1
7.3.3 Processing Result Message (for printer) acquiring eligibility check.....	7-3-1
7.3.4 Procedure eligibility check.....	7-3-1
7.3.5 Single sign-on for users involved in multiple business types	7-3-2
7.4 Security Measures for Users	7-4-1
7.4.1 Security Measures Implemented by Users	7-4-1
7.4.2 Security Standards for Connections to External Networks	7-4-5
7.5 netNACCS Processing Mode, WebNACCS Processing Mode, and ebMS Processing Mode	7-5-1
7.5.1 Security Measures by NACCS Center	7-5-1
7.5.2 Security Measures for Communications, etc.	7-5-1

7.5.3 netNACCS Processing Mode Connection Example.....	7-5-3
7.5.4 WebNACCS Processing Mode Connection Example.....	7-5-5
7.5.5 Notes for Using netNACCS Processing Mode, WebNACCS Processing Mode, and ebMS Processing Mode	7-5-7
7.5.6 Security Measures by Users	7-5-9
7.6 System Auditing.....	7-6-1
8. Connection Test	
8.1 Outline and Details of Connection Test	8-1-1
8.2 Connection Test and Items to Prepare for Joining NACCS	8-2-1
9. Changing Settings Online by Users	
9.1 Outline of Changing Settings Online by Users	9-1-1
9.2 Processes from Initial Value Setting to the Start of Procedure Implementation.....	9-2-1
9.3 Procedures and Items Subject to Changing Settings by Users	9-3-1

Appendix

[Common to NACCS EDI messages and EDIFACT messages]

Appendix 1. Available Connection Modes and Processing Modes (Summary)	Appendix 1-1
Appendix 2. Concrete Examples of Cases Where Data Processing Modes and Connection Modes Are Mixed	Appendix 2-1
Appendix 3. Concrete Example of System Configuration	Appendix 3-1
Appendix 4. Access Lines and Access Points	Appendix 4-1
(1) Dedicated access line	Appendix 4-1
(2) [Deleted]	Appendix 4-1
(3) Fiber optic broadband	Appendix 4-1
Appendix 5. Details of Processing Result Messages	Appendix 5-1
(1) NACCS EDI Messages	Appendix 5-1
1) Formats of processing result notification message and output message (inquiry result)	Appendix 5-1
2) Output message (excluding inquiry result) format	Appendix 5-2
3) Format of processing result notification message output in case of error	Appendix 5-3
(2) EDIFACT message	Appendix 5-7
(3) XML message	Appendix 5-7
(4) Procedures which treated as continued processing	Appendix 5-7
Appendix 6. Codes	Appendix 6-1
1. Output Information Code System	Appendix 6-1
2. Processing Result Code System	Appendix 6-3
3. User Codes and Identifying Numbers, etc.	Appendix 6-11
Appendix Table 6.7.1 Subjected Procedure List [Explanatory Note]	
Appendix Table 6.7.2 Subjected Procedure List [Arrival-Departure and Tonnage Due Procedures]	
Appendix Table 6.7.3 Subjected Procedure List [Import Procedures]	
Appendix Table 6.7.4 Subjected Procedure List [Export Procedures]	
Appendix Table 6.7.5 Subjected Procedure List [Import-export common Procedures]	
Appendix Table 6.7.6 Subjected Procedure List [Imported Food Monitoring Support Procedures]	
Appendix Table 6.7.7 Subjected Procedure List [Plant Quarantine Related Procedures]	
Appendix Table 6.7.8 Subjected Procedure List [Animal Quarantine Related Procedures]	
Appendix Table 6.7.9 Subjected Procedure List [Trade Control Related Procedures]	
Appendix Table 6.8.1 Output Information Code List [Explanatory Note]	
Appendix Table 6.8.2 Output Information Code List [Arrival-Departure and Tonnage Due Procedures]	
Appendix Table 6.8.3 Output Information Code List [Import Procedures]	
Appendix Table 6.8.4 Output Information Code List [Export Procedures]	
Appendix Table 6.8.5 Output Information Code List [Import-export common Procedures]	

Appendix Table 6.8.6 Output Information Code List [Imported Food Monitoring Support Procedures]	
Appendix Table 6.8.7 Output Information Code List [Plant Quarantine Related Procedures]	
Appendix Table 6.8.8 Output Information Code List [Animal Quarantine Related Procedures]	
Appendix Table 6.8.9 Output Information Code List [Trade Control Related Procedures]	
Appendix Table 6.9.1 List of Private Management Document Information [Explanatory Note]	
Appendix Table 6.9.2 List of Private Management Document Information	
Appendix 7. Accumulative Processing Procedures	Appendix 7-1
(1) Division Processing <Pattern 1>.....	Appendix 7-1
(2) Automatic Invocation Processing <Pattern 2>.....	Appendix 7-2
Appendix 8. Relationships Between IP Address, User Code, Mailbox ID, and Password	Appendix 8-1
Appendix 9. Specific Examples of Destination Management for Processing Result Message.... (INQ type message/EXZ type message/EXC type message)	Appendix 9-1
Appendix 10. Purposes of Mailboxes for Incoming Messages	Appendix 10-1
Appendix 11. Transmission of Broadcast Messages	Appendix 11-1
1. Broadcast Function.....	Appendix 11-1
2. Users Who Can Retrieve Broadcast Messages.....	Appendix 11-1
3. Processing Image	Appendix 11-2
Appendix 12. Dual Output Function for Import/Export Permit Notice Information, etc.....	Appendix 12-1
1. Outline of Dual Output Function.....	Appendix 12-1
2. Type of Information for Which Dual Output Can Be Made	Appendix 12-1
3. Dual Output Pattern	Appendix 12-1
Appendix 13. List of Items Subject to Changing Settings Online by Users	
Appendix 14. EDIFACT Messages	
1. Outline of EDIFACT.....	Appendix 14-1-1
2. EDIFACT Mapping Rules.....	Appendix 14-2-1
2.1 How to Look at Segment Table/Mapping Table	Appendix 14-2-1
2.2 Message Structure.....	Appendix 14-2-7
2.3 About Service Segments	Appendix 14-2-34
2.4 Error Handling for EDIFACT Messages	Appendix 14-2-47
2.4.1 CONTRL Message.....	Appendix 14-2-47
2.4.2 APERAK Message.....	Appendix 14-2-48
2.4.3 CUSRES Message.....	Appendix 14-2-48
2.4.4 Mapping Table	Appendix 14-2-49
2.4.5 Code List	Appendix 14-2-49
3. Input (Output) Common Fields of EDIFACT Messages.....	Appendix 14-3-1
3.1 Input common fields (processing request messages)	Appendix 14-3-1
3.2 Output common fields (process result messages)	Appendix 14-3-2

4. Subset Names of Procedures Supported by EDIFACT	Appendix 14-4
5. Use of EDIFACT Messages (for Sea Cargo and Arrival/Departure)	Appendix 14-5-1
5.1 Update Manifest Information	Appendix 14-5-1
5.2 Vessel Operation Information Registration (VTX01) and correction ..	Appendix 14-5-4
5.3 Registration and correction of ACL information registration (ACL) ..	Appendix 14-5-5
5.4 Message structures for Unified Application Before Vessel Arrival (VPX), Vessel Entry Notice (VIX), and Vessel Departure Notice (VOX)	Appendix 14-5-6
Appendix 15. XML Messages	
1. How to read Mapping Table	Appendix 15-1-1
2. Appendix 15.2 Processing Result Notification (Common Error) Mapping Table	
Appendix 16. Main Changes of EDI Specification for NACCS	Appendix 16-1
Appendix 17. Support for Packaged Software (Interactive Processing Mode) (For Users Not Using NACCS DNS)	Appendix 17-1
Appendix 18. Response to NACCS Failure and Recovery (For Users Not Using NACCS DNS)	Appendix 18-1

* In this document, abbreviations are used for the following names.

NACCS Center: Nippon Automated Cargo and Port Consolidated System, Inc.

Trademark: Microsoft, Windows or names of other Microsoft Products are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Pentium is a registered trademark of Intel Corporation. Other product names and names of companies are either registered trademarks or trademarks of each company.