

## CUSRES/D98B/処理結果通知 (BCC)

## UNH:MESSAGE HEADER

※項番については業務仕様書の入出力項目表の項番を参照

TAG	COMP	NAME	UN/EDIFACT		NACCS		項番※	項目名/設定値	特記事項
			S	FORMAT	S	FORMAT			
UNH		MESSAGE HEADER	M		M		1		
0062		MESSAGE REFERENCE NUMBER	M	an..14	M	an..14		メッセージ参照番号	
S009		MESSAGE IDENTIFIER	M		M				
	0065	Message type	M	an..6	M	an..6		BCC210	
	0052	Message version number	M	an..3	M	an..3		D	
	0054	Message release number	M	an..3	M	an..3		98B	
	0051	Controlling agency	M	an..2	M	an..2		UN	
	0057	Association assigned code	C	an..6	M	an..6		NAC10	[NAC10]
0068		COMMON ACCESS REFERENCE	C	an..35	X				
S010		STATUS OF THE TRANSFER	C		X				
	0070	Sequence of transfers	M	n..2	X				
	0073	First and last transfer	C	a1	X				

UNH+NACCS123456789+BCC210:D:98B:UN:NAC10'

## CUSRES/D98B/処理結果通知 (BCC)

## BGM:BEGINNING OF MESSAGE

TAG	COMP	NAME	UN/EDIFACT		NACCS		項番	項目名/設定値	特記事項
			S	FORMAT	S	FORMAT			
BGM		BEGINNING OF MESSAGE	M	1	M	1			
C002		DOCUMENT/MESSAGE NAME	C		M				
	1001	Document/message name, coded	C	an..3	M	an..3		961	961=General response(Customs)
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
	1000	Document/message name	C	an..35	M	an..7	1	出力情報コード *SBCC	入出力共通項目 (EDI仕様書参照) [*SBCC]=処理結果通知 (ブッキング・コンテナ番号変更)
C106		DOCUMENT/MESSAGE IDENTIFICATION	C		X				
	1004	Document/message number	C	an..35	X				
	1056	Version	C	an..9	X				
	1060	Revision number	C	an..6	X				
1225		MESSAGE FUNCTION, CODED	C	an..3	M	an1		9	9=Original
4343		RESPONSE TYPE, CODED	C	an..3	X				

BGM+961:::\*SBCC++9'

## CUSRES/D98B/処理結果通知(BCC)

FTX:FREE TEXT

TAG	COMP	NAME	UN/EDIFACT		NACCS		項番	項目名/設定値	特記事項
			S	FORMAT	S	FORMAT			
FTX		FREE TEXT	C	99	M	1			
4451		TEXT SUBJECT QUALIFIER	M	an..3	M	an..3		NHI	[NHI]=NACCSヘッダ情報
4453		TEXT FUNCTION, CODED	C	an..3	X				
C107		TEXT REFERENCE	C		X				
	4441	Free text identification	M	an..17	X				
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
C108		TEXT LITERAL	C		M				
	4440	Free text	M	an..70	M	an..5	1	業務コード BCC	入出力共通項目(EDI仕様書参照) [BCC]=ブッキング・コンテナ番号変更
	4440	Free text	C	an..70	M	an..8	1	電文制御情報	入出力共通項目(EDI仕様書参照)
	4440	Free text	C	an..70	C	an..26	1	電文引継情報	入出力共通項目(EDI仕様書参照)
	4440	Free text	C	an..70	C	an..64	1	索引引継情報	入出力共通項目(EDI仕様書参照)
	4440	Free text	C	an..70	X				
3453		LANGUAGE, CODED	C	an..3	X				
4447		TEXT FORMATTING, CODED	C	an..3	X				

FTX+NHI+++BCC:000ER:1ABC2C2001040709253000001:AAABBCC'

## CUSRES/D98B/処理結果通知 (BCC)

## TDT:DETAILS OF TRANSPORT

TAG	COMP	NAME	UN/EDIFACT		NACCS		項番	項目名/設定値	特記事項
			S	FORMAT	S	FORMAT			
TDT		DETAILS OF TRANSPORT	C	9	C	1			
8051		TRANSPORT STAGE QUALIFIER	M	an..3	M	an..3	20		20=Main-carriage transport
8028		CONVEYANCE REFERENCE NUMBER	C	an..17	X				
C220		MODE OF TRANSPORT	C		X				
	8067	Mode of transport, coded	C	an..3	X				
	8066	Mode of transport	C	an..17	X				
C228		TRANSPORT MEANS	C		X				
	8179	Type of means of transport identification	C	an..8	X				
	8178	Type of means of transport	C	an..17	X				
C040		CARRIER	C		M				
	3127	Carrier identification	C	an..17	M	an..4	3	船会社コード	
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	M	an..3	213		213=JP, NACCS Center
	3128	Carrier name	C	an..35	X				
8101		TRANSIT DIRECTION, CODED	C	an..3	X				
C401		EXCESS TRANSPORTATION INFORMATION	C		X				
	8457	Excess transportation reason, coded	M	an..3	X				
	8459	Excess transportation responsibility,	M	an..3	X				
	7130	Customer authorization number	C	an..17	X				
C222		TRANSPORT IDENTIFICATION	C		X				
	8213	Id. of means of transport identification	C	an..9	X				
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
	8212	Id. of the means of transport	C	an..35	X				
	8453	Nationality of means of transport, coded	C	an..3	X				
8281		TRANSPORT OWNERSHIP, CODED	C	an..3	X				

TDT+20++++ABCD::213'

## CUSRES/D98B/処理結果通知(BCC)

	---SEGMENT GROUP 3---	C	999	C	1(1)		
--	-----------------------	---	-----	---	------	--	--

## RFF:REFERENCE

TAG	COMP	NAME	UN/EDIFACT		NACCS		項番	項目名/設定値	特記事項
			S	FORMAT	S	FORMAT			
RFF		REFERENCE	M	1	M	1			
C506		REFERENCE	M		M				
	1153	Reference qualifier	M	an..3	M	an..3		ACW	ACW=Reference number to previous message
	1154	Reference number	C	an..35	M	an..10	1	入力情報特定番号	入出力共通項目(EDI仕様書参照)
	1156	Line number	C	an..6	X				
	4000	Reference version number	C	an..35	X				
	1060	Revision number	C	an..6	X				

RFF+ACW:NACCS12345'

## CUSRES/D98B/処理結果通知 (BCC)

	---SEGMENT GROUP 3---	C	999	C	1 (2)		
--	-----------------------	---	-----	---	-------	--	--

## RFF:REFERENCE

TAG	COMP	NAME	UN/EDIFACT		NACCS		項番	項目名/設定値	特記事項
			S	FORMAT	S	FORMAT			
RFF		REFERENCE	M	1	M	1			
C506		REFERENCE	M		M				
	1153	Reference qualifier	M	an..3	M	an..3	BN		BN=Booking reference number
	1154	Reference number	C	an..35	M	an..16	5	訂正後ブッキング番号	
	1156	Line number	C	an..6	X				
	4000	Reference version number	C	an..35	X				
	1060	Revision number	C	an..6	X				

RFF+BN: B1234567891'

CUSRES/D98B/処理結果通知 (BCC)

	---SEGMENT GROUP 3---	C	999	C	1 (3)		
--	-----------------------	---	-----	---	-------	--	--

RFF:REFERENCE

TAG	COMP	NAME	UN/EDIFACT		NACCS		項番	項目名/設定値	特記事項
			S	FORMAT	S	FORMAT			
RFF		REFERENCE	M	1	M	1			
C506		REFERENCE	M		M				
	1153	Reference qualifier	M	an..3	M	an..3		BNO	[BNO]=訂正前ブッキング番号
	1154	Reference number	C	an..35	M	an..16	4	訂正前ブッキング番号	
	1156	Line number	C	an..6	X				
	4000	Reference version number	C	an..35	X				
	1060	Revision number	C	an..6	X				

RFF+BNO:B1234567890'

CUSRES/D98B/処理結果通知 (BCC)

	---	SEGMENT GROUP 4---	C	99	M	1		
--	-----	--------------------	---	----	---	---	--	--

ERP:ERROR POINT DETAILS

TAG	COMP	NAME	UN/EDIFACT		NACCS		項番	項目名/設定値	特記事項
			S	FORMAT	S	FORMAT			
ERP		ERROR POINT DETAILS	M	1	M	1			
C701		ERROR POINT DETAILS	C		M				
	1049	Message section, coded	C	an..3	M	an..3	2		2=Detail section of a message (ダミーで使用)
	1052	Message item number	C	an..35	X				
	1054	Message sub-item number	C	n..6	X				
C853		ERROR SEGMENT POINT DETAILS	C		X				
	9166	Segment tag	C	an..3	X				
	1050	Sequence number	C	an..10	X				
	1159	Sequence number source, coded	C	an..3	X				

ERP+2'



## CUSRES/D98B/処理結果通知(BCC)

	---SEGMENT GROUP 4---	C	99	M	1		
--	-----------------------	---	----	---	---	--	--

FTX:FREE TEXT

TAG	COMP	NAME	UN/EDIFACT		NACCS		項番	項目名/設定値	特記事項
			S	FORMAT	S	FORMAT			
FTX		FREE TEXT	C	99	M	1			
4451		TEXT SUBJECT QUALIFIER	M	an..3	M	an..3		AAP	AAP=Response (free text)
4453		TEXT FUNCTION, CODED	C	an..3	X				
C107		TEXT REFERENCE	C		X				
	4441	Free text identification	M	an..17	X				
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
C108		TEXT LITERAL	C		M				
	4440	Free text	M	an..70	M	an..15	2	処理結果コード1	(処理結果コード)
	4440	Free text	C	an..70	C	an..15	2	処理結果コード2	
	4440	Free text	C	an..70	C	an..15	2	処理結果コード3	
	4440	Free text	C	an..70	C	an..15	2	処理結果コード4	
	4440	Free text	C	an..70	C	an..15	2	処理結果コード5	
3453		LANGUAGE, CODED	C	an..3	X				
4447		TEXT FORMATTING, CODED	C	an..3	X				

FTX+AAP+++00000-0000-0000'

## CUSRES/D98B/処理結果通知 (BCC)

	---SEGMENT GROUP 6---	C	9999	C	1		
--	-----------------------	---	------	---	---	--	--

## DOC:DOCUMENT/MESSAGE DETAILS

TAG	COMP	NAME	UN/EDIFACT		NACCS		項番	項目名/設定値	特記事項
			S	FORMAT	S	FORMAT			
DOC		DOCUMENT/MESSAGE DETAILS	M	1	M	1			
C002		DOCUMENT/MESSAGE NAME	M		M				
	1001	Document/message name, coded	C	an..3	M	an..3		235	235=Container list (ダミーで使用)
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
	1000	Document/message name	C	an..35	X				
C503		DOCUMENT/MESSAGE DETAILS	C		X				
	1004	Document/message number	C	an..35	X				
	1373	Document/message status, coded	C	an..3	X				
	1366	Document/message source	C	an..70	X				
	3453	Language, coded	C	an..3	X				
	1056	Version	C	an..9	X				
	1060	Revision number	C	an..6	X				
3153		COMMUNICATION CHANNEL IDENTIFIER	C	an..3	X				
1220		NUMBER OF COPIES OF DOCUMENT	C	n..2	X				
1218		NUMBER OF ORIGINALS OF DOCUMENT	C	n..2	X				

DOC+235'

CUSRES/D98B/処理結果通知 (BCC)

	---SEGMENT GROUP 6---	C	9999	C	1		
--	-----------------------	---	------	---	---	--	--

EQD:EQUIPMENT DETAILS

TAG	COMP	NAME	UN/EDIFACT		NACCS		項番	項目名/設定値	特記事項
			S	FORMAT	S	FORMAT			
EQD		EQUIPMENT DETAILS	C	999	M	200			
8053		EQUIPMENT QUALIFIER	M	an..3	M	an..3		CN	CN=Container
C237		EQUIPMENT IDENTIFICATION	C		M				
	8260	Equipment identification number	C	an..17	M	an..12	6	コンテナ番号	
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
	3207	Country, coded	C	an..3	X				
C224		EQUIPMENT SIZE AND TYPE	C		X				
	8155	Equipment size and type	C	an..10	X				
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
	8154	Equipment size and type	C	an..35	X				
8077		EQUIPMENT SUPPLIER, CODED	C	an..3	X				
8249		EQUIPMENT STATUS, CODED	C	an..3	X				
8169		FULL/EMPTY INDICATOR, CODED	C	an..3	X				

EQD+CN+ABCU1234567'

## CUSRES/D98B/処理結果通知 (BCC)

UNT:MESSAGE TRAILER

TAG	COMP	NAME	UN/EDIFACT		NACCS		項番	項目名/設定値	特記事項
			S	FORMAT	S	FORMAT			
UNT		MESSAGE TRAILER	M	1	M	1			
0074		NUMBER OF SEGMENTS IN THE MESSAGE	M	n..6	M	n..6		メッセージ内のセグメント数	
0062		MESSAGE REFERENCE NUMBER	M	an..14	M	an..14		メッセージ参照番号	

UNT+12+NACCS123456789'

BCC210

UNH+NACCS123456789+BCC210:D:98B:UN:NAC10'

BGM+961:::SBCC++9'

FTX+NHI+++BCC:000ER:1ABC2C20010407092530000001:AAABBBCCC'

TDT+20++++ABCD:::213'

RFF+ACW:NACCS12345'

RFF+BN:B1234567891'

RFF+BNO:B1234567890'

ERP+2'

FTX+AAP+++00000-0000-0000'

DOC+235'

EQD+CN+ABCU1234567'

UNT+12+NACCS123456789'