

CUSRES/D98B/処理結果通知 (PID)

UNH:MESSAGE HEADER

※項番については業務仕様書の入出力項目表の項番を参照

TAG	COMP	NAME	UN/EDIFACT		NACCS		項番※	項目名/設定値	特記事項
			S	FORMAT	S	FORMAT			
UNH		MESSAGE HEADER	M	1	M	1			
0062		MESSAGE REFERENCE NUMBER	M	an..14	M	an..14		メッセージ参照番号	
S009		MESSAGE IDENTIFIER	M		M				
	0065	Message type	M	an..6	M	an..6		PID210	
	0052	Message version number	M	an..3	M	an..3		D	
	0054	Message release number	M	an..3	M	an..3		98B	
	0051	Controlling agency	M	an..2	M	an..2		UN	
	0057	Association assigned code	C	an..6	M	an..6		NAC10	[NAC10]
0068		COMMON ACCESS REFERENCE	C	an..35	X				
S010		STATUS OF THE TRANSFER	C		X				
	0070	Sequence of transfers	M	n..2	X				
	0073	First and last transfer	C	a1	X				

UNH+NACCS123456789+PID210:D:98B:UN:NAC10'

CUSRES/D98B/処理結果通知 (PID)

BGM:BEGINNING OF MESSAGE

TAG	COMP	NAME	UN/EDIFACT		NACCS		項番	項目名/設定値	特記事項
			S	FORMAT	S	FORMAT			
BGM		BEGINNING OF MESSAGE	M	1	M	1			
C002		DOCUMENT/MESSAGE NAME	C		M				
	1001	Document/message name, coded	C	an..3	M	an..3		961	961=General response (Customs)
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
	1000	Document/message name	C	an..35	M	an..7	1	出力情報コード *SPID	入出力共通項目 (E D I 仕様書参照) [*SPID]=処理結果通知 (到着確認登録)
C106		DOCUMENT/MESSAGE IDENTIFICATION	C		X				
	1004	Document/message number	C	an..35	X				
	1056	Version	C	an..9	X				
	1060	Revision number	C	an..6	X				
	1225	MESSAGE FUNCTION, CODED	C	an..3	M	an1		9	9=Original
	4343	RESPONSE TYPE, CODED	C	an..3	X				

BGM+961:::*SPID++9'

CUSRES/D98B/処理結果通知 (PID)

FTX:FREE TEXT

TAG	COMP	NAME	UN/EDIFACT		NACCS		項番	項目名/設定値	特記事項
			S	FORMAT	S	FORMAT			
FTX		FREE TEXT	C		M	1(1)			
4451		TEXT SUBJECT QUALIFIER	M	an..3	M	an..3		NHI	[NHI]=NACCSヘッダ情報
4453		TEXT FUNCTION, CODED	C	an..3	X				
C107		TEXT REFERENCE	C		X				
	4441	Free text identification	M	an..17	X				
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
C108		TEXT LITERAL	C		M				
	4440	Free text	M	an..70	M	an..5	1	業務コード PID	入出力共通項目 (EDI仕様書参照) [PID]=到着確認登録
	4440	Free text	C	an..70	M	an..8	1	電文制御情報	入出力共通項目 (EDI仕様書参照)
	4440	Free text	C	an..70	C	an..26	1	電文引継情報	入出力共通項目 (EDI仕様書参照)
	4440	Free text	C	an..70	C	an..64	1	索引引継情報	入出力共通項目 (EDI仕様書参照)
	4440	Free text	C	an..70	X				
3453		LANGUAGE, CODED	C	an..3	X				
4447		TEXT FORMATTING, CODED	C	an..3	X				

FTX+NHI+++PID:000ER:1ABC2C20010407092530000001:AAABBBCCC'

CUSRES/D98B/処理結果通知 (PID)

FTX:FREE TEXT

TAG	COMP	NAME	UN/EDIFACT		NACCS		項番	項目名/設定値	特記事項
			S	FORMAT	S	FORMAT			
FTX		FREE TEXT	C		99	C	1(2)		
4451		TEXT SUBJECT QUALIFIER	M	an..3		M	an..3	PDB	[PDB]=船卸港枝番
4453		TEXT FUNCTION, CODED	C	an..3		X			
C107		TEXT REFERENCE	C			X			
	4441	Free text identification	M	an..17		X			
	1131	Code list qualifier	C	an..3		X			
	3055	Code list responsible agency, coded	C	an..3		X			
C108		TEXT LITERAL	C			M			
	4440	Free text	M	an..70		M	an1	5	船卸港枝番
	4440	Free text	C	an..70		X			
	4440	Free text	C	an..70		X			
	4440	Free text	C	an..70		X			
	4440	Free text	C	an..70		X			
3453		LANGUAGE, CODED	C	an..3		X			
4447		TEXT FORMATTING, CODED	C	an..3		X			

FTX+PDB+++1'

CUSRES/D98B/処理結果通知 (PID)

TDT:DETAILS OF TRANSPORT

TAG	COMP	NAME	UN/EDIFACT		NACCS		項番	項目名/設定値	特記事項
			S	FORMAT	S	FORMAT			
TDT		DETAILS OF TRANSPORT	C	9	M	1			
8051		TRANSPORT STAGE QUALIFIER	M	an..3	M	an..3	20		20=Main-carriage transport
8028		CONVEYANCE REFERENCE NUMBER	C	an..17	X				
C220		MODE OF TRANSPORT	C		X				
	8067	Mode of transport, coded	C	an..3	X				
	8066	Mode of transport	C	an..17	X				
C228		TRANSPORT MEANS	C		X				
	8179	Type of means of transport identification	C	an..8	X				
	8178	Type of means of transport	C	an..17	X				
C040		CARRIER	C		X				
	3127	Carrier identification	C	an..17	X				
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
	3128	Carrier name	C	an..35	X				
8101		TRANSIT DIRECTION, CODED	C	an..3	X				
C401		EXCESS TRANSPORTATION INFORMATION	C		X				
	8457	Excess transportation reason, coded	M	an..3	X				
	8459	Excess transportation responsibility,	M	an..3	X				
	7130	Customer authorization number	C	an..17	X				
C222		TRANSPORT IDENTIFICATION	C		M				
	8213	Id. of means of transport identification	C	an..9	M	an..9	3	船舶コード	(コールサイン)
	1131	Code list qualifier	C	an..3	M	an..3	146		146=Means of transport identification
	3055	Code list responsible agency, coded	C	an..3	X				
	8212	Id. of the means of transport	C	an..35	X				
	8453	Nationality of means of transport, coded	C	an..3	X				
8281		TRANSPORT OWNERSHIP, CODED	C	an..3	X				

TDT+20+++++WXYZ:146'

CUSRES/D98B/処理結果通知 (PID)

LOC:PLACE/LOCATION IDENTIFICATION□

TAG	COMP	NAME	UN/EDIFACT		NACCS		項番	項目名/設定値	特記事項
			S	FORMAT	S	FORMAT			
LOC		PLACE/LOCATION IDENTIFICATION	C	99	M	1			
3227		PLACE/LOCATION QUALIFIER	M	an..3	M	an..3	11	11=Place/port of discharge	
C517		LOCATION IDENTIFICATION	C		M				
	3225	Place/location identification	C	an..25	M	an..5	4	船卸港コード	(UN/LOCODE)
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
	3224	Place/location	C	an..70	X				
C519		RELATED LOCATION ONE IDENTIFICATION	C		X				
	3223	Related place/location one identification	C	an..25	X				
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
	3222	Related place/location one	C	an..70	X				
C553		RELATED LOCATION TWO IDENTIFICATION	C		X				
	3233	Related place/location two identification	C	an..25	X				
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
	3232	Related place/location two	C	an..70	X				
5479		RELATION, CODED	C	an..3	X				

LOC+11+JPYOK'

CUSRES/D98B/処理結果通知 (PID)

	---SEGMENT GROUP 3---	C	999	C	1		
--	-----------------------	---	-----	---	---	--	--

RFF:REFERENCE

TAG	COMP	NAME	UN/EDIFACT		NACCS		項番	項目名/設定値	特記事項
			S	FORMAT	S	FORMAT			
RFF		REFERENCE	M		M		1		
C506		REFERENCE	M		M				
	1153	Reference qualifier	M	an..3	M	an..3		ACW	ACW=Reference number to previous message
	1154	Reference number	C	an..35	M	an..10	1	入力情報特定番号	入出力共通項目 (E D I 仕様書参照)
	1156	Line number	C	an..6	X				
	4000	Reference version number	C	an..35	X				
	1060	Revision number	C	an..6	X				

RFF+ACW:NACCS12345'

CUSRES/D98B/処理結果通知 (PID)

	---SEGMENT GROUP 4---	C	99	M	1		
--	-----------------------	---	----	---	---	--	--

ERP:ERROR POINT DETAILS

TAG	COMP	NAME	UN/EDIFACT		NACCS		項番	項目名/設定値	特記事項
			S	FORMAT	S	FORMAT			
ERP		ERROR POINT DETAILS	M		M		1		
C701		ERROR POINT DETAILS	C		M				
	1049	Message section, coded	C	an..3	M	an..3	2		2=Detail section of a message (ダミーで使用)
	1052	Message item number	C	an..35	X				
	1054	Message sub-item number	C	n..6	X				
C853		ERROR SEGMENT POINT DETAILS	C		X				
	9166	Segment tag	C	an..3	X				
	1050	Sequence number	C	an..10	X				
	1159	Sequence number source, coded	C	an..3	X				

ERP+2'

CUSRES/D98B/処理結果通知 (PID)

	---SEGMENT GROUP 4---	C	99	M	1		
--	-----------------------	---	----	---	---	--	--

FTX:FREE TEXT

TAG	COMP	NAME	UN/EDIFACT		NACCS		項番	項目名/設定値	特記事項
			S	FORMAT	S	FORMAT			
FTX		FREE TEXT	C	99	M	1			
4451		TEXT SUBJECT QUALIFIER	M	an..3	M	an..3		AAP	AAP=Response (free text)
4453		TEXT FUNCTION, CODED	C	an..3	X				
C107		TEXT REFERENCE	C		X				
	4441	Free text identification	M	an..17	X				
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
C108		TEXT LITERAL	C		M				
	4440	Free text	M	an..70	M	an..15	2	処理結果コード1	(処理結果コード)
	4440	Free text	C	an..70	C	an..15	2	処理結果コード2	
	4440	Free text	C	an..70	C	an..15	2	処理結果コード3	
	4440	Free text	C	an..70	C	an..15	2	処理結果コード4	
	4440	Free text	C	an..70	C	an..15	2	処理結果コード5	
3453		LANGUAGE, CODED	C	an..3	X				
4447		TEXT FORMATTING, CODED	C	an..3	X				

FTX+AAP+++00000-0000-0000'

CUSRES/D98B/処理結果通知 (PID)

UNT:MESSAGE TRAILER

TAG	COMP	NAME	UN/EDIFACT		NACCS		項番	項目名/設定値	特記事項
			S	FORMAT	S	FORMAT			
UNT		MESSAGE TRAILER	M	1	M	1			
0074		NUMBER OF SEGMENTS IN THE MESSAGE	M	n..6	M	n..6		メッセージ内のセグメント数	
0062		MESSAGE REFERENCE NUMBER	M	an..14	M	an..14		メッセージ参照番号	

UNT+10+NACCS123456789'

PID210

UNH+NACCS123456789+PID210:D:98B:UN:NAC10'

BGM+961:::*SPID++9'

FTX+NHI+++PID:000ER:1ABC2G20010407092530000001:AAABBBCCC'

FTX+PDB+++1'

TDT+20++++++WXYZ:146'

LOC+11+JPYOK'

RFF+ACW:NACCS12345'

ERP+2'

FTX+AAP+++00000-0000-0000'

UNT+10+NACCS123456789'