

CUSRES/D98B/Process Result Output (AHR)

UNH:MESSAGE HEADER

\*Refer to the Field Number of the List of Input / Output Fields

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.*	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
UNH		MESSAGE HEADER	M	1	M	1			
0062		MESSAGE REFERENCE NUMBER	M	an..14	M	an..14		Message Reference Number	
S009		MESSAGE IDENTIFIER	M		M				
	0065	Message type	M	an..6	M	an..6		AHR210	
	0052	Message version number	M	an..3	M	an..3		D	
	0054	Message release number	M	an..3	M	an..3		98B	
	0051	Controlling agency	M	an..2	M	an..2		UN	
	0057	Association assigned code	C	an..6	M	an..6		NAC10	[NAC10]
0068		COMMON ACCESS REFERENCE	C	an..35	X				
S010		STATUS OF THE TRANSFER	C		X				
	0070	Sequence of transfers	M	n..2	X				
	0073	First and last transfer	C	a1	X				

UNH+NACCS123456789+AHR210:D:98B:UN:NAC10'

## CUSRES/D98B/Process Result Output (AHR)

## BGM:BEGINNING OF MESSAGE

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
BGM		BEGINNING OF MESSAGE	M	1	M	1			
002		DOCUMENT/MESSAGE NAME	C		M				
	1001	Document/message name, coded	C	an..3	M	an..3		961	961=General response (Customs)
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
	1000	Document/message name	C	an..35	M	an..7	1	Output Information Code *SAHR	Input / Output Common Fields(Refer to NACCS EDI Specifications) [*SAHR]=Process Result Output (Advance Cargo Information Registration (House B/L))
C106		DOCUMENT/MESSAGE IDENTIFICATION	C		X				
	1004	Document/message number	C	an..35	X				
	1056	Version	C	an..9	X				
	1060	Revision number	C	an..6	X				
1225		MESSAGE FUNCTION, CODED	C	an..3	M	an1		9	9=Original
4343		RESPONSE TYPE, CODED	C	an..3	X				

BGM+961:::\*SAHR++9'

CUSRES/D98B/Process Result Output (AHR)

FTX:FREE TEXT

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
FTX		FREE TEXT	C	99	M	1			
4451		TEXT SUBJECT QUALIFIER	M	an..3	M	an..3		NHI	[NHI]=NACCS Header Information
4453		TEXT FUNCTION, CODED	C	an..3	X				
C107		TEXT REFERENCE	C		X				
	4441	Free text identification	M	an..17	X				
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
C108		TEXT LITERAL	C		M				
	4440	Free text	M	an..70	M	an..5	1	Procedure code AHR	Input / Output Common Fields(Refer to NACCS EDI Specifications) [AHR]=Advance Cargo Information Registration (house B/L)
	4440	Free text	C	an..70	M	an..8	1	Message Control Information	Input / Output Common Fields(Refer to NACCS EDI Specifications)
	4440	Free text	C	an..70	C	an..26	1	Message Tag	Input / Output Common Fields(Refer to NACCS EDI Specifications)
	4440	Free text	C	an..70	C	an..64	1	Index Tag	Input / Output Common Fields(Refer to NACCS EDI Specifications)
	4440	Free text	C	an..70	X				
3453		LANGUAGE, CODED	C	an..3	X				
4447		TEXT FORMATTING, CODED	C	an..3	X				

FTX+NHI+++AHR:000ER:1ABC2C20010407092530000001:AAABBBCCC'

CUSRES/D98B/Process Result Output (AHR)

	---SEGMENT GROUP 3---	C	999	C	1		
--	-----------------------	---	-----	---	---	--	--

RFF:REFERENCE

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
RFF		REFERENCE	M		M		1		
C506		REFERENCE	M		M				
	1153	Reference qualifier	M	an..3	M	an..3		ACW	ACW=Reference number to previous message
	1154	Reference number	C	an..35	M	an..10	1	Input Message ID	Input / Output Common Fields(Refer to NACCS EDI Specifications)
	1156	Line number	C	an..6	X				
	4000	Reference version number	C	an..35	X				
	1060	Revision number	C	an..6	X				

RFF+ACW:NACCS12345'

CUSRES/D98B/Process Result Output (AHR)

		---SEGMENT GROUP 4---	C	99	M	1		
--	--	-----------------------	---	----	---	---	--	--

ERP:ERROR POINT DETAILS

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
ERP		ERROR POINT DETAILS	M	1	M	1			
C701		ERROR POINT DETAILS	C		M				
	1049	Message section, coded	C	an..3	M	an..3	2		2=Detail section of a message (used for dummy)
	1052	Message item number	C	an..35	X				
	1054	Message sub-item number	C	n..6	X				
C853		ERROR SEGMENT POINT DETAILS	C		X				
	9166	Segment tag	C	an..3	X				
	1050	Sequence number	C	an..10	X				
	1159	Sequence number source, coded	C	an..3	X				

ERP+2'

CUSRES/D98B/Process Result Output (AHR)

	---SEGMENT GROUP 4---	C	99	M	1		
--	-----------------------	---	----	---	---	--	--

FTX:FREE TEXT

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
FTX		FREE TEXT	C	99	M	1			
4451		TEXT SUBJECT QUALIFIER	M	an..3	M	an..3		AAP	AAP=Response (free text)
4453		TEXT FUNCTION, CODED	C	an..3	X				
C107		TEXT REFERENCE	C		X				
4441		Free text identification	M	an..17	X				
1131		Code list qualifier	C	an..3	X				
3055		Code list responsible agency, coded	C	an..3	X				
C108		TEXT LITERAL	C		M				
4440		Free text	M	an..70	M	an..15	2	Process result code 1	(Process result code)
4440		Free text	C	an..70	C	an..15	2	Process result code 2	
4440		Free text	C	an..70	C	an..15	2	Process result code 3	
4440		Free text	C	an..70	C	an..15	2	Process result code 4	
4440		Free text	C	an..70	C	an..15	2	Process result code 5	
3453		LANGUAGE, CODED	C	an..3	X				
4447		TEXT FORMATTING, CODED	C	an..3	X				

FTX+AAP+++0000-0000-0000'

CUSRES/D98B/Process Result Output (AHR)

		---SEGMENT GROUP 6---	C	9999	C	1(1)		
--	--	-----------------------	---	------	---	------	--	--

DOC:DOCUMENT/MESSAGE DETAILS

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
DOC		DOCUMENT/MESSAGE DETAILS	M		M		1		
C002		DOCUMENT/MESSAGE NAME	M		M				
	1001	Document/message name, coded	C	an..3	M	an..3		704	704=Master bill of lading (used for dummy)
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
	1000	Document/message name	C	an..35	X				
C503		DOCUMENT/MESSAGE DETAILS	C		X				
	1004	Document/message number	C	an..35	X				
	1373	Document/message status, coded	C	an..3	X				
	1366	Document/message source	C	an..70	X				
	3453	Language, coded	C	an..3	X				
	1056	Version	C	an..9					
	1060	Revision number	C	an..6	X				
3153		COMMUNICATION CHANNEL IDENTIFIER, CODED	C	an..3	X				
1220		NUMBER OF COPIES OF DOCUMENT	C	n..2	X				
1218		NUMBER OF ORIGINALS OF DOCUMENT REQUIRED	C	n..2	X				

DOC+704'

CUSRES/D98B/Process Result Output (AHR)

		---SEGMENT GROUP 6---	C	9999	C	1(1)			
--	--	-----------------------	---	------	---	------	--	--	--

RFF: REFERENCE

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
RFF		REFERENCE	C	9	M	1			
C506		REFERENCE	M		M				
	1153	Reference qualifier	M	an..3	M	an..3		MB	MB=Master bill of lading number
	1154	Reference number	C	an..35	M	an..35	3	Master B/L Number	
	1156	Line number	C	an..6	X				
	4000	Reference version number	C	an..35	X				
	1060	Revision number	C	an..6	X				

RFF+MB: ABCD12345678'



CUSRES/D98B/Process Result Output (AHR)

	---SEGMENT GROUP 6---	C	9999	C	1(1)		
--	-----------------------	---	------	---	------	--	--

GIS:GENERAL INDICATOR

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
GIS		GENERAL INDICATOR	C	9	C	1			
C529		PROCESSING INDICATOR	M		M				
	7365	Processing indicator, coded	M	an..3	M	an1	5	B/L Discrepancy Identifier 1 2	1=When 'House B/L' and 'Master B/L whose "MasterB/L Identifier" is NOT filled with "M" is entered. 2=When 'House B/L' and 'Master B/L to which AMR/CMR has NOT been done' is entered.
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
	7187	Process type identification	C	an..17	X				

GIS+1'

CUSRES/D98B/Process Result Output (AHR)

	---SEGMENT GROUP 6---	C	9999	C	1(2)		
--	-----------------------	---	------	---	------	--	--

DOC:DOCUMENT/MESSAGE DETAILS

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
DOC		DOCUMENT/MESSAGE DETAILS	M		M		1		
C002		DOCUMENT/MESSAGE NAME	M		M				
	1001	Document/message name, coded	C	an..3	M	an..3		714	714=House bill of lading (used for dummy)
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
	1000	Document/message name	C	an..35	X				
C503		DOCUMENT/MESSAGE DETAILS	C		X				
	1004	Document/message number	C	an..35	X				
	1373	Document/message status, coded	C	an..3	X				
	1366	Document/message source	C	an..70	X				
	3453	Language, coded	C	an..3	X				
	1056	Version	C	an..9					
	1060	Revision number	C	an..6	X				
3153		COMMUNICATION CHANNEL IDENTIFIER, CODED	C	an..3	X				
1220		NUMBER OF COPIES OF DOCUMENT	C	n..2	X				
1218		NUMBER OF ORIGINALS OF DOCUMENT REQUIRED	C	n..2	X				

DOC+714'

CUSRES/D98B/Process Result Output (AHR)

		---SEGMENT GROUP 6---	C	9999	C	1(2)			
--	--	-----------------------	---	------	---	------	--	--	--

RFF: REFERENCE

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
RFF		REFERENCE	C	9	M	1			
C506		REFERENCE	M		M				
	1153	Reference qualifier	M	an..3	M	an..3		BH	BH=House bill of lading number
	1154	Reference number	C	an..35	M	an..35	4	House B/L Number	
	1156	Line number	C	an..6	X				
	4000	Reference version number	C	an..35	X				
	1060	Revision number	C	an..6	X				

RFF+BH: ABCD12345678'

CUSRES/D98B/Process Result Output (AHR)

UNT:MESSAGE TRAILER

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
UNT		MESSAGE TRAILER	M	1	M	1			
0074		NUMBER OF SEGMENTS IN THE MESSAGE	M	n..6	M	n..6		The number of segments in the message	
0062		MESSAGE REFERENCE NUMBER	M	an..14	M	an..14		Message Reference Number	

UNT+12+NACCS123456789'

AHR210

UNH+NACCS123456789+AHR210:D:98B:UN:NAC10'  
 BGM+961:::\*SAHR++9'  
 FTX+NHI+++AHR:000ER:1ABC2C20010407092530000001:AAABBBCCC'  
 RFF+ACW:NACCS12345'  
 ERP+2'  
 FTX+AAP+++00000-0000-0000'  
 DOC+704'  
 RFF+MB:ABCD12345678'  
 GIS+1'  
 DOC+714'  
 RFF+BH:ABCD12345678'  
 UNT+12+NACCS123456789'