

CUSCAR/D98B/Departure Time Registration (ATD)

UNH:MESSAGE HEADER

*Refer to the Field Number of the List of Input / Output Fields

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.*	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
UNH		MESSAGE HEADER	M	1	M	1			
0062		MESSAGE REFERENCE NUMBER	M	an..14	M	an..14		Message reference number	
S009		MESSAGE IDENTIFIER	M		M				
0065		Message type	M	an..6	M	an..6		ATD110	
0052		Message version number	M	an..3	M	an..3		D	
0054		Message release number	M	an..3	M	an..3		98B	
0051		Controlling agency	M	an..2	M	an..2		UN	
0057		Association assigned code	C	an..6	M	an..6		NAC10	[NAC10]
0068		COMMON ACCESS REFERENCE	C	an..35	X				
S010		STATUS OF THE TRANSFER	C		X				
0070		Sequence of transfers	M	n..2	X				
0073		First and last transfer	C	a1	X				

UNH+NACCS123456789+ATD110:D:98B:UN:NAC10'

CUSCAR/D98B/Departure Time Registration (ATD)

BGM:BEGINNING OF MESSAGE

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
BGM		BEGINNING OF MESSAGE	M	1	M	1			
C002		DOCUMENT/MESSAGE NAME	C		M				
	1001	Document/message name, coded	C	an..3	M	an..3		85	85=Customs Manifest
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
	1000	Document/message name	C	an..35	M	an..5	1	Procedure Code ATD	Input / Output Common Fields(Refer to NACCS EDI Specifications) [ATD]=Departure Time Registration
C106		DOCUMENT/MESSAGE IDENTIFICATION	C		C				
	1004	Document/message number	C	an..35	M	an..10	1	Input Message ID	Input / Output Common Fields(Refer to NACCS EDI Specifications)
	1056	Version	C	an..9	X				
	1060	Revision number	C	an..6	X				
	1225	MESSAGE FUNCTION, CODED	C	an..3	M	an1	2	5	Function Type Code 5=Replace 9=Original
	4343	RESPONSE TYPE, CODED	C	an..3	X				

BGM+85:::ATD+1234567890+9'

CUSCAR/D98B/Departure Time Registration (ATD)

		---SEGMENT GROUP 2---	C	99	M	1		
--	--	-----------------------	---	----	---	---	--	--

NAD:NAME AND ADDRESS

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
NAD		NAME AND ADDRESS	M	an..35	1	M	1		
3035		PARTY QUALIFIER	M	an..3		M	an..3	CPF	CPF=Means of Transport charterer
C082		PARTY IDENTIFICATION DETAILS	C			M			
	3039	Party identification	M	an..35		M	an..4	6	Carrier Code
	1131	Code list qualifier	C	an..3		X			
	3055	Code list responsible agency, coded	C	an..3		M	an..3	213	213=JP, NACCS Center
C058		NAME AND ADDRESS	C			X			
	3124	Name and address line	M	an..35		X			
	3124	Name and address line	C	an..35		X			
	3124	Name and address line	C	an..35		X			
	3124	Name and address line	C	an..35		X			
	3124	Name and address line	C	an..35		X			
C080		PARTY NAME	C			X			
	3036	Party name	M	an..35		X			
	3036	Party name	C	an..35		X			
	3036	Party name	C	an..35		X			
	3036	Party name	C	an..35		X			
	3036	Party name	C	an..35		X			
	3045	Party name format, coded	C	an..3		X			
C059		STREET	C			X			
	3042	Street and number/p.o. box	M	an..35		X			
	3042	Street and number/p.o. box	C	an..35		X			
	3042	Street and number/p.o. box	C	an..35		X			
	3042	Street and number/p.o. box	C	an..35		X			
3164		CITY NAME	C	an..35		X			
3229		COUNTRY SUB-ENTITY IDENTIFICATION	C	an..9		X			
3251		POSTCODE IDENTIFICATION	C	an..9		X			
3207		COUNTRY, CODED	C	an..3		X			

NAD+CPF+ABCD : : 213'

CUSCAR/D98B/Departure Time Registration (ATD)

FTX:FREE TEXT

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
FTX		FREE TEXT	C		9	M	1 (1)		
4451		TEXT SUBJECT QUALIFIER	M	an..3	M	an..3		NHI	[NHI]=NACCS Header Information
4453		TEXT FUNCTION, CODED	C	an..3	X				
C107		TEXT REFERENCE	C		X				
	4441	Free text identification	M	an..17	X				
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
C108		TEXT LITERAL	C		M				
	4440	Free text	M	an..70	M	an..3	1	Identifying Numbers	Input / Output Common Fields(Refer to NACCS EDI Specifications)
	4440	Free text	C	an..70	M	an..8	1	User Password	Input / Output Common Fields(Refer to NACCS EDI Specifications)
	4440	Free text	C	an..70	C	an..26	1	Message Tag	Input / Output Common Fields(Refer to NACCS EDI Specifications)
	4440	Free text	C	an..70	C	an..64	1	Index Tag	Input / Output Common Fields(Refer to NACCS EDI Specifications)
	4440	Free text	C	an..70	X				
3453		LANGUAGE, CODED	C	an..3	X				
4447		TEXT FORMATTING, CODED	C	an..3	X				

FTX+NHI+++001:ABCDEF GH:1ABC2C20010407092530000001:AAABBCCC'

CUSCAR/D98B/Departure Time Registration (ATD)

FTX:FREE TEXT

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
FTX		FREE TEXT	C		9	M	1 (2)		
4451		TEXT SUBJECT QUALIFIER	M	an..3	M	an..3		GTD	[GTD]=Time Difference from Greenwich
4453		TEXT FUNCTION, CODED	C	an..3	X				
C107		TEXT REFERENCE	C		X				
	4441	Free text identification	M	an..17	X				
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
C108		TEXT LITERAL	C		M				
	4440	Free text	M	an..70	M	an..5	11	Time Difference from Greenwich Mean Time	
	4440	Free text	C	an..70	X				
	4440	Free text	C	an..70	X				
	4440	Free text	C	an..70	X				
	4440	Free text	C	an..70	X				
3453		LANGUAGE, CODED	C	an..3	X				
4447		TEXT FORMATTING, CODED	C	an..3	X				

FTX+GTD+++?+1000'

CUSCAR/D98B/Departure Time Registration (ATD)

FTX:FREE TEXT

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
FTX		FREE TEXT	C		9	C	1 (3)		
4451		TEXT SUBJECT QUALIFIER	M	an..3	M	an..3		PSB	[PSB]=Port of Loading Suffix
4453		TEXT FUNCTION, CODED	C	an..3	X				
C107		TEXT REFERENCE	C		X				
	4441	Free text identification	M	an..17	X				
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
C108		TEXT LITERAL	C		M				
	4440	Free text	M	an..70	M	an1	8	Port of Loading Suffix	
	4440	Free text	C	an..70	X				
	4440	Free text	C	an..70	X				
	4440	Free text	C	an..70	X				
	4440	Free text	C	an..70	X				
3453		LANGUAGE, CODED	C	an..3	X				
4447		TEXT FORMATTING, CODED	C	an..3	X				

FTX+PSB+++1'

CUSCAR/D98B/Departure Time Registration (ATD)

	---SEGMENT GROUP 4---	C	9M	1		
--	-----------------------	---	----	---	--	--

TDT:DETAILS OF TRANSPORT

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
TDT		DETAILS OF TRANSPORT	M	1	M	1			
8051		TRANSPORT STAGE QUALIFIER	M	an..3	M	an..3		20	20=Main-Carriage Transport
8028		CONVEYANCE REFERENCE NUMBER	C	an..17	M	an..10	5	Voyage Number	
C220		MODE OF TRANSPORT	C		X				
	8067	Mode of transport, coded	C	an..3	X				
	8066	Mode of transport	C	an..17	X				
C228		TRANSPORT MEANS	C		X				
	8179	Type of means of transport identification	C	an..8	X				
	8178	Type of means of transport	C	an..17	X				
C040		CARRIER	C		X				
	3127	Carrier identification	C	an..17	X				
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
	3128	Carrier name	C	an..35	X				
8101		TRANSIT DIRECTION, CODED	C	an..3	X				
C401		EXCESS TRANSPORTATION INFORMATION	C		X				
	8457	Excess transportation reason, coded	M	an..3	X				
	8459	Excess transportation responsibility, coded	M	an..3	X				
	7130	Customer authorization number	C	an..17	X				
C222		TRANSPORT IDENTIFICATION	C		M				
	8213	Id. of means of transport identification	C	an..9	M	an..9	4	Vessel Code	(call sign)
	1131	Code list qualifier	C	an..3	M	an..3		146	146=Means of Transport Identification
	3055	Code list responsible agency, coded	C	an..3	X				
	8212	Id. of the means of transport	C	an..35	X				
	8453	Nationality of means of transport, coded	C	an..3	X				
8281		TRANSPORT OWNERSHIP, CODED	C	an..3	X				

TDT+20+AABCCDDEE+++++WXYZ:146'

CUSCAR/D98B/Departure Time Registration (ATD)

	---SEGMENT GROUP 4---	C	9	M	1		
--	-----------------------	---	---	---	---	--	--

LOC:PLACE/LOCATION IDENTIFICATION

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
LOC		PLACE/LOCATION IDENTIFICATION	C	99	M	1			
3227		PLACE/LOCATION QUALIFIER	M	an..3	M	an..3	9		9=Place/Port of Loading
C517		LOCATION IDENTIFICATION	C		M				
	3225	Place/location identification	C	an..25	M	an..5	7	Port of Loading Code	(UN/LOCODE)
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
	3224	Place/location	C	an..70	X				
C519		RELATED LOCATION ONE IDENTIFICATION	C		X				
	3223	Related place/location one identification	C	an..25	X				
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
	3222	Related place/location one	C	an..70	X				
C553		RELATED LOCATION TWO IDENTIFICATION	C		X				
	3233	Related place/location two identification	C	an..25	X				
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
	3232	Related place/location two	C	an..70	X				
5479		RELATION, CODED	C	an..3	X				

LOC+9+USNYC'

CUSCAR/D98B/Departure Time Registration (ATD)

	---SEGMENT GROUP 4---	C	9	M	1		
--	-----------------------	---	---	---	---	--	--

DTM:DATE/TIME/PERIOD□

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
DTM		DATE/TIME/PERIOD	C	99	M	1(1)			
C507		DATE/TIME/PERIOD	M		M				
	2005	Date/time/period qualifier	M	an..3	M	an..3		136	136=Departure Date/Time
	2380	Date/time/period	C	an..35	M	n..8	9	Date of Departure	
	2379	Date/time/period format qualifier	C	an..3	M	an..3		102	102=CCYYMMDD

DTM+136:20140401:102'

CUSCAR/D98B/Departure Time Registration (ATD)

	---SEGMENT GROUP 4---	C	9	M	1		
--	-----------------------	---	---	---	---	--	--

DTM:DATE/TIME/PERIOD□

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
DTM		DATE/TIME/PERIOD	C	99	M	1(2)			
C507		DATE/TIME/PERIOD	M		M				
	2005	Date/time/period qualifier	M	an..3	M	an..3		DTA	[DTA]=Departure Hour and Minute
	2380	Date/time/period	C	an..35	M	n..4	10	Time of Departure	
	2379	Date/time/period format qualifier	C	an..3	M	an..3		401	401=HHMM

DTM+DTA:1334:401'

CUSCAR/D98B/Departure Time Registration (ATD)

GIS:GENERAL INDICATOR

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
GIS		GENERAL INDICATOR	C	9	C	1			
C529		PROCESSING INDICATOR	M		M				
	7365	Processing indicator, coded	M	an..3	M	an1	12	Relaxed Application Area Identifier Y	Y=When it is one of certain short-distance shipping routes which is subject for relaxed application.
	1131	Code list qualifier	C	an..3	M			PEM	[PEM]= Relaxed Application Area Identifier
	3055	Code list responsible agency, coded	C	an..3	X				
	7187	Process type identification	C	an..17	X				

GIS+Y'

CUSCAR/D98B/Departure Time Registration (ATD)

UNT:MESSAGE TRAILER

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
UNT		MESSAGE TRAILER	M		1	M	1		
0074		NUMBER OF SEGMENTS IN THE MESSAGE	M	n. . 6	M	n. . 6		The Number of Segments in the Message	
0062		MESSAGE REFERENCE NUMBER	M	an. . 14	M	an. . 14		Message Reference Number	

UNT+12+NACCS123456789'

ATD110

UNH+NACCS123456789+ATD110:D:98B:UN:NAC10'
 BGM+85:::ATD+1234567890+9'
 NAD+CPF+ABCD:::213'
 FTX+NHI+++001:ABCDEFGH:1ABC2C20010407092530000001:AAABBBCCC'
 FTX+GTD+++?+1000'
 FTX+PSB+++1'
 TDT+20+AABBCCDDEE+++++WXYZ:146'
 LOC+9+USNYC'
 DTM+136:20140401:102'
 DTM+DTA:1334:401'
 GIS+Y'
 UNT+12+NACCS123456789'