

CUSRES/D98B/Processing Result Notification (BKR, BKC)

UNH:MESSAGE HEADER

*Refer to the Field Number of the List of Input / Output Fields

| TAG | COMP | NAME | UN/EDIFACT | | NACCS | | No.* | Field name/Set value | Special Notes |
|------|------|---------------------------|------------|--------|-------|--------|------|--------------------------|---------------|
| | | | S | FORMAT | S | FORMAT | | | |
| UNH | | MESSAGE HEADER | M | | M | | | | |
| 0062 | | MESSAGE REFERENCE NUMBER | M | an..14 | M | an..13 | | Message reference number | |
| S009 | | MESSAGE IDENTIFIER | M | | M | | | | |
| | 0065 | Message type | M | an..6 | M | an..6 | | BKR210 | |
| | 0052 | Message version number | M | an..3 | M | an..3 | | D | |
| | 0054 | Message release number | M | an..3 | M | an..3 | | 98B | |
| | 0051 | Controlling agency | M | an..2 | M | an..2 | | UN | |
| | 0057 | Association assigned code | C | an..6 | M | an..6 | | NAC10 | [NAC10] |
| 0068 | | COMMON ACCESS REFERENCE | C | an..35 | X | | | | |
| S010 | | STATUS OF THE TRANSFER | C | | X | | | | |
| | 0070 | Sequence of transfers | M | n..2 | X | | | | |
| | 0073 | First and last transfer | C | a1 | X | | | | |

UNH+NACCS12345678+BKR210:D:98B:UN:NAC10'

CUSRES/D98B/Processing Result Notification (BKR, BKC)

BGM:BEGINNING OF MESSAGE

| TAG | COMP | NAME | UN/EDIFACT | | NACCS | | No. | Field name/Set value | Special Notes |
|------|------|-------------------------------------|------------|--------|-------|--------|-----|---|---|
| | | | S | FORMAT | S | FORMAT | | | |
| BGM | | BEGINNING OF MESSAGE | M | 1 | M | 1 | | | |
| C002 | | DOCUMENT/MESSAGE NAME | C | | M | | | | |
| | 1001 | Document/message name, coded | C | an..3 | M | an..3 | | 961 | 961=General response(Customs) |
| | 1131 | Code list qualifier | C | an..3 | X | | | | |
| | 3055 | Code list responsible agency, coded | C | an..3 | X | | | | |
| | 1000 | Document/message name | C | an..35 | M | an..7 | 1 | Output Information Code *SBKR *SBKC | Input / Output Common Field(Refer to NACCS EDI Specifications) [*SBKR]=Process Result Output (Booking information registration) [*SBKC]=Process Result Output (Booking information correction) |
| C106 | | DOCUMENT/MESSAGE IDENTIFICATION | C | | X | | | | |
| | 1004 | Document/message number | C | an..35 | X | | | | |
| | 1056 | Version | C | an..9 | X | | | | |
| | 1060 | Revision number | C | an..6 | X | | | | |
| | 1225 | MESSAGE FUNCTION, CODED | C | an..3 | M | an1 | | 9 | 9=Original |
| | 4343 | RESPONSE TYPE, CODED | C | an..3 | X | | | | |

BGM+961:::*SBKR++9'

CUSRES/D98B/Processing Result Notification (BKR, BKC)

FTX:FREE TEXT

| TAG | COMP | NAME | UN/EDIFACT | | NACCS | | No. | Field name/Set value | Special Notes |
|------|------|-------------------------------------|------------|--------|-------|--------|-----|------------------------------|---|
| | | | S | FORMAT | S | FORMAT | | | |
| FTX | | FREE TEXT | C | | M | 99 | 1 | | |
| 4451 | | TEXT SUBJECT QUALIFIER | M | an..3 | M | an..3 | | NHI | [NHI]=NACCS header information |
| 4453 | | TEXT FUNCTION, CODED | C | an..3 | X | | | | |
| C107 | | TEXT REFERENCE | C | | X | | | | |
| | 4441 | Free text identification | M | an..17 | X | | | | |
| | 1131 | Code list qualifier | C | an..3 | X | | | | |
| | 3055 | Code list responsible agency, coded | C | an..3 | X | | | | |
| C108 | | TEXT LITERAL | C | | M | | | | |
| | 4440 | Free text | M | an..70 | M | an..5 | 1 | Procedure Code BKR BKC | Input / Output Common Field(Refer to NACCS EDI Specifications) [BKR]=Booking information registration [BKC]=Booking information correction |
| | 4440 | Free text | C | an..70 | M | an..8 | 1 | Message Control Information | Input / Output Common Field(Refer to NACCS EDI Specifications) |
| | 4440 | Free text | C | an..70 | C | an..26 | 1 | Message Tag | Input / Output Common Field(Refer to NACCS EDI Specifications) |
| | 4440 | Free text | C | an..70 | C | an..64 | 1 | Index Tag | Input / Output Common Field(Refer to NACCS EDI Specifications) |
| | 4440 | Free text | C | an..70 | X | | | | |
| 3453 | | LANGUAGE, CODED | C | an..3 | X | | | | |
| 4447 | | TEXT FORMATTING, CODED | C | an..3 | X | | | | |

FTX+NHI+++BKR:000ER:1ABC2C20010407092530000001:AAABBCCC'

CUSRES/D98B/Processing Result Notification (BKR, BKC)

TDT:DETAILS OF TRANSPORT

| TAG | COMP | NAME | UN/EDIFACT | | NACCS | | No. | Field name/Set value | Special Notes |
|------|------|---|------------|--------|-------|--------|-----|----------------------|----------------------------|
| | | | S | FORMAT | S | FORMAT | | | |
| TDT | | DETAILS OF TRANSPORT | C | | 9 | C | 1 | | |
| 8051 | | TRANSPORT STAGE QUALIFIER | M | an..3 | M | an..3 | | 20 | 20=Main-carriage transport |
| 8028 | | CONVEYANCE REFERENCE NUMBER | C | an..17 | X | | | | |
| C220 | | MODE OF TRANSPORT | C | | X | | | | |
| | 8067 | Mode of transport, coded | C | an..3 | X | | | | |
| | 8066 | Mode of transport | C | an..17 | X | | | | |
| C228 | | TRANSPORT MEANS | C | | X | | | | |
| | 8179 | Type of means of transport identification | C | an..8 | X | | | | |
| | 8178 | Type of means of transport | C | an..17 | X | | | | |
| C040 | | CARRIER | C | | M | | | | |
| | 3127 | Carrier identification | C | an..17 | M | an..4 | 3 | Carrier Code | (Carrier Code for NACCS) |
| | 1131 | Code list qualifier | C | an..3 | X | | | | |
| | 3055 | Code list responsible agency, coded | C | an..3 | M | an..3 | | 213 | 213=JP, NACCS Center |
| | 3128 | Carrier name | C | an..35 | X | | | | |
| 8101 | | TRANSIT DIRECTION, CODED | C | an..3 | X | | | | |
| C401 | | EXCESS TRANSPORTATION INFORMATION | C | | X | | | | |
| | 8457 | Excess transportation reason, coded | M | an..3 | X | | | | |
| | 8459 | Excess transportation responsibility, | M | an..3 | X | | | | |
| | 7130 | Customer authorization number | C | an..17 | X | | | | |
| C222 | | TRANSPORT IDENTIFICATION | C | | X | | | | |
| | 8213 | Id. of means of transport identification | C | an..9 | X | | | | |
| | 1131 | Code list qualifier | C | an..3 | X | | | | |
| | 3055 | Code list responsible agency, coded | C | an..3 | X | | | | |
| | 8212 | Id. of the means of transport | C | an..35 | X | | | | |
| | 8453 | Nationality of means of transport, coded | C | an..3 | X | | | | |
| 8281 | | TRANSPORT OWNERSHIP, CODED | C | an..3 | X | | | | |

TDT+20++++ABCD : 213'

CUSRES/D98B/Processing Result Notification (BKR, BKC)

| | | | | | | | |
|--|-----------------------|---|-----|---|------|--|--|
| | ---SEGMENT GROUP 3--- | C | 999 | C | 1(1) | | |
|--|-----------------------|---|-----|---|------|--|--|

RFF:REFERENCE

| TAG | COMP | NAME | UN/EDIFACT | | NACCS | | No. | Field name/Set value | Special Notes |
|------|------|--------------------------|------------|--------|-------|--------|-----|----------------------|--|
| | | | S | FORMAT | S | FORMAT | | | |
| RFF | | REFERENCE | M | 1 | M | 1 | | | |
| C506 | | REFERENCE | M | | M | | | | |
| | 1153 | Reference qualifier | M | an..3 | M | an..3 | | ACW | ACW=Reference number to previous message |
| | 1154 | Reference number | C | an..35 | M | an..10 | 1 | Input Message ID | Input / Output Common Field(Refer to NACCS EDI Specifications) |
| | 1156 | Line number | C | an..6 | X | | | | |
| | 4000 | Reference version number | C | an..35 | X | | | | |
| | 1060 | Revision number | C | an..6 | X | | | | |

RFF+ACW:NACCS12345'

CUSRES/D98B/Processing Result Notification (BKR, BKC)

| | | | | | | | |
|--|-----------------------|---|-----|---|-------|--|--|
| | ---SEGMENT GROUP 3--- | C | 999 | C | 1 (2) | | |
|--|-----------------------|---|-----|---|-------|--|--|

RFF:REFERENCE

| TAG | COMP | NAME | UN/EDIFACT | | NACCS | | No. | Field name/Set value | Special Notes |
|------|------|--------------------------|------------|--------|-------|--------|-----|----------------------|-----------------------------|
| | | | S | FORMAT | S | FORMAT | | | |
| RFF | | REFERENCE | M | 1 | M | 1 | | | |
| C506 | | REFERENCE | M | | M | | | | |
| | 1153 | Reference qualifier | M | an..3 | M | an..3 | | BN | BN=Booking Reference Number |
| | 1154 | Reference number | C | an..35 | M | an..16 | 4 | Booking Number | |
| | 1156 | Line number | C | an..6 | X | | | | |
| | 4000 | Reference version number | C | an..35 | X | | | | |
| | 1060 | Revision number | C | an..6 | X | | | | |

RFF+BN:B1234567890'

CUSRES/D98B/Processing Result Notification (BKR, BKC)

| | | | | | | | | |
|--|-----|--------------------|---|----|---|---|--|--|
| | --- | SEGMENT GROUP 4--- | C | 99 | M | 1 | | |
|--|-----|--------------------|---|----|---|---|--|--|

ERP:ERROR POINT DETAILS

| TAG | COMP | NAME | UN/EDIFACT | | NACCS | | No. | Field name/Set value | Special Notes |
|------|------|-------------------------------|------------|--------|-------|--------|-----|----------------------|--|
| | | | S | FORMAT | S | FORMAT | | | |
| ERP | | ERROR POINT DETAILS | M | 1 | M | 1 | | | |
| C701 | | ERROR POINT DETAILS | C | | M | | | | |
| | 1049 | Message section, coded | C | an..3 | M | an..3 | 2 | | 2=Detail section of a message (Used in dummy) |
| | 1052 | Message item number | C | an..35 | X | | | | |
| | 1054 | Message sub-item number | C | n..6 | X | | | | |
| | | | | | | | | | |
| C853 | | ERROR SEGMENT POINT DETAILS | C | | X | | | | |
| | 9166 | Segment tag | C | an..3 | X | | | | |
| | 1050 | Sequence number | C | an..10 | X | | | | |
| | 1159 | Sequence number source, coded | C | an..3 | X | | | | |

ERP+2'

CUSRES/D98B/Processing Result Notification (BKR, BKC)

| | | | | | | | |
|--|-----------------------|---|----|---|---|--|--|
| | ---SEGMENT GROUP 4--- | C | 99 | M | 1 | | |
|--|-----------------------|---|----|---|---|--|--|

FTX:FREE TEXT

| TAG | COMP | NAME | UN/EDIFACT | | NACCS | | No. | Field name/Set value | Special Notes |
|------|------|-------------------------------------|------------|--------|-------|--------|-----|-----------------------|--------------------------|
| | | | S | FORMAT | S | FORMAT | | | |
| FTX | | FREE TEXT | C | 99 | M | 1 | | | |
| 4451 | | TEXT SUBJECT QUALIFIER | M | an..3 | M | an..3 | | AAP | AAP=Response (free text) |
| 4453 | | TEXT FUNCTION, CODED | C | an..3 | X | | | | |
| C107 | | TEXT REFERENCE | C | | X | | | | |
| | 4441 | Free text identification | M | an..17 | X | | | | |
| | 1131 | Code list qualifier | C | an..3 | X | | | | |
| | 3055 | Code list responsible agency, coded | C | an..3 | X | | | | |
| C108 | | TEXT LITERAL | C | | M | | | | |
| | 4440 | Free text | M | an..70 | M | an..15 | 2 | Process Result Code 1 | (Process Result Code) |
| | 4440 | Free text | C | an..70 | C | an..15 | 2 | Process Result Code 2 | |
| | 4440 | Free text | C | an..70 | C | an..15 | 2 | Process Result Code 3 | |
| | 4440 | Free text | C | an..70 | C | an..15 | 2 | Process Result Code 4 | |
| | 4440 | Free text | C | an..70 | C | an..15 | 2 | Process Result Code 5 | |
| 3453 | | LANGUAGE, CODED | C | an..3 | X | | | | |
| 4447 | | TEXT FORMATTING, CODED | C | an..3 | X | | | | |

FTX+AAP+++00000-0000-0000'

CUSRES/D98B/Processing Result Notification (BKR, BKC)

UNT:MESSAGE TRAILER

| TAG | COMP | NAME | UN/EDIFACT | | NACCS | | No. | Field name/Set value | Special Notes |
|------|------|-----------------------------------|------------|----------|-------|----------|-----|---------------------------------------|---------------|
| | | | S | FORMAT | S | FORMAT | | | |
| UNT | | MESSAGE TRAILER | M | | M | | | | |
| 0074 | | NUMBER OF SEGMENTS IN THE MESSAGE | M | n. . 6 | M | n. . 6 | | The number of segments in the message | |
| 0062 | | MESSAGE REFERENCE NUMBER | M | an. . 14 | M | an. . 13 | | Message reference number | |

UNT+9+NACCS12345678'

BKR210

UNH+NACCS12345678+BKR210:D:98B:UN:NAC10'
 BGM+961:::*SBKR++9'
 FTX+NHI+++BKR:000ER:1ABC2C20010407092530000001:AAABBBCCC'
 TDT+20++++ABCD: :213'
 RFF+ACW:NACCS12345'
 RFF+BN:B1234567890'
 ERP+2'
 FTX+AAP+++00000-0000-0000'
 UNT+9+NACCS12345678'