

UNH:MESSAGE HEADER

*Refer to the Field Number of the List of Input / Output Fields

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.*	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
UNH		MESSAGE HEADER	M		M		1		
0062		MESSAGE REFERENCE NUMBER	M	an..14	M	an..14		Message reference number	
S009		MESSAGE IDENTIFIER	M		M				
	0065	Message type	M	an..6	M	an..6		BLL210	
	0052	Message version number	M	an..3	M	an..3		D	
	0054	Message release number	M	an..3	M	an..3		98B	
	0051	Controlling agency	M	an..2	M	an..2		UN	
	0057	Association assigned code	C	an..6	M	an..6		NAC10	[NAC10]
0068		COMMON ACCESS REFERENCE	C	an..35	X				
S010		STATUS OF THE TRANSFER	C		X				
	0070	Sequence of transfers	M	n..2	X				
	0073	First and last transfer	C	a1	X				

UNH+NACCS123456789+BLL210:D:98B:UN:NAC10'

CUSRES/D98B/Process Result Output (BLL)

BGM:BEGINNING OF MESSAGE

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
BGM		BEGINNING OF MESSAGE	M	1	M	1			
C002		DOCUMENT/MESSAGE NAME	C		M				
	1001	Document/message name, coded	C	an..3	M	an..3		961	961=General response (Customs)
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
	1000	Document/message name	C	an..35	M	an..7	1	Output information code *SBLL	Input / Output Common Fields(Refer to NACCS EDI Specifications) [*SBLL]=Process Result Output (Association of Registered B/LNumbers)
C106		DOCUMENT/MESSAGE IDENTIFICATION	C		X				
	1004	Document/message number	C	an..35	X				
	1056	Version	C	an..9	X				
	1060	Revision number	C	an..6	X				
1225		MESSAGE FUNCTION, CODED	C	an..3	C	an1	3	Function Type Code 1 9	1=Cancellation 9=Original
4343		RESPONSE TYPE, CODED	C	an..3	X				

BGM+961:::*SBLL++9'

CUSRES/D98B/Process Result Output (BLL)

FTX:FREE TEXT

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
FTX		FREE TEXT	C		99	M	1		
4451		TEXT SUBJECT QUALIFIER	M	an..3	M	an..3		NHI	[NHI]=NACCS header information
4453		TEXT FUNCTION, CODED	C	an..3	X				
C107		TEXT REFERENCE	C		X				
4441		Free text identification	M	an..17	X				
1131		Code list qualifier	C	an..3	X				
3055		Code list responsible agency, coded	C	an..3	X				
C108		TEXT LITERAL	C		M				
	4440	Free text	M	an..70	M	an..5	1	Procedure code BLL	Input / Output Common Fields(Refer to NACCS EDI Specifications) [BLL]=Association of Registered B/L Numbers
	4440	Free text	C	an..70	M	an..8	1	Message control information	Input / Output Common Fields(Refer to NACCS EDI Specifications)
	4440	Free text	C	an..70	C	an..26	1	Message Tag	Input / Output Common Fields(Refer to NACCS EDI Specifications)
	4440	Free text	C	an..70	C	an..64	1	Index Tag	Input / Output Common Fields(Refer to NACCS EDI Specifications)
	4440	Free text	C	an..70	X				
3453		LANGUAGE, CODED	C	an..3	X				
4447		TEXT FORMATTING, CODED	C	an..3	X				

FTX+NHI+++BLL:000ER:1ABC2C2001040709253000001:AAABBBCCC'

FTX:FREE TEXT

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
FTX		FREE TEXT	C	99	C	1 (2)			
4451		TEXT SUBJECT QUALIFIER	M	an..3	M	an..3		CHG	CHG=Change information
4453		TEXT FUNCTION, CODED	C	an..3	X				
C107		TEXT REFERENCE	C		X				
	4441	Free text identification	M	an..17	X				
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
C108		TEXT LITERAL	C		M				
	4440	Free text	M	an..70	M	an..3		DUM	(used for dummy)
	4440	Free text	C	an..70	C	an1	4	Type of B/L Number Association 1 2 3	1=Separate 2=Combine 3=Switch
	4440	Free text	C	an..70	C	an1	5	Reason for Association 1 2 3 4	1=Change in transportation contract etc. 2=Change in cargo operation etc. 3=Error in reported contents 4=Others
	4440	Free text	C	an..70	X				
	4440	Free text	C	an..70	X				
3453		LANGUAGE, CODED	C	an..3	X				
4447		TEXT FORMATTING, CODED	C	an..3	X				

FTX+CHG+++DUM:3:3'

		---SEGMENT GROUP 3---	C	999	C	1		
--	--	-----------------------	---	-----	---	---	--	--

RFF:REFERENCE

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
RFF		REFERENCE	M		M		1		
C506		REFERENCE	M		M				
	1153	Reference qualifier	M	an..3	M	an..3		ACW	ACW=Reference number to previous message
	1154	Reference number	C	an..35	M	an..10	1	Input Message ID	Input / Output Common Fields(Refer to NACCS EDI Specifications)
	1156	Line number	C	an..6	X				
	4000	Reference version number	C	an..35	X				
	1060	Revision number	C	an..6	X				

RFF+ACW:NACCS12345'

		---SEGMENT GROUP 4---	C	99	M	1		
--	--	-----------------------	---	----	---	---	--	--

ERP:ERROR POINT DETAILS

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
ERP		ERROR POINT DETAILS	M		1	M	1		
C701		ERROR POINT DETAILS	C			M			
	1049	Message section, coded	C	an..3		M	an..3	2	2=Detail section of a message (used for dummy)
	1052	Message item number	C	an..35		X			
	1054	Message sub-item number	C	n..6		X			
C853		ERROR SEGMENT POINT DETAILS	C			X			
	9166	Segment tag	C	an..3		X			
	1050	Sequence number	C	an..10		X			
	1159	Sequence number source, coded	C	an..3		X			

ERP+2'

		---SEGMENT GROUP 4---	C	99	M	1		
--	--	-----------------------	---	----	---	---	--	--

FTX:FREE TEXT

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
FTX		FREE TEXT	C		99	M	1		
4451		TEXT SUBJECT QUALIFIER	M	an..3	M	an..3		AAP	AAP=Response (free text)
4453		TEXT FUNCTION, CODED	C	an..3	X				
C107		TEXT REFERENCE	C		X				
	4441	Free text identification	M	an..17	X				
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
C108		TEXT LITERAL	C		M				
	4440	Free text	M	an..70	M	an..15	2	Process Result Code 1	(Process Result Code)
	4440	Free text	C	an..70	C	an..15	2	Process Result Code 2	
	4440	Free text	C	an..70	C	an..15	2	Process Result Code 3	
	4440	Free text	C	an..70	C	an..15	2	Process Result Code 4	
	4440	Free text	C	an..70	C	an..15	2	Process Result Code 5	
3453		LANGUAGE, CODED	C	an..3	X				
4447		TEXT FORMATTING, CODED	C	an..3	X				

FTX+AAP+++00000-0000-0000'

		---SEGMENT GROUP 6---	C	9999	C	10 (1)		
--	--	-----------------------	---	------	---	--------	--	--

DOC: DOCUMENT/MESSAGE DETAILS

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
DOC		DOCUMENT/MESSAGE DETAILS	M		M		1		
C002		DOCUMENT/MESSAGE NAME	M		M				
	1001	Document/message name, coded	C	an..3	M	an..3		NBC	[NBC]=Original B/L number (used for dummy)
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
	1000	Document/message name	C	an..35	X				
C503		DOCUMENT/MESSAGE DETAILS	C		X				
	1004	Document/message number	C	an..35	X				
	1373	Document/message status, coded	C	an..3	X				
	1366	Document/message source	C	an..70	X				
	3453	Language, coded	C	an..3	X				
	1056	Version	C	an..9					
	1060	Revision number	C	an..6	X				
3153		COMMUNICATION CHANNEL IDENTIFIER, CODED	C	an..3	X				
1220		NUMBER OF COPIES OF DOCUMENT REQUIRED	C	n..2	X				
1218		NUMBER OF ORIGINALS OF DOCUMENT REQUIRED	C	n..2	X				

DOC+NBC'

		---SEGMENT GROUP 6---	C	9999	C	10 (1)		
--	--	-----------------------	---	------	---	--------	--	--

RFF:REFERENCE

TAG	COMP	NAME	UN/EDIFACT S FORMAT	NACCS S FORMAT	No.	Field name/Set value	Special Notes	
RFF		REFERENCE	C	9	M	1		
C506		REFERENCE	M		M			
	1153	Reference qualifier	M	an. 3	M	an. 3	BLB	[BLB]=Original B/L Number
	1154	Reference number	C	an. 35	M	an. 35	6	Original B/L Number
	1156	Line number	C	an. 6	X			
	4000	Reference version number	C	an. 35	X			
	1060	Revision number	C	an. 6	X			

RFF+BLB:ABCD12345678'

		---SEGMENT GROUP 6---	C	9999	C	10 (2)			
--	--	-----------------------	---	------	---	--------	--	--	--

DOC: DOCUMENT/MESSAGE DETAILS

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
DOC		DOCUMENT/MESSAGE DETAILS	M		M		1		
C002		DOCUMENT/MESSAGE NAME	M		M				
	1001	Document/message name, coded	C	an..3	M	an..3		NAC	[NAC]=New B/L Number (used for dummy)
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
	1000	Document/message name	C	an..35	X				
C503		DOCUMENT/MESSAGE DETAILS	C		X				
	1004	Document/message number	C	an..35	X				
	1373	Document/message status, coded	C	an..3	X				
	1366	Document/message source	C	an..70	X				
	3453	Language, coded	C	an..3	X				
	1056	Version	C	an..9					
	1060	Revision number	C	an..6	X				
3153		COMMUNICATION CHANNEL IDENTIFIER, CODED	C	an..3	X				
1220		NUMBER OF COPIES OF DOCUMENT REQUIRED	C	n..2	X				
1218		NUMBER OF ORIGINALS OF DOCUMENT REQUIRED	C	n..2	X				

DOC+NAC'

		---SEGMENT GROUP 6---	C	9999	C	10 (2)		
--	--	-----------------------	---	------	---	--------	--	--

RFF:REFERENCE

TAG	COMP	NAME	UN/EDIFACT S FORMAT	NACCS S FORMAT	No.	Field name/Set value	Special Notes	
RFF		REFERENCE	C	9	M	1		
C506		REFERENCE	M		M			
	1153	Reference qualifier	M	an. 3	M	an. 3	BLA	[BLA]=New B/L Number
	1154	Reference number	C	an. 35	M	an. 35	7	New B/L Number
	1156	Line number	C	an. 6	X			
	4000	Reference version number	C	an. 35	X			
	1060	Revision number	C	an. 6	X			

RFF+BLA: EFGH12345678'

UNT:MESSAGE TRAILER

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
UNT		MESSAGE TRAILER	M		1	M	1		
0074		NUMBER OF SEGMENTS IN THE MESSAGE	M	n..6	M	n..6		The number of segments in the message	
0062		MESSAGE REFERENCE NUMBER	M	an..14	M	an..14		Message reference number	

UNT+12+NACCS123456789'

BLL210

UNH+NACCS123456789+BLL210:D:98B:UN:NAC10'
 BGM+961:::*SBLL++9'
 FTX+NHI+++BLL:000ER:1ABC2C20010407092530000001:AAABBBCCC'
 FTX+CHG+++DUM:3:3'
 RFF+ACW:NACCS12345'
 ERP+2'
 FTX+AAP+++00000-0000-0000'
 DOC+NBC'
 RFF+BLB:ABCD12345678'
 DOC+NAC'
 RFF+BLA:EFGH12345678'
 UNT+12+NACCS123456789'