Proce	dure	Name (Procedure Code)	Manife	est I	nform	natio	n Re	egist	tratio	on (N	ЛFR								
							١					С	ond	itior	1				
Item No.	Column	Field name	Q	Attribute	length	Repeat 1	Repeat 2	full	con	ase taine ntion go	er,	а	he c n er onta	npty	/			Code	Input Condition/Format
1		Input Common Field		an	398			М				М							
2		Function Type Code	KND	an	1			М				М							9: New registration, addition of Cargo Manifest before submission NACCS package software users do not have to enter the data.
3		Reserved area	coc	an	1			х				х							Enter a space. NACCS package software users do not have to enter the data.
4		Reserved area	COR	an	210			х				х							Enter a space. NACCS package software users do not have to enter the data.
5		Reserved area	DLC	an	1			х				х							Enter a space. NACCS package software users do not have to enter the data.
6		Reserved area	DLR	an	210			х				х							Enter a space.  NACCS package software users do not have to enter the data.
7		Vessel Code	SEN	an	9			М				М						Call sign	
8		Operating Carrier Voyage Number	UVO	an	10			С				С							Enter [Operating Carrier Voyage Number].
9		Voyage Number	VOY	an	10			С				С							
10		Carrier Code	SCA	an	4			М				М						Carrier Code (NACCS Carrier Code)	
11		Port of Discharge Code	DPR	an	5			М				М						UN/LOCODE	(1) Enter [Port of Discharge Code] (Temporary Landing Port for temporary landing). (2) The code must be registered as for coastal vessels.
12		Port of Discharge Suffix	EDA	an	1			С				С							Enter [Port of Discharge Suffix] (1 - 9) when the ship calls at the same port multiple times in one voyage.
13		Estimated Date of Arrival	IDT	n	8			С				С							Enter [Estimated Date of Arrival] as follows: System day − 4 days ≦ Estimated Date of Arrival
14		Container Operator Code	CYC	an	5			М				М						User Code	(1) Enter [User Code] of the Container Operator for CY handling. (2) Enter "99999" if the cargo is not landed in the CY or the container operator has not joined the system.
15		B/L Number	BLN	an	35			М				x							(1) The first 4 digits must be the Carrier Code (NACCS Carrier Code). (2) The Number must be 5 digits or more. (3) There should not be any comma.
16		Port of Loading Code	LPR	an	5				М			С						UN/LOCODE	
17		Final Destination Code	DST	an	5				С			-						UN/LOCODE	(1) If the cargo is temporary landing cargo and if [Final Destination Code] that is not a registered system is entered, the three characters following the 3rd digit should be converted to "ZZZ" (basket code) in the system, and the process should be started.  (2) If [Final Destination Code] is converted to a basket code, the converted basket code must have been registered as a foreign code.
18		Final Destination Name	DSN	an	20				С			-							Enter [Final Destination Name] if a basket code is entered in [Final Destination Code] (including if [Final Destination Code] is converted to a basket code).

4019-03-1 <2019.03 Update>

Proce	dure	Name (Procedure Code)	Manif	est I	nform	natio	n Re	egist	ratio	on (N	1FR								
							٥.				-	C	Conc	ditio	n				
Item No.	Column	Field name	О	Attribute	length	Repeat 1	Repeat 2	full	con	case itaine ntion go	er,	а	he c in er onta	mpt	у			Code	Input Condition/Format
19		Place of Delivery Code	DLP	an	5				С			-						UN/LOCODE	(1) Enter [Place of Delivery Code] for cargo shipped to Japan. (2) If the cargo is temporary landing cargo, the code should not be the same as [Port of Discharge Code]. (3) If the cargo is temporary landing cargo and if [Final Destination Code] that is not registered system is entered, the three characters following the 3rd digit should be converted to "ZZZ" (basket code) in the system, and the process should be started. (4) If [Place of Delivery Code] is converted to a basket code, the converted basket code must have been registered as a foreign code.
20		Place of Delivery Name	DLN	an	20				С			-							Enter [Place of Delivery Name] if a basket code is entered in [Place of Delivery Code] (including if [Place of Delivery Code] is converted to a basket code).
21		Consignor Code	SHS	an	17				С			-						Exporter/Importer Code Corporate Number	
22		Consignor Name	SHN	an	70				F			-							(1) When the consignor has no "Consignor Code", entry of this field is mandatory. (2) When a consignor name corresponds to the entered "Consignor Code" is NOT registered in NACCS, entry of this field is mandatory.
23		Consignor Address (block entry)	SHA	an	175				С			-							(1) When the consignor has no "Consignor Code", entry of this field or the following separate consignor address fields is mandatory.  (2) When an address corresponds to the entered "Consignor Code" is NOT registered in NACCS, entry of this field or the following separate consignor address fields is mandatory.  (3) When the following separate consignor address fields are filled in, entry of this field is NOT allowed.
24		Consignor Address 1/4 (Street and number/P.O. Box)	SH1	an	70				С			-							(1) When the consignor has no "Consignor Code", entry of this field or "Consignor Address (block entry)" field is mandatory.  (2) When an address corresponds to the entered "Consignor Code" is NOT registered in NACCS, entry of this field or "Consignor Address (block entry)" field is mandatory.  (3) Enter Consignor Address 1/4 (Street and number/P.O. Box), which differs from the one registered in NACCS, as needed.  (4) When "Consignor Address (block entry)" is filled in, entry of this field is NOT allowed.
25		Consignor Address 2/4 (Street and number/P.O. Box)	SH2	an	35				С			-							(1) When the consignor has no "Consignor Code", entry of this field or "Consignor Address (block entry)" field is mandatory. (2) When an address corresponds to the entered "Consignor Code" is NOT registered in NACCS, entry of this field or "Consignor Address (block entry)" field is mandatory. (3) Enter Consignor Address 2/4 (Street and number/P.O. Box), which differs from the one registered in NACCS, as needed. (4) When "Consignor Address (block entry)" is filled in, entry of this field is NOT allowed.
26		Consignor Address 3/4 (City name)	SH3	an	35				С			-							(1) When the consignor has no "Consignor Code", entry of this field or "Consignor Address (block entry)" field is mandatory.  (2) When an address corresponds to the entered "Consignor Code" is NOT registered in NACCS, entry of this field or "Consignor Address (block entry)" field is mandatory.  (3) Enter Consignor Address 3/4 (City name), which differs from the one registered in NACCS, as needed.  (4) When "Consignor Address (block entry)" is filled in, entry of this field is NOT allowed.

4019-03-2 <2019.03 Update>

Proce	dure	Name (Procedure Code)	Manife	est I	nform	natio	n Re	egist	tratio	on (N	ЛFR	,							I	
	_			a)		_	2					C	Conc	ditio	n					
Item No.	Column	Field name	Q	Attribute	length	Repeat 1	Repeat 2			ase Itaine			he c						Code	Input Condition/Format
140.	ပိ			Att	9	Re	Re	COI	nvei car	ntion	al		n er onta							
27		Consignor Address 4/4								90						l				(1) When the consignor has no "Consignor Code", enter this
		(Country sub-entity, name)																		field as needed. (2) When an address corresponds to the entered "Consignor"
		name)																		Code" is NOT registered in NACCS, enter this field as
			SH4	an	35				С			-								needed. (3) Enter Consignor Address 4/4 (Country sub-entity, name),
																				which differs from the one registered in NACCS, as needed. (4) When "Consignor Address (block entry)" is filled in, entry
																				of this field is NOT allowed.
28		Consignor Postal Code																		(1) When the consignor has no "Consignor Code", enter this
20		(Postcode identification)																		field.
																				(2) When a consignor postal code corresponds to the entered "Consignor Code" is NOT registered in NACCS, enter this
			SHP	an	9				С			-								field. (3) Enter Consignor Postal Code (Postcode identification),
																				which differs from the one registered in NACCS, as needed.
29		Consignor Country Code (Country, coded)																	UN/LOCODE (Country name in 2	(1) When the consignor has no "Consignor Code", enter this field.
		(country, coucu,																	digits)	(2) When a country (regional) name corresponds to the
																				entered "Consignor Code" is NOT registered in NACCS, enter this field.
			SHC	an	2				С			-								(3) Enter Consignor Country Code (Country, coded), which stands for a country (regional) name different from the one
																				registered in NACCS, as needed. (4) "ZX", "ZY" and "ZZ" are NOT allowed to enter.
30		Consignor Telephone																		(1) When the consignor has no "Consignor Code", enter this
30		Number																		field.
																				(2) When a telephone number corresponds to the entered "Consignor Code" is NOT registered in NACCS, enter this
																				field. (3) Enter Consignor Telephone Number, which differs from
			SHT	an	14				С			-								the one registered in NACCS, as needed.
																				* When you input this field, enter a telephone number from a
																				long distance code. (Do NOT enter delimiter.)
31		Consignee Code																	Exporter/Importer Code	
			CNS	an	17				С			-							Corporate Number	
32		Consignee Name																		(1) When the consignee has no "Consignee Code", entry of this field is mandatory.
																				(2) When a consignee name corresponds to the entered "Consignee Code" is NOT registered in NACCS, entry of this
			CNN	an	70				F			-								field is mandatory.
											_									
33		Consignee Address (block entry)									$\exists$									(1) When the consignee has no "Consignee Code", entry of this field or the following separate consignee address fields is
		(																		mandatory.
																				(2) When an address corresponds to the entered "Consignee Code" is NOT registered in NACCS, entry of this field or the
			CNA	an	175				С			-								following separate consignee address fields is mandatory. (3) When the following separate consignee address fields are
																				filled in, entry of this field is NOT allowed.
34		Consignee Address 1/4 (Street and number/P.O.									7									(1) When the consignee has no "Consignee Code", entry of this field or "Consignee Address (block entry)" field is
		Box)																		mandatory. (2) When an address corresponds to the entered "Consignee"
																				Code" is NOT registered in NACCS, entry of this field or
																				"Consignee Address (block entry)" field is mandatory. (3) Enter Consignee Address 1/4 (Street and number/P.O.
			CN1	an	70				С			-								Box), which differs from the one registered in NACCS, as needed.
																				(4) When "Consignee Address (block entry)" is filled in, entry of this field is NOT allowed.
																				o. and note is the fallowed.
				1	I	1										 l	<u> </u>	<u> </u>	l .	1

4019-03-3 <2019.03 Update>

Proce	dure	Name (Procedure Code)	Manife	est I	nforn	natio	n R	egis	tratio	on (N	ИFR	)							
												С	ond	litio	n				
Item No.	Column	Field name	₽	Attribute	length	Repeat 1	Repeat 2	full	con	case itaine intion go	er,	а	he c n er onta	npt	y			Code	Input Condition/Format
35		Consignee Address 2/4 (Street and number/P.O. Box)	CN2	an	35				С			-							(1) When the consignee has no "Consignee Code", entry of this field or "Consignee Address (block entry)" field is mandatory. (2) When an address corresponds to the entered "Consignee Code" is NOT registered in NACCS, entry of this field or "Consignee Address (block entry)" field is mandatory. (3) Enter Consignee Address 2/4 (Street and number/P.O. Box), which differs from the one registered in NACCS, as needed. (4) When "Consignee Address (block entry)" is filled in, entry of this field is NOT allowed.
36		Consignee Address 3/4 (City name)	CN3	an	35				С			-							(1) When the consignee has no "Consignee Code", entry of this field or "Consignee Address (block entry)" field is mandatory.  (2) When an address corresponds to the entered "Consignee Code" is NOT registered in NACCS, entry of this field or "Consignee Address (block entry)" field is mandatory.  (3) Enter Consignee Address 3/4 (City name), which differs from the one registered in NACCS, as needed.  (4) When "Consignee Address (block entry)" is filled in, entry of this field is NOT allowed.
37		Consignee Address 4/4 (Country sub-entity, name)	CN4	an	35				С			-							(1) When the consignee has no "Consignee Code", enter this field as needed. (2) When an address corresponds to the entered "Consignee Code" is NOT registered in NACCS, enter this field as needed. (3) Enter Consignee Address 4/4 (Country sub-entity, name), which differs from the one registered in NACCS, as needed. (4) When "Consignee Address (block entry)" is filled in, entry of this field is NOT allowed.
38		Consignee Postal Code (Postcode identification)	CNP	an	9				С			-							(1) When the consignee has no "Consignee Code", enter this field. (2) When a consignee postal code corresponds to the entered "Consignee Code" is NOT registered in NACCS, enter this field. (3) Enter Consignee Postal Code (Postcode identification), which differs from the one registered in NACCS, as needed.
39		Consignee Country Code (Country, coded)	CNC	an	2				С			-						UN/LOCODE (Country name in 2 digits)	(1) When the consignee has no "Consignee Code", enter this field. (2) When a country (regional) name corresponds to the entered "Consignee Code" is NOT registered in NACCS, enter this field. (3) Enter Consignee Country Code (Country, coded), which stands for a country (regional) name different from the one registered in NACCS, as needed. (4) "ZX", "ZY" and "ZZ" are NOT allowed to enter.
40		Consignee Telephone Number	CTL	an	14				С			-							(1) When the consignee has no "Consignee Code", enter this field. (2) When a telephone number corresponds to the entered "Consignee Code" is NOT registered in NACCS, enter this field. (3) Enter Consignee Telephone Number, which differs from the one registered in NACCS, as needed.  * When you input this field, enter a telephone number from a long distance code. (Do NOT enter delimiter.)
41		Notify Party Code	NS_	an	17	2			С			-						Exporter/Importer Code Corporate Number	

4019-03-4 <2019.03 Update>

Proce	dure	Name (Procedure Code)	Manif	est I	nform	natio	n R	egist	trati	on (l	MFF							1	
	_			m		_	2					(	Cond	ditio	n	T			
Item No.	Column	Field name	₽	Attribute	length	Repeat 1	Repeat 2	full	cor nve	case ntain ntior rgo	er,	a	the o	mpt	ty	f		Code	Input Condition/Format
42		Notify Party Name	NN_	an	70	*			С			-							(1) When the notify party has no "Notify Party Code", entry of this field (at least one column) is mandatory. (2) When a notify party name corresponds to the entered "Notify Party Code" is NOT registered in NACCS, entry of this field (at least one column) is mandatory.
43		Notify Party Address (block entry)	NA_	an	175	*			С			-							(1) When the notify party has no "Notify Party Code", entry of this field or the following separate notify party address fields is mandatory.  (2) When an address corresponds to the entered "Notify Party Code" is NOT registered in NACCS, entry of this field or the following separate notify party address fields is mandatory.  (3) When the following separate notify party address fields are filled in, entry of this field is NOT allowed.
44		Notify Party Address 1/4 (Street and number/P.O. Box)	NE_	an	70	*			С			-							(1) When the notify party has no "Notify Party Code", entry of this field or "Notify Party Address (block entry)" field is mandatory.  (2) When an address corresponds to the entered "Notify Party Code" is NOT registered in NACCS, entry of this field or "Notify Party Address (block entry)" field is mandatory.  (3) Enter Notify Party Address 1/4 (Street and number/P.O. Box), which differs from the one registered in NACCS, as needed.  (4) When "Notify Party Address (block entry)" is filled in, entry of this field is NOT allowed.
45		Notify Party Address 2/4 (Street and number/P.O. Box)	NF_	an	35	*			С			-							(1) When the notify party has no "Notify Party Code", entry of this field or "Notify Party Address (block entry)" field is mandatory.  (2) When an address corresponds to the entered "Notify Party Code" is NOT registered in NACCS, entry of this field or "Notify Party Address (block entry)" field is mandatory.  (3) Enter Notify Party Address 2/4 (Street and number/P.O. Box), which differs from the one registered in NACCS, as needed.  (4) When "Notify Party Address (block entry)" is filled in, entry of this field is NOT allowed.
46		Notify Party Address 3/4 (City name)	NG_	an	35	*			С			-							(1) When the notify party has no "Notify Party Code", entry of this field or "Notify Party Address (block entry)" field is mandatory.  (2) When an address corresponds to the entered "Notify Party Code" is NOT registered in NACCS, entry of this field or "Notify Party Address (block entry)" field is mandatory.  (3) Enter Notify Party Address 3/4 (City name), which differs from the one registered in NACCS, as needed.  (4) When "Notify Party Address (block entry)" is filled in, entry of this field is NOT allowed.
47		Notify Party Address 4/4 (Country sub-entity, name)	NH_	an	35	*			С			-							(1) When the notify party has no "Notify Party Code", enter this field as needed. (2) When an address corresponds to the entered "Notify Party Code" is NOT registered in NACCS, enter this field as needed. (3) Enter Notify Party Address 4/4 (Country sub-entity, name), which differs from the one registered in NACCS, as needed. (4) When "Notify Party Address (block entry)" is filled in, entry of this field is NOT allowed.

4019-03-5 <2019.03 Update>

Proce	dure	Name (Procedure Code)	Manife	est I	nform	natio	n R	egist	ratio	on (N	FR								
	_			an a		_	2				1	С	ond	itior	1				
Item No.	Column	Field name	Q	Attribute	length	Repeat 1	Repeat 2	full	con	case of taine of the tail of t	r,	а	ne c n er onta	npty	,			Code	Input Condition/Format
48		Notify Party Postal Code								T									(1) When the notify party has no "Notify Party Code", enter
		(Postcode identification)	NP_	an	9	*			С			-							this field. (2) When a notify party postal code corresponds to the entered "Notify Party Code" is NOT registered in NACCS, enter this field. (3) Enter Notify Party Postal Code (Postcode identification), which differs from the one registered in NACCS, as needed.
49		Notify Party Country Code (Country, coded)	NC_	an	2	*			С			-						UN/LOCODE (Country name in 2 digits)	(1) When the notify party has no "Notify Party Code", enter this field. (2) When a country (regional) name corresponds to the entered "Notify Party Code" is NOT registered in NACCS, enter this field.  (3) Enter Notify Party Country Code (Country, coded), which stands for a country (regional) name different from the one registered in NACCS, as needed.  (4) "ZX", "ZY" and "ZZ" are NOT allowed to enter.
50		Notify Party Telephone																	(1) When the notify party has no "Notify Party Code", enter
		Number	NL_	an	14	*			С			-							this field. (2) When a telephone number corresponds to the entered "Notify Party Code" is NOT registered in NACCS, enter this field. (3) Enter Notify Party Telephone Number, which differs from the one registered in NACCS, as needed.  * When you input this field, enter a telephone number from a long distance code. (Do NOT enter delimiter.)
51		Goods Description																	
			CMD	an	350				М			-							
52		HS Code	HSN	an	6				С			-						HS Code (6 digits or 4 digits)	
53		Marks and Numbers	MRK	an	140				М			-							
54		Number of Packages	PCS	n	8				М			-							(1) A decimal number cannot be entered. (2) Enter "1" for cargo that cannot be expressed by quantity.
55		Number of Packages Unit Code																Package type code (UN/ECE Recommendation	
			PUT	an	3				М			-						No.21/Alphabet)	
56		Gross Weight	GWT	n	10				М			-							(1) Enter [Gross Weight] in [Integer: 6 digits / Decimal: 3 digits] or [Integer: 7 digits / Decimal: 2 digits]. (2) If the integer part is 7 digits. [Weight Unit Code] must be "KGM". (3) If [Weight Unit Code] is set as "KGM" (as above), set the cargo information with the value of [Input ÷ 1000] (the decimal value of input is truncated), and convert [Weight Unit Code] to "TNE".
57		Weight Unit Code	WU1	an	3				М			-						Quantity unit code (UN/ECE Recommendation No.20/Alphabet)	KGM: Kilogram TNE: Metric ton LBR: Pound
58		Net Weight	NWT	n	10				С			-							(1) Enter [Gross Weight] in [Integer: 6 digits / Decimal: 3 digits] or [Integer: 7 digits / Decimal: 2 digits]. (2) If the integer part is 7 digits. [Weight Unit Code] must be "KGM". (3) If [Weight Unit Code] is set as "KGM" (as above), set the cargo information with the value of [Input ÷ 1000] (the decimal value of input is truncated), and convert [Weight Unit Code] to "TNE".

4019-03-6 <2019.03 Update>

Proce	dure	Name (Procedure Code)	Manife	est I	nform	atio	n Re	egist	tratio	on (l	MFF	,						T	
	_					1	2					C	Cond	ditio	n	ı -			
Item No.	Column	Field name	Ω	Attribute	length	Repeat 1	Repeat 2	full	he c con nvei car	itain ntior	er,	a	the o	mpt	у			Code	Input Condition/Format
59		Weight Unit Code	WU2	an	3					М		-						Quantity unit code (UN/ECE Recommendation No.20/Alphabet)	KGM: Kilogram TNE: Metric ton LBR: Pound
60		Measurement	VOL	n	10				М			•							Integer: 6 digits / Decimal: 3 digits
61		Measurement Unit Code	VUT	an	3				М			-						Quantity unit code (UN/ECE Recommendation No.20/Alphabet)	MTQ: Cubic meter FTQ: Cubic foot BFT: Board feet measure (Wood)
62		Country of Origin Code	ORG	an	2				С			-						UN/LOCODE (Country name in 2 digits)	
63		Special Cargo Code	SPC	an	3				С									SPC code	
64		Freight	FRT	n	18				С			-							(1) If [Freight Currency Code] is not "JPY", the data can be entered with two decimal places. (2) If [Freight Currency Code] is "JPY", a decimal number cannot be entered.
65		Freight Currency Code	FRC	an	3					М		•						Currency Code (ISO4217, alphabet)	
66		Value	PRS	n	18				С			-							(1) Enter [Value] when [Customs Transit of Temporary Landing Cargo] is done. (2) If [Value Currency Code] is not "JPY", the data can be entered with two decimal places. (3) If [Value Currency Code] is "JPY", a decimal number cannot be entered.
67		Value Currency Code	PRT	an	3					М		-						Currency Code (ISO4217, alphabet)	
68		General Customs Transit Approval Number	HNO	an	11				С			-							Enter [General Customs Transit Approval Number] when [Separate Transit] for [General Customs Transit Approval] is done.
69		Temporary Landing Identifier	KRR	an	3				С			С						UN/EDIFACT code (7365)	28: Temporary Landing Cargo
70		Reason for Temporary Landing Code	KRS	an	3					М			М					Reason for Temporary Landing Code	The code should not be "TRS" or "POS" when [Custom Transit Information] is registered for the temporary landing cargo. TRT: Reshipment to another foreign trading vessel (aircraft)(with transportation) TRS: Reshipment to another foreign trading vessel (aircraft)(without transportation) POS: Cargo handling in the same vessel REV: Container refill
71		Duration of Temporary Landing	PRD	n	2					М			М						(1) Enter the number of days for [Duration of Temporary Landing] from the day when unloading is started. (2) The number of days entered must be within the duration registered in the system. (3) The number of days must be non-zero.
72		Estimated Start Date of Transportation	SDT	n	8					С		ı							(1) Enter [Estimated Start Date of Transportation] if [Customs Transit of Temporary Landing Cargo] is done. (2) System date ≦ Estimated transport starting date

4019-03-7 <2019.03 Update>

Proce	dure	Name (Procedure Code)	Manife	est I	nform	natio	n Re	egist	tratio	on (N	ИFR	)							
												С	onc	ditior	n				
Item No.	Column	Field name	QI	Attribute	length	Repeat 1	Repeat 2	full	con	case itaine ntion go	er,	а	n er	ase mpty aine	y			Code	Input Condition/Format
73		Estimated Finish Date of Transportation	EDT	n	8					С		-							(1) Enter the date to declare [Estimated Finish Date of Transportation] if [Customs Transit of Temporary Landing Cargo] is done. (2) Estimated Start Date of Transportation ≦ Estimated Finish Date of Transportation
74		Code of Transportation Mode of Separate Transit/Customs Transit of Temporary Landing Cargo	вуа	an	2				С			-						(8179)	(1) Enter [Code of Transportation Mode] when [Customs Transit] of temporary landing cargo is done. (2) Enter [Code of Transportation Mode] if [Separate Transit/Customs Transit of Temporary Landing Cargo] for [General Customs Transit Approval]. Note: If no data is entered, add [31: TRUCK] and register the code. 6Δ: AIRCRAFT 11: SHIP 16: BARGE 25: RAIL EXPRESS 31: TRUCK 17: OTHER
75		Arrival Place Code	ARR	an	5				С			-						Bonded Area Code	Enter [Arrival Place Code] if [Separate Transit/Customs Transit of Temporary Landing Cargo] for [General Customs Transit Approval].
76		Arrival Place Name	ARN	an	35				С			-							Enter [Arrival Place Name] if [Arrival Place Name] for [Arrival Place Code] is not registered in the system.
77		Code of Other Relevant Laws and Ordinances	OR_	an	2	5			С			-						Code of Other Relevant Laws and Ordinances	Enter [Code of Other Relevant Laws and Ordinances] for [Separate Transit/Customs Transit of Temporary Landing Cargo] for [General Customs Transit Approval] and for the cargo to which [Other Relevant Laws and Ordinances] are applied.
78		Remark	NTE	an	140				С			-							
79	200	Container Number	CNO	an	12			С				М							(1) Enter [Container Number] for container cargo or empty container. (2) Left justification (3) If there is no input of this field, do not check for the following fields and do not register in the system (*) If an empty container is cleared (import clearance procedure) as imported cargo, do not enter the information after [Container Number].
80	*	Seal Number	SL_	an	15	6			С				С						
81	*	Empty/Full Container Identification	EFS	an	3				М				М					UN/EDIFACT code (8169)	4: Empty 5: Full
82	*	Container Size Code	SIZ	an	2				М				М					Container Size Code (ISO6346)	
83	*	Container Type Code	TYP	an	2				М				М					Container Model Code (ISO6346)	
84		Service Type on Delivery Code	DLV	an	2				М				х						Enter [Service Type on Delivery Code] for full container. 51: CY Delivery 52: CFS Delivery 53: DOOR Delivery

<2019.03 Update>

Proce	dure	Name (Procedure Code)	Manif	est I	nform	natio	n R	egist	trati	on (N	IFR)	,	ond	ition					I
Item No.	Column	Field name	Q	Attribute	length	Repeat 1	Repeat 2	full	cor	case ntaine ntiona	r, '	In th		ase npty	of			Code	Input Condition/Format
85	*	Container Ownership Code	cow	an	3				М				М					UN/EDIFACT code (8077)	1: Shipper supplied 2: Carrier supplied 3: Consolidator supplied 4: Deconsolidator supplied 5: Third party supplied
86	*	Vanning Type Code	VAN	an	3				М				х					UN/EDIFACT code (7273)	Enter [Vanning Type Code] for full container.  1: Carrier loads  4: Shipper loads  16: Consignee loads
87		Customs Convention on Containers (CCC) Application Identifier	CTR	an	1				М				М						1: Container to which the Customs Convention on Container (CCC) is applied but the Law for Special Regulations Concerning Customs Convention on Containers (CCC) - Article 8 (Special Regulations for domestically produced containers) is not applicable.  2: Container to which the Customs Convention on Container (CCC) and the Law for Special Regulations Concerning Customs Convention on Containers (CCC) - Article 8 (Special Regulations for domestically produced containers) are applied.  3: Container to which the Law for Special Regulations Concerning Customs Convention on Containers (CCC) is not applicable.
88		Automatic Search for Discharged Container Exclusion Identifier	DCN	an	1				С				С						A: To register a description in which no automatic extraction done through the "discharge confirmation registration (batch procedure (PKI).

4019-03-9 <2019.03 Update>