

CUSRES/D98B/Processing Result Notification (PID)

UNH:MESSAGE HEADER

*Refer to the Field Number of the List of Input / Output Fields

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.*	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
UNH		MESSAGE HEADER	M	1	M	1			
0062		MESSAGE REFERENCE NUMBER	M	an..14	M	an..13		Message reference number	
S009		MESSAGE IDENTIFIER	M		M				
	0065	Message type	M	an..6	M	an..6		PID210	
	0052	Message version number	M	an..3	M	an..3		D	
	0054	Message release number	M	an..3	M	an..3		98B	
	0051	Controlling agency	M	an..2	M	an..2		UN	
	0057	Association assigned code	C	an..6	M	an..6		NAC10	[NAC10]
0068		COMMON ACCESS REFERENCE	C	an..35	X				
S010		STATUS OF THE TRANSFER	C		X				
	0070	Sequence of transfers	M	n..2	X				
	0073	First and last transfer	C	a1	X				

UNH+NACCS12345678+PID210:D:98B:UN:NAC10'

CUSRES/D98B/Processing Result Notification (PID)

BGM:BEGINNING OF MESSAGE

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
BGM		BEGINNING OF MESSAGE	M	1	M	1			
G002		DOCUMENT/MESSAGE NAME	C		M				
	1001	Document/message name, coded	C	an..3	M	an..3		961	961=General response (Customs)
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
	1000	Document/message name	C	an..35	M	an..7	1	Output Information Code *SPID	Input / Output Common Field(Refer to NACCS EDI Specifications) [*SPID]=Process Result Output (Arrival Date Registration)
C106		DOCUMENT/MESSAGE IDENTIFICATION	C		X				
	1004	Document/message number	C	an..35	X				
	1056	Version	C	an..9	X				
	1060	Revision number	C	an..6	X				
1225		MESSAGE FUNCTION, CODED	C	an..3	M	an1		9	9=Original
4343		RESPONSE TYPE, CODED	C	an..3	X				

BGM+961:::*SPID++9'

CUSRES/D98B/Processing Result Notification (PID)

FTX:FREE TEXT

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
FTX		FREE TEXT	C	99	M	1(1)			
4451		TEXT SUBJECT QUALIFIER	M	an..3	M	an..3		NHI	[NHI]=NACCS header information
4453		TEXT FUNCTION, CODED	C	an..3	X				
C107		TEXT REFERENCE	C		X				
4441		Free text identification	M	an..17	X				
1131		Code list qualifier	C	an..3	X				
3055		Code list responsible agency, coded	C	an..3	X				
C108		TEXT LITERAL	C		M				
	4440	Free text	M	an..70	M	an..5	1	Procedure Code PID	Input / Output Common Field(Refer to NACCS EDI Specifications) [PID]=Arrival Date Registration
	4440	Free text	C	an..70	M	an..8	1	Message Control Information	Input / Output Common Field(Refer to NACCS EDI Specifications)
	4440	Free text	C	an..70	C	an..26	1	Message Tag	Input / Output Common Field(Refer to NACCS EDI Specifications)
	4440	Free text	C	an..70	C	an..64	1	Index Tag	Input / Output Common Field(Refer to NACCS EDI Specifications)
	4440	Free text	C	an..70	X				
3453		LANGUAGE, CODED	C	an..3	X				
4447		TEXT FORMATTING, CODED	C	an..3	X				

FTX+NHI+++PID:000ER:1ABC2C20010407092530000001:AAABBBCCC'

CUSRES/D98B/Processing Result Notification (PID)

FTX:FREE TEXT

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
FTX		FREE TEXT	C		99	C	1(2)		
4451		TEXT SUBJECT QUALIFIER	M	an..3		M	an..3	PDB	[PDB]=Port of Discharge Suffix
4453		TEXT FUNCTION, CODED	C	an..3		X			
C107		TEXT REFERENCE	C			X			
	4441	Free text identification	M	an..17		X			
	1131	Code list qualifier	C	an..3		X			
	3055	Code list responsible agency, coded	C	an..3		X			
C108		TEXT LITERAL	C			M			
	4440	Free text	M	an..70		M	an1 5	Port of Discharge Suffix	
	4440	Free text	C	an..70		X			
	4440	Free text	C	an..70		X			
	4440	Free text	C	an..70		X			
	4440	Free text	C	an..70		X			
3453		LANGUAGE, CODED	C	an..3		X			
4447		TEXT FORMATTING, CODED	C	an..3		X			

FTX+PDB+++1'

CUSRES/D98B/Processing Result Notification (PID)

TDT:DETAILS OF TRANSPORT

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
TDT		DETAILS OF TRANSPORT	C	9	C	1			
8051		TRANSPORT STAGE QUALIFIER	M	an..3	M	an..3		20	20=Main-carriage transport
8028		CONVEYANCE REFERENCE NUMBER	C	an..17	X				
C220		MODE OF TRANSPORT	C		X				
	8067	Mode of transport, coded	C	an..3	X				
	8066	Mode of transport	C	an..17	X				
C228		TRANSPORT MEANS	C		X				
	8179	Type of means of transport identification	C	an..8	X				
	8178	Type of means of transport	C	an..17	X				
C040		CARRIER	C		X				
	3127	Carrier identification	C	an..17	X				
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
	3128	Carrier name	C	an..35	X				
8101		TRANSIT DIRECTION, CODED	C	an..3	X				
C401		EXCESS TRANSPORTATION INFORMATION	C		X				
	8457	Excess transportation reason, coded	M	an..3	X				
	8459	Excess transportation responsibility,	M	an..3	X				
	7130	Customer authorization number	C	an..17	X				
C222		TRANSPORT IDENTIFICATION	C		C				
	8213	Id. of means of transport identification	C	an..9	M	an..9	3	Vessel Code	(Call sign)
	1131	Code list qualifier	C	an..3	M	an..3		146	146=Means of transport identification
	3055	Code list responsible agency, coded	C	an..3	X				
	8212	Id. of the means of transport	C	an..35	X				
	8453	Nationality of means of transport, coded	C	an..3	X				
8281		TRANSPORT OWNERSHIP, CODED	C	an..3	X				

TDT+20++++++WXYZ:146'

CUSRES/D98B/Processing Result Notification (PID)

LOC:PLACE/LOCATION IDENTIFICATION□

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
LOC		PLACE/LOCATION IDENTIFICATION	C	99	M	1			
3227		PLACE/LOCATION QUALIFIER	M	an..3	M	an..3	11		11=Place/Port of Discharge
C517		LOCATION IDENTIFICATION	C		M				
	3225	Place/location identification	C	an..25	M	an..5	4	Port of Discharge Code	(UN/LOCODE)
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
	3224	Place/location	C	an..70	X				
C519		RELATED LOCATION ONE IDENTIFICATION	C		X				
	3223	Related place/location one identification	C	an..25	X				
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
	3222	Related place/location one	C	an..70	X				
C553		RELATED LOCATION TWO IDENTIFICATION	C		X				
	3233	Related place/location two identification	C	an..25	X				
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
	3232	Related place/location two	C	an..70	X				
5479		RELATION, CODED	C	an..3	X				

LOC+11+JPYOK'

CUSRES/D98B/Processing Result Notification (PID)

	---SEGMENT GROUP 3---	C	999	C	1		
--	-----------------------	---	-----	---	---	--	--

RFF:REFERENCE

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
RFF		REFERENCE	M		M		1		
C506		REFERENCE	M		M				
	1153	Reference qualifier	M	an..3	M	an..3		ACW	ACW=Reference number to previous message
	1154	Reference number	C	an..35	M	an..10	1	Input Message ID	Input / Output Common Field(Refer to NACCS EDI Specifications)
	1156	Line number	C	an..6	X				
	4000	Reference version number	C	an..35	X				
	1060	Revision number	C	an..6	X				

RFF+ACW:NACCS12345'

CUSRES/D98B/Processing Result Notification (PID)

		---SEGMENT GROUP 4---	C	99M	1		
--	--	-----------------------	---	-----	---	--	--

ERP:ERROR POINT DETAILS

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
ERP		ERROR POINT DETAILS	M	1	M	1			
C701		ERROR POINT DETAILS	C		M				
	1049	Message section, coded	C	an..3	M	an..3	2		2=Detail section of a message (used as a dummy)
	1052	Message item number	C	an..35	X				
	1054	Message sub-item number	C	n..6	X				
C853		ERROR SEGMENT POINT DETAILS	C		X				
	9166	Segment tag	C	an..3	X				
	1050	Sequence number	C	an..10	X				
	1159	Sequence number source, coded	C	an..3	X				

ERP+2'

CUSRES/D98B/Processing Result Notification (PID)

		---SEGMENT GROUP 4---	C	99	M	1		
--	--	-----------------------	---	----	---	---	--	--

FTX:FREE TEXT

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
FTX		FREE TEXT	C	99	M	1			
4451		TEXT SUBJECT QUALIFIER	M	an..3	M	an..3		AAP	AAP=Response (free text)
4453		TEXT FUNCTION, CODED	C	an..3	X				
C107		TEXT REFERENCE	C		X				
	4441	Free text identification	M	an..17	X				
	1131	Code list qualifier	C	an..3	X				
	3055	Code list responsible agency, coded	C	an..3	X				
C108		TEXT LITERAL	C		M				
	4440	Free text	M	an..70	M	an..15	2	Process Result Code 1	(Process Result Code)
	4440	Free text	C	an..70	C	an..15	2	Process Result Code 2	
	4440	Free text	C	an..70	C	an..15	2	Process Result Code 3	
	4440	Free text	C	an..70	C	an..15	2	Process Result Code 4	
	4440	Free text	C	an..70	C	an..15	2	Process Result Code 5	
3453		LANGUAGE, CODED	C	an..3	X				
4447		TEXT FORMATTING, CODED	C	an..3	X				

FTX+AAP+++0000-0000-0000'

CUSRES/D98B/Processing Result Notification (PID)

UNT:MESSAGE TRAILER

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	FORMAT	S	FORMAT			
UNT		MESSAGE TRAILER	M	1	M	1			
0074		NUMBER OF SEGMENTS IN THE MESSAGE	M	n..6	M	n..6		Number of segments in message	
0062		MESSAGE REFERENCE NUMBER	M	an..14	M	an..13		Message reference number	

UNT+10+NACCS12345678'

PID210

UNH+NACCS12345678+PID210:D:98B:UN:NAC10'
 BGM+961:::*SPID++9'
 FTX+NHI+++PID:000ER:1ABC2C20010407092530000001:AAABBBCCC'
 FTX+PDB+++1'
 TDT+20++++++WXYZ:146'
 LOC+11+JPYOK'
 RFF+ACW:NACCS12345'
 ERP+2'
 FTX+AAP+++00000-0000-0000'
 UNT+10+NACCS12345678'