| Proce | dure | Name (Procedure Code) | Update | е Ма | anifes | t Info | orma | ation | (After | the N | Man | ifest S | ubmi | | _ | | ure) | (CN | /F02 | 2) | | | | | |
|-------------|--------|---------------------------------------|--------|-----------|--------|----------|----------|-------|--|-------|-----|---|-------|---|-----|-----------------------|------|-----|-------------------------|----|---|------|-------|--|---|
| | | | | | | | - | | | | | | | С | onc | lition | T | | | | | | | | |
| Item No. | Column | Field name | QI | Attribute | length | Repeat 1 | Repeat 2 | con | ition of intaine ventio cargo | r, | con | rrectio filled ntainer ulk car | , in- | | em | on of pty ainer | (| е | ection empt ntair | | | Dele | etion | Code | Input Condition/Format |
| 1 | | Input eCommon #Fields | | an | 398 | | | М | | | М | | | М | | | ľ | И | | | М | | | | |
| 2 | | Function Type Code | KND | an | 1 | | | М | | | М | | | М | | | n | М | | | М | | | | 2: Addition 5: Correction 1: Deletion |
| 3 | | Reason for Correction reason eCode | coc | an | 1 | | | М | | | М | | | М | | | P | И | | | x | | | | Enter [Reason for Correction reasen-eCode] if "2: Addition" or "5: Correction" is entered in [Function Type Code]. 1: Correction (change the quantity) 2: Correction/addition (Change the transportation contract etc.) 3: Correction/addition (Change the cargo operation etc.) 4: Correction/addition (Change the B/L Ne-umber) 5: Correction/addition (Error in reported contents) 6: Correction/addition (Others) |
| 4 | | Reason for Correction reason | COR | an | 210 | | | | С | | | С | | | С | | | C | | | х | | | | Enter [Reason for Correction-reasen] if *6: Correction/addition (Others)* is entered in [Reason for Correction reasen eCode]. |
| 5 | | Reason for Deletion Code | DLC | an | 1 | | | х | | | x | | | x | | | ; | × | | | М | | | | Enter [Reason for Deletion Code] if "1: Deletion" is entered in [Function Type Code]. 1: Loading suspended 2: Landing suspended 3: B/L Ne-umber changed 4: Misregistration 5: Others |
| 6 | | Reason for Deletion reason | DLR | an | 210 | | | х | | | х | | | х | | | ; | × | | | | С | | | Enter [Reason for Deletion reason] if "5: Others" is entered in [Reason for Deletion Code]. |
| 7 | | Vessel Code | SEN | an | 9 | | | М | | | М | | | М | | | ı | И | | | М | | | Call sign | |
| 8 | | Operating Carrier Voyage Number | UVO | an | 10 | | | С | | | С | | | С | | | (| 0 | | | - | | | | Enter [Operating Carrier Voyage Number]. |
| 9 | | Voyage n N umber | VOY | an | 10 | | | С | | | С | | | С | | | (| 0 | | | - | | | | |
| 10 | | Carrier Code | SCA | an | 4 | | | М | | | М | | | М | | | ľ | И | | | М | | | Carrier eCode (NACCS eCarrier eCode) | Enter [Carrier Code] of the Manifest Information for CMF procedure. |
| 11 | | Port of Discharge Code | DPR | an | 5 | | | М | | | M | | | М | | | ı | И | | | М | | | UN/LOCODE | (1) Enter [Port of Discharge Code] for port of discharge (or [Temporary Port of Discharge Code] for temporary port of discharge). (2) The port must be registered in the system as for coastal vessels. |
| 12 | | Port of Discharge Suffix | EDA | an | 1 | | | С | | | С | | | С | | | (| 0 | | | С | | | | Enter [Port of Discharge Suffix] (1 to 9) of the Manifest for CMF procedure. |
| 13 | | Estimated Date of Arrival | IDT | n | 8 | | | С | | | С | | | С | | | 0 | 0 | | | - | | | | |
| 14 | | Container Operator Code | CYC | an | 5 | | | М | | | м | | | М | | | r | И | | | М | | | User e C ode | (1) Enter [User eCode] of the Container Operator for CY handling. (2) Enter "99999" if the cargo is not landed in the CY or the container operator has not joined the system. |
| 15 | | B/L No-umber | BLN | an | 35 | | | М | | | М | | | х | | | 2 | x | | | С | | | | (1) The first 4 digits must be the Carrier Code (NACCS eCarrier eCode). (2) The Number must be 5 digits or more. (3) There should not be any comma. |
| 16 | | Port of Loading Code | LPR | an | 5 | | | | М | | | М | | С | | | (| С | | | - | | | UN/LOCODE | |
| 17 | | Final dDestination eCode | DST | an | 5 | | | | С | | | С | | - | | | | - | | | - | | | UN/LOCODE | (1) If the cargo is a temporary landing cargo and if [Final dDestination eCode] that is not registered system is entered, the three characters following the 3rd digit should be converted to "ZZZ" (basket code) in the system, and the process should be started. (2) If [Final dDestination eCode] is converted to a basket code, the converted basket code must have been registered as a foreign code. |
| 18 | | Final Destination Name | DSN | an | 20 | | | | С | | | С | | - | | | | - | | | - | | | | Enter [Final Destination Name] if a basket code is entered in [Final dDestination eCode] (including if [Final dDestination eCode] is converted to a basket code). |

| Proce | dure | Name (Procedure Code) | Updat | e Ma | anifes | st Info | orma | ition (| After the | е Ма | nifes | t Subm | | | ocedu | ıre) (| CMF | 02) | | | | <u> </u> | |
|-------------|--------|--|-------|-----------|--------|----------|------|----------|--|------|--------|---------|---|------|-----------------------|--------|----------------------|-----|---|--------|----|---|---|
| | _ | | | Ф | | 1 | 2 | A 1 1'4' | | | | | | JOHU | illion | | | | | | | | |
| Item No. | Column | Field name | ₽ | Attribute | length | Repeat 1 | be | conv | on of ful tainer, entional argo | c | fille | er, in- | | em | on of oty ainer | | orrec em conta | pty | D | eletic | on | Code | Input Condition/Format |
| 19 | | Place of Delivery Code | | | | | | | | | | | | | | | | | | | | UN/LOCODE | (1) Enter [Place of Delivery Code] for the cargo shipped to Japan. (2) If the cargo is temporary landing cargo, the code should |
| | | | DLP | an | 5 | | | С | | | С | | | | | - | | | - | | | | not be the same as [Port of Discharge Code]. (3) If the cargo is temporary landing cargo and if [Final dDestination cCode] that is not registered system is entered, the three characters following the 3rd digit should be converted to "ZZZ" (basket code) in the system, and the process should be started. (4) If [Place of Delivery Code] is converted to a basket code, the converted basket code must have been registered as a foreign code. |
| 20 | | Place of Delivery Name | DLN | an | 20 | | | С | | | С | | - | | | - | | | - | | | | Enter [Place of Delivery Name] if a basket code is entered in [Place of Delivery Code] (including if [Place of Delivery Code] is converted to a basket code). |
| 21 | | Consignor Code | SHS | an | 17 | | | С | : | | С | | - | | | - | | | - | | | Importer/Exporter Code Corporate Number | |
| 22 | | Consignor Name | | | | | - | | | | | | | | | | | | | | | | (1) When the consignor has no "Consignor Code", entry of |
| | | | SHN | an | 70 | | | G F | | | € F | | - | | | - | | | - | | | | this field is mandatory. (2) When a consignor name corresponds to the entered "Consignor Code" is NOT registered in NACCS, entry of this field is mandatory. |
| 23 | | Consignor Address (block entry) | SHA | an | 175 | | | С | | | С | | - | | | - | | | - | | | | (1) When the consignor has no "Consignor Code", entry-of enter this field or the following separate consignor address fields-is-mandatory. (2) When an address corresponds to the entered "Consignor Code" is NOT registered in NACCS, entry-of-enter this field or the following separate consignor address fields-is mandatory. (3) When the following separate consignor address fields are filled in, entry of this field is NOT allowed. |
| 24 | | Consignor Address 1/4 (Street and number/P.O. Box) | SH1 | an | 70 | | | С | | | С | | | | | - | | | - | | | | (1) When the consignor has no "Consignor Code", entry-efenter this field or "Consignor Address (block entry)" field-is mandatory. (2) When an address corresponds to the entered "Consignor Code" is NOT registered in NACCS, entry-of-enter this field or "Consignor Address (block entry)" field-is-mandatory. (3) Enter Consignor Address 1/4 (Street and number/P.O. Box), which differs from the one registered in NACCS, as needed. (4) When "Consignor Address (block entry)" is filled in, entry of this field is NOT allowed. |
| 25 | | Consignor Address 2/4 (Street and number/P.O. Box) | SH2 | an | 35 | | | c | | | С | | - | | | - | | | - | | | | (1) When the consignor has no "Consignor Code", entry-efenter this field or "Consignor Address (block entry)" field-is mandatory. (2) When an address corresponds to the entered "Consignor Code" is NOT registered in NACCS, entry-of-enter this field or "Consignor Address (block entry)" field-is-mandatory. (3) Enter Consignor Address 2/4 (Street and number/P.O. Box), which differs from the one registered in NACCS, as needed. (4) When "Consignor Address (block entry)" is filled in, entry of this field is NOT allowed. |
| 26 | | Consignor Address 3/4 (City name) | SH3 | an | 35 | | | C | | | С | | - | | | - | | | - | | | | (1) When the consignor has no "Consignor Code", entry-efenter this field or "Consignor Address (block entry)" field-is mandatery. (2) When an address corresponds to the entered "Consignor Code" is NOT registered in NACCS, entry-ef-enter this field or "Consignor Address (block entry)" field-is-mandatory. (3) Enter Consignor Address 3/4 (City name), which differs from the one registered in NACCS, as needed. (4) When "Consignor Address (block entry)" is filled in, entry of this field is NOT allowed. |

| Proce | dure | Name (Procedure Code) | Updat | е Ма | nifes | t Info | ormatio | n (Afte | er the | Man | ifest | Subm | issio | n pr | ocedu | ıre) | (CMI | F02) | | | | | | |
|-------------|--------|--|-------|-----------|--------|----------|---------|--------------------------------------|---------------|-----|--------|---------|-------|------|-----------------------|------|------|------------------------|---|-------|------|-----------|---|--|
| | | | | | | | F | | | | | | C | onc | lition | T | | | | | | \exists | | |
| Item No. | Column | Field name | QI | Attribute | length | Repeat 1 | bes | ldition contair onvent carg | ner, ional | con | fille | er, in- | | em | on of pty ainer | C | en | ction npty taine | D | Delet | tion | | Code | Input Condition/Format |
| 27 | | Consignor Address 4/4 (Country sub-entity, name) | SH4 | an | 35 | | | С | | | С | | - | | | - | | | - | | | | | (1) When the consignor has no "Consignor Code", enter this field as needed. (2) When an address corresponds to the entered "Consignor Code" is NOT registered in NACCS, enter this field as needed. (3) Enter Consignor Address 4/4 (Country sub-entity, name), which differs from the one registered in NACCS, as needed. (4) When "Consignor Address (block entry)" is filled in, entry of this field is NOT allowed. |
| 28 | | Consignor Postal Code (Postcode identification) | SHP | an | 9 | | | С | | | С | | - | | | - | | | - | | | | | (1) When the consignor has no "Consignor Code", enter this field. (2) When a consignor postal code corresponds to the entered "Consignor Code" is NOT registered in NACCS, enter this field. (3) Enter Consignor Postal Code (Postcode identification), which differs from the one registered in NACCS, as needed. |
| 29 | | Consignor Country Code (Country, coded) | SHC | an | 2 | | | С | | | С | | - | | | - | | | - | | | | UN/LOCODE (Country name in 2 digits) | (1) When the consignor has no "Consignor Code", enter this field. (2) When a country (regional) name corresponds to the entered "Consignor Code" is NOT registered in NACCS, enter this field. (3) Enter Consignor Country Code (Country, coded), which stands for a country (regional) name different from the one registered in NACCS, as needed. (4) "ZX", "ZY" and "ZZ" are NOT allowed to enter. |
| 30 | | Consignor Telephone Number | SHT | an | 14 | | | С | | | С | | - | | | - | | | - | | | | | (1) When the consignor has no "Consignor Code", enter this field. (2) When a telephone number corresponds to the entered "Consignor Code" is NOT registered in NACCS, enter this field. (3) Enter Consignor Telephone Number, which differs from the one registered in NACCS, as needed. * When you input this field, enter a telephone number from a long distance code. (Do NOT enter delimiter.) |
| 31 | | Consignee Code | CNS | an | 17 | | | С | | | С | | | | | - | | | - | | | | Importer/Exporter Code Corporate Number | |
| 32 | | Consignee Name | CNN | an | 70 | | | G F | | | € F | | - | | | - | | | - | | | | | (1) When the consignee has no "Consignee Code", entry of this field is mandatory. (2) When a consignee name corresponds to the entered "Consignee Code" is NOT registered in NACCS, entry of this field is mandatory. |
| 33 | | Consignee Address (block entry) | CNA | an | 175 | | | С | | | С | | - | | | - | | | - | | | | | (1) When the consignee has no "Consignee Code", entry of enter this field or the following separate consignee address fields-is-mandatory. (2) When an address corresponds to the entered "Consignee Code" is NOT registered in NACCS, entry of enter this field or the following separate consignee address fields-is mandatory. (3) When the following separate consignee address fields are filled in, entry of this field is NOT allowed. |
| 34 | | Consignee Address 1/4 (Street and number/P.O. Box) | CN1 | an | 70 | | | С | | | С | | - | | | - | | | - | | | | | (1) When the consignee has no "Consignee Code", entry-of enter this field or "Consignee Address (block entry)" field-is mandatory. (2) When an address corresponds to the entered "Consignee Code" is NOT registered in NACCS, entry-of-enter this field or "Consignee Address (block entry)" field-is-mandatory. (3) Enter Consignee Address 1/4 (Street and number/P.O. Box), which differs from the one registered in NACCS, as needed. (4) When "Consignee Address (block entry)" is filled in, entry of this field is NOT allowed. |

| Proce | dure | Name (Procedure Code) | Updat | е Ма | nifes | t Info | ormat | ion (A | After the | Mar | ifest | Subm | | - | | re) (| CMF | -02) | | | | 1 | T |
|-------------|--------|--|-------|-----------|--------|----------|-------|--------|---|-----|-------|---------|---|----------------|-------|-------|-----|------------------------|---|--------|----|---|--|
| | | | | | | | _ - | | | | | | C | ond | ition | | | | | | | - | |
| Item No. | Column | Field name | Ω | Attribute | length | Repeat 1 | be | conta | on of full ainer, entional rgo | 100 | fille | er, in- | | ddition emp | | | em | ction npty ainei | D | eletio | on | Code | Input Condition/Format |
| 35 | | Consignee Address 2/4 (Street and number/P.O. Box) | CN2 | an | 35 | | | С | | | С | | - | | | - | | | - | | | | (1) When the consignee has no "Consignee Code", entry of enter this field or "Consignee Address (block entry)" field-is mandatory. (2) When an address corresponds to the entered "Consignee Code" is NOT registered in NACCS, entry of enter this field or "Consignee Address (block entry)" field-is-mandatory. (3) Enter Consignee Address 2/4 (Street and number/P.O. Box), which differs from the one registered in NACCS, as needed. (4) When "Consignee Address (block entry)" is filled in, entry of this field is NOT allowed. |
| 36 | | Consignee Address 3/4 (City name) | CN3 | an | 35 | | | С | | | С | | - | | | - | | | - | | | | (1) When the consignee has no "Consignee Code", entry-of enter this field or "Consignee Address (block entry)" field-is mandatory. (2) When an address corresponds to the entered "Consignee Code" is NOT registered in NACCS, entry-of-enter this field or "Consignee Address (block entry)" field-is-mandatory. (3) Enter Consignee Address 3/4 (City name), which differs from the one registered in NACCS, as needed. (4) When "Consignee Address (block entry)" is filled in, entry of this field is NOT allowed. |
| 37 | | Consignee Address 4/4 (Country sub-entity, name) | CN4 | an | 35 | | | С | | | С | | - | | | - | | | - | | | | (1) When the consignee has no "Consignee Code", enter this field as needed. (2) When an address corresponds to the entered "Consignee Code" is NOT registered in NACCS, enter this field as needed. (3) Enter Consignee Address 4/4 (Country sub-entity, name), which differs from the one registered in NACCS, as needed. (4) When "Consignee Address (block entry)" is filled in, entry of this field is NOT allowed. |
| 38 | | Consignee Postal Code (Postcode identification) | CNP | an | 9 | | | С | | | С | | - | | | - | | | - | | | | (1) When the consignee has no "Consignee Code", enter this field. (2) When a consignee postal code corresponds to the entered "Consignee Code" is NOT registered in NACCS, enter this field. (3) Enter Consignee Postal Code (Postcode identification), which differs from the one registered in NACCS, as needed. |
| 39 | | Consignee Country Code (Country, coded) | CNC | an | 2 | | | С | | | С | | - | | | - | | | - | | | UN/LOCODE (Country name in 2 digits) | (1) When the consignee has no "Consignee Code", enter this field. (2) When a country (regional) name corresponds to the entered "Consignee Code" is NOT registered in NACCS, enter this field. (3) Enter Consignee Country Code (Country, coded), which stands for a country (regional) name different from the one registered in NACCS, as needed. (4) "ZX", "ZY" and "ZZ" are NOT allowed to enter. |
| 40 | | Consignee Telephone Number | CTL | an | 14 | | | С | | | С | | - | | | - | | | - | | | | (1) When the consignee has no "Consignee Code", enter this field. (2) When a telephone number corresponds to the entered "Consignee Code" is NOT registered in NACCS, enter this field. (3) Enter Consignee Telephone Number, which differs from the one registered in NACCS, as needed. * When you input this field, enter a telephone number from a long distance code. (Do NOT enter delimiter.) |
| 41 | | Notify Party Code | NS_ | an | 17 | 2 | | С | | | С | | - | | | - | | | - | | | Importer/Exporter Code Corporate Number | |
| 42 | | Notify Party Name | NN_ | an | 70 | * | | С | | | С | | - | | | - | | | - | | | | (1) When the notify party has no "Notify Party Code", entry of this field (at least one column) is mandatory. (2) When a notify party name corresponds to the entered "Notify Party Code" is NOT registered in NACCS, entry of this field (at least one column) is mandatory. |

| Proce | dure | Name (Procedure Code) | Updat | te Ma | anife | st Inf | form | ation | (After the | е М | anifes | t Subn | | - | roced dition | ure) | (CN | 1F02 | 2) | | | | | |
|-------------|--------|---|-------|-----------|--------|----------|--------|-------|---|-----|--------------------------------------|----------------|---|-------|--------------------------|------|-----|-------------------------|----|---|-----|-------|--|--|
| | | | | m | | _ | 2 | | | | | | | 20110 | uition | | | | | | | | | |
| Item No. | Column | Field name | Q | Attribute | length | Repeat 1 | Repeat | conv | ion of ful ntainer, rentional argo | 1 0 | Correc fille contain bulk c | ed ier, in- | A | em | tion of npty ainer | | | ection mpty ntain | у | ı | Del | etion | Code | Input Condition/Format |
| 43 | | Notify Party Address (block entry) | NA_ | an | 175 | * | | C | | | С | | - | | | | - | | | - | | | | (1) When the notify party has no "Notify Party Code", entry of enter this field or the following separate notify party address fields-is-mandatery. (2) When an address corresponds to the entered "Notify Party Code" is NOT registered in NACCS, entry-of-enter this field or the following separate notify party address fields-is-mandatery. (3) When the following separate notify party address fields are filled in, entry of this field is NOT allowed. |
| 44 | | Notify Party Address 1/4 (Street and number/P.O. Box) | NE_ | an | 70 | * | | C | | | С | | - | | | | - | | | - | | | | (1) When the notify party has no "Notify Party Code", entry-of enter this field or "Notify Party Address (block entry)" field-is mandatory. (2) When an address corresponds to the entered "Notify Party Code" is NOT registered in NACCS, entry-of-enter this field or "Notify Party Address (block entry)" field-is-mandatory. (3) Enter Notify Party Address (block entry)" field-is-mandatory. Co. Box), which differs from the one registered in NACCS, as needed. (4) When "Notify Party Address (block entry)" is filled in, entry of this field is NOT allowed. |
| 45 | | Notify Party Address 2/4 (Street and number/P.O. Box) | NF_ | an | 35 | * | | C | | | С | | - | | | | - | | | - | | | | (1) When the notify party has no "Notify Party Code", entry-of enter this field or "Notify Party Address (block entry)" field-is mandatery. (2) When an address corresponds to the entered "Notify Party Code" is NOT registered in NACCS, entry-of-enter this field or "Notify Party Address (block entry)" field-is-mandatery. (3) Enter Notify Party Address 2/4 (Street and number/P.O. Box), which differs from the one registered in NACCS, as needed. (4) When "Notify Party Address (block entry)" is filled in, entry of this field is NOT allowed. |
| 46 | | Notify Party Address 3/4 (City name) | NG_ | an | 35 | * | | | > | | С | | - | | | | - | | | - | | | | (1) When the notify party has no "Notify Party Code", entry-of enter this field or "Notify Party Address (block entry)" field-is mandatory. (2) When an address corresponds to the entered "Notify Party Code" is NOT registered in NACCS, entry-of-enter this field or "Notify Party Address (block entry)" field-is-mandatory. (3) Enter Notify Party Address (block entry)" misch differs from the one registered in NACCS, as needed. (4) When "Notify Party Address (block entry)" is filled in, entry of this field is NOT allowed. |
| 47 | | Notify Party Address 4/4 (Country sub-entity, name) | NH_ | an | 35 | * | | C | , | | С | | - | | | | - | | | - | | | | (1) When the notify party has no "Notify Party Code", enter this field as needed. (2) When an address corresponds to the entered "Notify Party Code" is NOT registered in NACCS, enter this field as needed. (3) Enter Notify Party Address 4/4 (Country sub-entity, name), which differs from the one registered in NACCS, as needed. (4) When "Notify Party Address (block entry)" is filled in, entry of this field is NOT allowed. |
| 48 | | Notify Party Postal Code (Postcode identification) | NP_ | an | 9 | * | | (| | | С | | - | | | | - | | | - | | | | (1) When the notify party has no "Notify Party Code", enter this field. (2) When a notify party postal code corresponds to the entered "Notify Party Code" is NOT registered in NACCS, enter this field. (3) Enter Notify Party Postal Code (Postcode identification), which differs from the one registered in NACCS, as needed. |
| 49 | | Notify Party Country Code (Country, coded) | NC_ | an | 2 | * | | C | | | С | | - | | | | - | | | - | | | UN/LOCODE (Country name in 2 digits) | (1) When the notify party has no "Notify Party Code", enter this field. (2) When a country (regional) name corresponds to the entered "Notify Party Code" is NOT registered in NACCS, enter this field. (3) Enter Notify Party Country Code (Country, coded), which stands for a country (regional) name different from the one registered in NACCS, as needed. (4) "ZX", "ZY" and "ZZ" are NOT allowed to enter. |

| Proce | edure | Name (Procedure Code) | Updat | е Ма | anifes | t Inf | orma | tion | (After | r the N | Manif | est S | Submis | | n prod | | e) (| CMF | 02) | | | | | | |
|-------------|--------|----------------------------------|-------|-----------|--------|----------|----------|------|-----------------------------|-------------|-------|--------|-------------|---|---------------------------|---|------|------------------------|-----|----|----|---------|---|--|---|
| Item No. | Column | Field name | QI | Attribute | length | Repeat 1 | Repeat 2 | conv | ion of ntaine rention | er, onal | cont | filled | l r, in- | | ddition empt ontair | у | | orrect emp conta | oty | of | De | eletior | ı | Code | Input Condition/Format |
| 50 | | Notify Party Telephone Number | NL_ | an | 14 | * | | (| | | (| C | | - | | | - | | | - | | | | | (1) When the notify party has no "Notify Party Code", enter this field. (2) When a telephone number corresponds to the entered "Notify Party Code" is NOT registered in NACCS, enter this field. (3) Enter Notify Party Telephone Number, which differs from the one registered in NACCS, as needed. |
| | | | | | | | | | | | | | | | | | | | | | | | | | * When you input this field, enter a telephone number from a long distance code. (Do NOT enter delimiter.) |
| 51 | | Goods Description | CMD | an | 350 | | | N | Л | | ı | М | | - | | | - | | | - | | | | | |
| 52 | | HS Code | HSN | an | 6 | | | C | | | (| С | | - | | | - | | | - | | | | HS e C ode (6 or 4 digits) | |
| 53 | | Marks and Numbers | MRK | an | 140 | | | N | Л | | ı | И | | - | | | | | | - | | | | | |
| 54 | | Number of Packages | PCS | n | 8 | | | N | Л | | ı | И | | - | | | - | | | - | | | | | (1) A decimal number cannot be entered. (2) Enter "1" for cargo that cannot be expressed by quantity. |
| 55 | | Number of Packages Unit Code | PUT | an | 3 | | | N | Л | | 1 | м | | - | | | - | | | - | | | | Package type code (UN/ECE Recommendation No.21/alphabet) | |
| 56 | | Gross Weight | GWT | n | 10 | | | N | 1 | | 1 | м | | - | | | - | | | - | | | | | (1) Enter [Gross Weight] in [Integer: 6 digits / Decimal: 3 digits] or [Integer: 7 digits / Decimal: 2 digits]. (2) If the integer part is 7 digits. [Weight Unit Code] must be "KGM". (3) If [Weight Unit Code] is set as "KGM" (as above), set the cargo information with the value of [Input ÷ 1000] (the decimal value of input is truncated), and convert [Weight Unit Code] to "TNE". |
| 57 | | Weight Unit Code | WU1 | an | 3 | | | N | И | | ı | м | | - | | | - | | | - | | | | Quantity unit code (UN/ECE Recommendation No.20/alphabet) | KGM: Kilogram TNE: Metric ton LBR: Pound |
| 58 | | Net Weight | NWT | n | 10 | | | C | | | (| С | | - | | | - | | | - | | | | | (1) Enter [Gross Weight] in [Integer: 6 digits / Decimal: 3 digits] or [Integer: 7 digits / Decimal: 2 digits]. (2) If the integer part is 7 digits. [Weight Unit Code] must be "KGM". (3) If [Weight Unit Code] is set as "KGM" (as above), set the cargo information with the value of [Input ÷ 1000] (the decimal value of input is truncated), and convert [Weight Unit Code] to "TNE". |
| 59 | | Weight Unit Code | WU2 | an | 3 | | | | М | | | N | 1 | - | | | - | | | - | , | | | Quantity unit code (UN/ECE Recommendation No.20/alphabet) | Integer: 6 digits / Decimal: 3 digits |
| 60 | | Measurement | VOL | n | 10 | | | N | Л | | ı | И | | - | | | - | | | - | | | | | Integer: 6 digits / Decimal: 3 digits |
| 61 | | Measurement Unit Code | VUT | an | 3 | | | N | Л | | ı | м | | - | | | - | | | - | | | | Quantity unit code (UN/ECE Recommendation No.20/alphabet) | MTQ: Cubic meter FTQ: Cubic foot BFT: Board feet measure (Wood) |
| 62 | | Country of Origin Code | ORG | an | 2 | | | C | | | (| 0 | | - | | | - | | | - | | | | UN/LOCODE (Country name in 2 digits) | |
| 63 | | Special eCargo eCode | SPC | an | 3 | | | C | | | (| С | | | | | - | | | - | | | | SPC code | |
| 64 | | Freight | FRT | n | 18 | | | (| | | (| С | | - | | | - | | | | | | | | (1) If [Freight Currency Code] is not "JPY", the data can be entered to two places of decimals. (2) If [Freight Currency Code] is "JPY", a decimal number cannot be entered. |
| 65 | | Freight Currency Code | FRC | an | 3 | | | | М | | | N | 4 | - | | | - | | | - | | | | Currency eCode (ISO4217, alphabet) | |
| 66 | | Value | PRS | n | 18 | | | C | | | (| C | | - | | | - | | | - | | | | | (1) Enter [Value] when [Customs Transit of Temporary Landing Cargo] is done. (2) If [Value Currency Code] is not "JPY", the data can be entered to two places of decimals. (3) If [Value Currency Code] is "JPY", a decimal number cannot be entered. |

| Proce | dure | Name (Procedure Code) | Update | е Ма | anifes | t Inf | orma | ation | (Afte | r the I | Mani | fest | Subm | | _ | oced | | (CN | 1F0: | 2) | | | | | | |
|-------------|--------|--|--------|-----------|--------|----------|----------|-------|--------------------------------------|-------------|------|--------|---------|---|----|------------------------|-----|-----|------------------------|----|---|-----|--------|---|--|---|
| Item No. | Column | Field name | QI | Attribute | length | Repeat 1 | Repeat 2 | con | tion on taino vention cargo | er, onal | con | filled | er, in- | | em | ion of pty ainer | i (| е | ection mpt ntair | | • | Del | letion | 1 | Code | Input Condition/Format |
| 67 | | Value Currency Code | PRT | an | 3 | | | | М | | | 1 | М | - | | | | - | | | - | | | | Currency e C ode (ISO4217, alphabet) | |
| 68 | | General Customs Transit Approval Number | HNO | an | 11 | | | (| | | | С | | - | | | | - | | | - | | | | | Enter [General Customs Transit Approval Number] when [Separate Transit] for [General Customs Transit Approval] is done. |
| 69 | | Temporary Landing Identifier | KRR | an | 3 | | | (| 0 | | | С | | С | | | (| 0 | | | - | | | | UN/EDIFACT code (7365) | 28: Temporary Landing Cargo |
| 70 | | Reason for Temporary Landing Code | KRS | an | 3 | | | | м | | | 1 | И | | М | | | N | 1 | | - | | | | Reason for Temporary Landing Code | The code should not be "TRS" or "POS" when [Custom Transit Information] is registered for the temporary landing cargo. TRT: Reshipment to another foreign trading vessel (aircraft)(with transportation) TRS: Reshipment to another foreign trading vessel (aircraft)(without transportation) POS: Cargo handling in the same vessel REV: Container refill |
| 71 | | Duration of Temporary Landing | PRD | n | 2 | | | | М | | | 1 | М | | М | | | N | 4 | | - | | | | | (1) Enter the number of days for [Duration of Temporary Landing] from the day when unloading is started. (2) The number of days entered must be within the duration registered in the system. (3) The number of days must be non-zero. |
| 72 | | Estimated Start Date of Transportation | SDT | n | 8 | | | | С | | | (| 0 | - | | | | - | | | - | | | | | (1) Enter [Estimated Start Date of Transportation] if [Customs Transit of Temporary Landing Cargo] is done. (2) System date ≦ Estimated transport starting date |
| 73 | | Estimated Finish Date of Transportation | EDT | n | 8 | | | | С | | | (| 0 | - | | | | - | | | - | | | | | (1) Enter the date to declare [Estimated Finish Date of Transportation] if [Customs Transit of Temporary Landing Cargo] is done. (2) Estimated Start Date of Transportation ≦ Estimated Finish Date of Transportation |
| 74 | | Code of Transportation Mode of Separate Transit/Customs Transit of Temporary Landing Cargo | BYA | an | 2 | | | (| 0 | | | С | | - | | | | - | | | - | | | | UN/EDIFACT code (8179) | Enter [Code of Transportation Mode] if [Separate Transit/Customs Transit of Temporary Landing Cargo] for [General Customs Transit Approval]. 6∆: AIRCRAFT 11: SHIP 16: BARGE 25: RAIL EXPRESS 31: TRUCK 17: OTHER |
| 75 | | Arrival Place Code | ARR | an | 5 | | | (| | | | С | | - | | | | - | | | - | | | | Bonded aArea eCode | Enter [Arrival Place Code] if [Separate Transit/Customs Transit of Temporary Landing Cargo] for [General Customs Transit Approval]. |
| 76 | | Arrival Place Name | ARN | an | 35 | | | (| | | | С | | - | | | | - | | | - | | | | | Enter [Arrival Place Name] if [Arrival Place Name] for [Arrival Place Code] is not registered in the system. |
| 77 | | Code of Other Relevant Laws and Ordinances | OR_ | an | 2 | 5 | | (| | | | С | | | | | | - | | | - | | | | Code of Other Relevant Laws and Ordinances | Enter [Code of Other Relevant Laws and Ordinances] for [Separate Transit/Customs Transit of Temporary Landing Cargo] for [General Customs Transit Approval] and for the cargo to which [Other Relevant Laws and Ordinances] are applied. |
| 78 | | Remarks | NTE | an | 140 | | | (| | | | С | | - | | | | - | | | - | | | | | |
| 79 | 200 | Container Number | CNO | an | 12 | | | С | | | С | | | М | | | N | М | | | С | | | | | (1) Enter [Container Number] for container cargo or empty container. (2) Left justification (*) If an empty container is cleared (import clearance procedure) as imported cargo, do not enter the information after [Container Number]. |
| 80 | * | Seal Number | SL_ | an | 15 | 6 | | (| 0 | | | С | | | С | | | c | ; | | - | | | | | |
| 81 | * | Empty/Full Container Identification | EFS | an | 3 | | | ı | И | | | М | | | М | | | N | 1 | | - | | | | UN/EDIFACT code (8169) | 4: Empty 5: Full |
| 82 | * | Container Size Code | SIZ | an | 2 | | | ı | Л | | | М | | | М | | | N | 4 | | - | | | | Container Size Code (ISO6346) | |
| 83 | * | Container Type Code | TYP | an | 2 | | | ١ | Л | | | М | | | М | | | N | 1 | | - | | | | Container Model Code (ISO6346) | |

| | | Name (Procedure Code) | | | | | | | , | | | | | | | ditior | , , | | | | | | |
|-------------|--------|--|-----|-----------|--------|----------|----------|-----|-------|-------|----|----------------|--------------------------------|----|----|---|---------|--|---|-----|-------|---------------------------|---|
| Item No. | Column | Field name | О | Attribute | length | Repeat 1 | Repeat 2 | cor | ontai | ional | со | fille ntain | tion o ed er, in argo | ı- | en | tion on the state of the state | е | ection emptemptemptemptemptemptemptemptemptempt | | Del | etion | Code | Input Condition/Format |
| 84 | * | Service Type on Delivery Code | DLV | an | 2 | | | | М | | | М | | | х | | > | < | - | | | | Enter [Service Type on Delivery Code] for full container. 51: CY Delivery 52: CFS Delivery 53: DOOR Delivery |
| 85 | * | Container Ownership Code | cow | an | 3 | | | | М | | | М | | | М | | N | И | - | | | UN/EDIFACT code (8077) | Shipper supplied Carrier supplied Consolidator supplied Deconsolidator supplied Third party supplied |
| 86 | * | Vanning Type Code | VAN | an | 3 | | | | М | | | М | | | х | | > | < | - | | | UN/EDIFACT code (7273) | Enter [Vanning Type Code] for full container. 1: Carrier loads 4: Shipper loads 16: Consignee loads |
| 87 | * | Customs Convention on Containers (CCC) Application Identifier | CTR | an | 1 | | | | M | | | М | | | M | | N | 1 | - | | | | 1: Container for which the Customs Convention on Containers (CCC) is applied but the Law for Special Regulations Concerning Customs Convention on Contain (CCC) - Article 98 (Special Regulations for domestically produced containers) is not applicable. 2: Container for which the Customs Convention on Containers (CCC) and the Law for Special Regulations Concerning Customs Convention on Containers (CCC) - Article 98 (Special Regulations for domestically produced containers) are applied. 3: Container for which the Law for Special Regulations Concerning Customs Convention on Containers (CCC) is applicable. |
| 88 | * | Automatic Search for Discharged Container Exclusion Identifier | DCN | an | 1 | | | | С | | | С | | | С | | C | 5 | - | | | | A: To register a description in which no automatic extracti is done through the "discharge confirmation registration (batch)" procedure (PKI). B: To cancel a description in which no automatic extractio to done through the "discharge confirmation registration (batch)" procedure (PKI). |